

BRITISH HEART JOURNAL

In association with the British Cardiac Society
A Registered Charity

Founded 1939

Editor: M J Davies **Associate Editors:** Peter Mills, H G Just
Assistant Editors: R Gordon Murray (general cardiology), Janet McComb (electrophysiology),
John L Gibbs (paediatric cardiology) **Statistical Advisor:** Ian Ford
Technical Editor: Jane Dawson **Editorial Assistant:** Samantha Shaul

INTERNATIONAL EDITORIAL COMMITTEE

Antonio Bayes de Luna (Barcelona, Spain)
Nicholas A Boon (Edinburgh)
Roger M Boyle (York)
John G F Cleland (Glasgow)
Stuart M Cobbe (Glasgow)
Henry J Dargie (Glasgow)
Bernard J Gersh (Washington, DC, USA)
Roger Hall (Cardiff)
Stephen C Hammill (Rochester, USA)

Alan B Houston (Glasgow)
Stewart Hunter (Newcastle upon Tyne)
Barry Keeton (Southampton)
Paul Kliffeld (New York, USA)
Wolfgang Kübler (Heidelberg, Germany)
Paul M McKeigue (London)
Richard L Popp (Stanford, USA)
Edward Rowland (London)
John Sanderson (Hong Kong)

Iain A Simpson (Southampton)
Giuseppe Specchia (Pavia, Italy)
Eric Topol (Cleveland, USA)
Tom Treasure (London)
Peter Wilde (Bristol)

Editor: BMJ

Editor: Cardiovascular Research

NOTICE TO CONTRIBUTORS

Papers relating to the heart and circulation should be sent in triplicate to the Editor, British Heart Journal, 9 Fitzroy Square, London W1P 5AH, and be prepared according to the *Uniform requirements for manuscripts submitted to biomedical journals* (Vancouver agreement) (BMJ 1988;296:401-5). **Authors are asked to complete a copy of the checklist provided (1995;73: 105-6 (January issue)) when submitting their manuscripts for publication and to nominate three suitable reviewers.** The reference number given on the acknowledgement letter sent out by the editorial office should be quoted on all subsequent correspondence and telephone inquiries. A covering letter (wherever possible giving a fax number) must be signed by all authors stating that they have seen and approved the paper and that the work has not been, and will not be, published elsewhere. All authors will be required to transfer copyright of their articles to the journal before publication. (All material for possible publication (including Letters to the Editor) must be typed in *double spacing* with wide margins.) A 250 word structured abstract must be sent with most papers. If requested, authors shall produce the data upon which the manuscript is based for examination by the editor.

ETHICAL STANDARDS

Authors are expected to comply with the code of ethics known as the Declaration of Helsinki. Where appropriate, manuscripts should include a statement that the research protocol has been approved by the locally appointed ethics committee and that the informed consent of the subjects has been obtained.

AUTHORSHIP: All authors must fulfil the criteria of the International Committee of Medical Journal Editors (Vancouver agreement) (see BMJ 1991;302:338-41).

ABBREVIATIONS should *not* be used in the text, except for mathematical calculations and units of measurement.

REFERENCES must be cited precisely according to the Vancouver agreement and be typed in *double spacing*. As a general rule, no more than three references should be cited for any one statement.

Authors are responsible for the accuracy of any references cited: these should be checked at source or with the listing in Index Medicus.

UNITS OF MEASUREMENT: All haematological and clinical chemistry measurements should be given as SI units. Blood pressures should be given in mm Hg.

COPYRIGHT PERMISSION to reproduce material published elsewhere must be obtained in writing and acknowledged in the manuscript.

PROOFS of articles accepted for publication will be sent for the author's approval. Proof corrections should be kept to a minimum.

NOTICE TO SUBSCRIBERS

British Heart Journal is published monthly. The annual subscription rates are £190.00 (USA \$309.00). Combined rate: *British Heart Journal* and *Cardiovascular Research* £416.00 (USA \$657.00). Orders should be sent to the Subscription Manager, *British Heart Journal*, BMJ Publishing Group, BMA House, Tavistock Square, London WC1H 9JR. Orders can also be placed with any leading subscription agent or bookseller. Subscribers may pay for their subscriptions by Access, Visa, or American Express by quoting on their order the credit or charge card preferred together with the appropriate personal account number and the expiry date of the card. (For the convenience of readers in the USA subscription orders with or without payment may also be sent to British Medical Journal, PO Box 408, Franklin, MA 02038, USA. All inquiries, however, must be addressed to the Publisher in London.) **All copies are despatched by air-speed.** First class rates available on request.

COPYRIGHT © 1995 by the *British Heart Journal*. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of the *British Heart Journal*.

ISSN 0007-0769

Published by the
BMJ Publishing Group,
typeset by Bedford
Typesetters Ltd, and
printed in England by
Eyre & Spottiswoode Ltd,
London and Margate

Second class postage paid, Rahway NJ Postmaster: send address changes to: British Heart Journal c/o Mercury Airfreight International Ltd Inc, 2323 Randolph Avenue, Avenel, NJ 07001, USA.

VOLUME 73: PROGRAMME SUPPLEMENT SUBJECT INDEX

Ablation

Non surgical catheter treatment for hypertrophic obstructive cardiomyopathy, **64 JC**

Spontaneous ectopy is a legitimate target for ablation in right ventricular outflow tract tachycardia, **11 MPr**

Accessory pathways, Reasons for primary failure or recurrence of conduction following radiofrequency ablation of accessory atrio-ventricular pathways, **167 Pr**

Action potential, Action potential repolarisation in ventricular epicardium during global ischaemia in human subjects, **133 Pr**

Action potential duration

Differential effects of isoprenaline on ventricular myocytes from normal and hypertrophied guinea-pig hearts, **102**

Magnesium has concentration and time-dependent effects on action potential duration during myocardial ischaemia, **132 Pr**

Acute dissection, Safety and accuracy of magnetic resonance imaging in acute thoracic aortic dissection: a prospective study of 50 patients, **183 JC**

Afferent nerves, Distribution, morphology and neurochemistry of endocardial and epicardial nerve terminal arborizations in the human heart, **122 Pr**

Age, Mortality in acute myocardial infarction: do young patients really fare so well? **66 JC**

Agism, Age differences in use of atrial and dual chamber pacemakers: differing indications or agism? **115 MPr**

Aldosterone, High-dose lisinopril is more effective than low-dose in suppressing aldosterone in patients with chronic heart failure, **27 Pr**

Alpha-1-antitrypsin, Gastrointestinal protein loss in long term survivors of the Fontan operation, **178**

Alteplase, Thrombolysis with alteplase for myocardial infarction: risk-benefit, time window and 'early hazard', **272 MPr**

Alveolar-capillary membrane, Relationship between alveolar-capillary membrane function, pulmonary haemodynamics and exercise performance in chronic heart failure, **25 Pr**

Ambulatory blood pressure monitoring, Molecular variants of the renin-angiotensin system do not predict blood pressure response to antihypertensive agents, **226 Pr**

Angina

Adverse outcome rates in unstable angina are high mainly in the first six weeks: prognostic value of early continuous ST segment monitoring, **215**

Angiographic finding when chest pain recurs after successful coronary angioplasty, **255 Pr**

Cardio-oesophageal reflex: a mechanism for 'linked-angina' in patients with angiographically proven coronary artery disease, **A**

Does stunning cause prolonged myocardial dysfunction after exercise-induced ischaemia?, **82**

Effects of inhibition of nitric oxide synthesis in proximal and distal segments in patients with coronary artery disease, **19 Pr**

Increased myocardial workload impairs left ventricular diastolic long axis function before systolic function in patients with angina, **41 Pr**

Intramyocardial steal mechanisms contribute to post-prandial angina, **205 MPr**

Ischaemia-related stenoses in 'clinically stabilised' unstable angina remain at high risk, **217**

Magnesium sulphate in unstable angina: a double blind randomized trial, **268 Pr**

Plasma endothelin-1 concentration in patients with angina and normal coronary arteriograms, **240 Pr**

Rapid angiographic progression of inactive unstable plaque versus stable plaque in patients with stable angina, **216**

Reduction in exercise threshold to post-prandial angina is due to its carbohydrate content and occurs independently of myocardial oxygen consumption, **81**

S-Nitrosoglutathione inhibits activation of platelets in unstable angina, **276 MPr**

Unstable angina is not a contraindication to intracoronary stent insertion, **295**

Angiography

A prospective audit of the management of lipid secondary prevention in patients referred for diagnostic cardiac catheterisation, **229 Pr**

Angiographic finding when chest pain recurs after successful coronary angioplasty, **255 Pr**

Angiotensin converting enzyme gene polymorphism in relation to the extent of coronary artery disease, **62 JC**

Appropriateness of coronary angiography and revascularisation in a region with a high disease prevalence, **252 Pr**

Coronary sinus morphology in patients with atrioventricular junctional reentry tachycardia and other supraventricular tachycardias, **170 Pr**

Correlation of poor outcome and angiography features in patients with ECG 'tombstoning' of the ST-segment in acute myocardial infarction, **148 Pr**

Diagnostic cardiac catheterisation and emergency cardiac surgery, **251 Pr**

Ischaemia-related stenoses in 'clinically stabilised' unstable angina remain at high risk, **217**

Magnetic resonance imaging assessment of coronary stenosis severity by signal loss and velocity changes, **118**

Plasma endothelin-1 concentration in patients with angina and normal coronary arteriograms, **240 Pr**

Significance of coronary flow reserve following cardiac transplantation, **92 MPr**

Angiotensin converting enzyme

ACE genotype is not a risk factor for myocardial infarction under 45 years of age, **186 MPr**

Angiotensin converting enzyme gene polymorphism in relation to the extent of coronary artery disease, **62 JC**

Differential left ventricular relaxant effect of captopril and lisinopril, **192 MPr**

Regional mapping of ACE, chymase and the mast cell marker histidine decarboxylase gene expression in the human heart, **190 MPr**

Serum activity and gene polymorphism of angiotensin-converting enzyme in relation to restenosis following coronary angioplasty, **188 MPr**

The angiotensin converting enzyme gene insertion/deletion polymorphism and the risk of restenosis after coronary angioplasty, **189 MPr**

Angiotensin converting enzyme inhibitors

A multi-centre, double-blind, placebo controlled trial comparing neutral endopeptidase inhibition with converting enzyme inhibition in heart failure, **194 MPr**

Abnormal anti-oxidant status in hypertension: the beneficial effects of lisinopril treatment, **196 MPr**

Audit of heart failure in general practice, **195 MPr**

Effects of ACE inhibitors and oxygen on sleep apnoea in patients with mild to moderate heart failure, **193 MPr**

Enalapril reduces QT dispersion in patients with mild, asymptomatic ventricular dysfunction, **84**

High-dose lisinopril is more effective than low-dose in suppressing aldosterone in patients with chronic heart failure, **27 Pr**

Routine assessment of left ventricular function following myocardial infarction has a positive impact on patient management, **153 Pr**

Angiotensin I converting enzyme, The ACE I/D polymorphism identifies coronary artery disease, **185 MPr**

Angiotensin II

Angiotensin II receptor expression after myocardial infarction, **103**

Angiotensin II receptor subtypes in failing and non-failing human hearts: analysis of gene expression, **191 MPr**

Angiotensin receptors, Differential distribution of angiotensin II (AT₁ and AT₂) receptors in failing human heart, **181 JC**

Annuloplasty, Early experience with a new mitral annuloplasty ring – the Sculptor ring, **266 Pr**

Antenatal diagnosis

Fetal cardiac masses – prevalence, follow up and difficulties in counselling, **164 Pr**

Outcome of isolated congenital complete heart block diagnosed in utero, **177**

Anthracycline cardiomyopathy, Early and late anthracycline cardiotoxicity: the problem with 'success', **198**

Anti-arrhythmic drugs, A multi-centre trial of disopyramide, atenolol and placebo for paroxysmal atrial fibrillation, **269 Pr**

Anticoagulation, Post stent management with FemoStop and self injected low molecular weight heparin, **299**

Antihypertensives, Molecular variants of the renin-angiotensin system do not predict blood pressure response to antihypertensive agents, **226 Pr**

Anti-oxidants, Abnormal anti-oxidant status in hypertension: the beneficial effects of lisinopril treatment, **196 MPr**

Antisense c-myc, Antisense c-myc oligonucleotides suppress medial replication but not migration or intimal replication in arterial injury, **283**

Antisense oligodeoxynucleotides

Liposomal transfection enhances uptake and efficacy of antisense oligodeoxynucleotides in cultured cardiac myocytes, **145 Pr**

Local delivery of antisense oligodeoxynucleotide to c-myc in vitro and in vivo inhibits vascular smooth muscle cell proliferation, **C**

Aorta

Deleterious effect of smoking on the elastic properties of the aorta, 222 Pr
The role of the vascular renin-angiotensin system in the regulation of aortic wall thickening and collagen deposition: studies in the hypertensive TGR(mRen-2d)27 rat, 287

Aortic stenosis, Tc-99m tetrofosmin (Myoview) myocardial perfusion scintigraphy – a sensitive predictor of coronary artery disease in patients with severe aortic stenosis, 116

Apoptosis

Apoptosis in human vascular smooth muscle cells derived from normal arteries and atherosclerotic plaques, 286
Apoptosis of vascular smooth muscle cells is regulated by multiple gene products, 78 MPr

Arginine

Intravenous L-arginine restores vascular reactivity in the conduit arteries of young hypercholesterolaemic adults, 20 Pr
Is L-arginine induced vasodilatation really due to providing stereospecific substrate for NO synthase? 21 Pr
L-arginine can acutely reduce the ventilatory cost of carbon dioxide excretion in chronic heart failure, 23 Pr
Vascular and hormonal effects of arginine in health and hypertension: provision of substrate for nitric oxide or non-specific effect? 22 Pr

Arrhythmias

Coronary sinus morphology in patients with atrioventricular junctional reentry tachycardia and other supraventricular tachycardias, 170 Pr
Does ischaemic preconditioning reduce the incidence of ventricular arrhythmia in acute myocardial infarction? 136 Pr
Exercise induced ventricular arrhythmia is associated with increased QT dispersion, 56 Pr
How does beta-blockade protect patients with congenital long QT syndromes? 58 Pr
Isolated human hearts and multipoint mapping of ventricular tachycardia – description of a technique, 172 Pr
Magnesium has concentration and time-dependent effects on action potential duration during myocardial ischaemia, 132 Pr
Mechano-electric feedback in tetralogy of Fallot: the mechanism for malignant ventricular arrhythmias and sudden death, 61 JC
Myocardial blood flow distribution and ventricular tachycardia in hypertrophic cardiomyopathy, 121
New insight into an arrhythmogenic mechanism in the ischaemic human heart, 13

Arterial duct, Coil occlusion of small arterial ducts, 174

Arterial occlusion device, Total UK multi-centre experience with a novel arterial occlusion device, 175

Arterial sheath, A novel device to reduce discomfort during arterial sheath removal following interventional procedures, 258 Pr

Arteriosclerosis, Basement-membrane metalloproteinase expression increases during neointima formation in human saphenous vein organ cultures, 284

Arteriovenous selectivity, Arteriovenous selectivity of nitric oxide donors in humans. Can NO delivery be targeted? 76 MPr

Aspirin

Aspirin in the prevention of coronary heart disease – are opportunities being missed? 221 Pr
Dose-dependent effects of aspirin on vasodilatation and platelet aggregation, 277 MPr
Pre-hospital administration of aspirin to patients with suspected acute myocardial infarction does not improve outcome, 270 MPr

Atenolol

A multi-centre trial of disopyramide, atenolol and placebo for paroxysmal atrial fibrillation, 269 Pr
Cardiovascular drugs in early pregnancy, 166 Pr

Atherectomy, High primary success rate from coronary atherectomy: early experience from a United Kingdom centre, 256 Pr

Atherosclerosis

Apoptosis in human vascular smooth muscle cells derived from normal arteries and atherosclerotic plaques, 286
Apoptosis of vascular smooth muscle cells is regulated by multiple gene products, 78 MPr
Fibrinogen and IL-6 levels are raised and correlate in diabetics with atherosclerosis, 236 Pr
Preserved endothelial function in the brachial artery in patients with premature atherosclerosis, 71 MPr

ATP depletion, Ischaemic preconditioning accelerates ischaemic contracture and ATP depletion in the blood-perfused rat heart, 214 MPr

Atrial fibrillation

A multi-centre trial of disopyramide, atenolol and placebo for paroxysmal atrial fibrillation, 269 Pr
Haemostatic and haemodynamic abnormalities are associated with left atrial spontaneous echo contrast, without left atrial thrombosis, 280 MPr

Haemostatic and haemodynamic abnormalities are associated with left atrial thrombosis in atrial fibrillation, 36 Pr

Pacing mode and atrial fibrillation: 1517 paced years follow-up of 1068 pacemaker implants, 249 Pr

Thrombogenesis and platelet activation in chronic atrial fibrillation: effects of ultra-low dose warfarin and aspirin therapy, 281 MPr

Atrioventricular block

Prediction of atrioventricular block during radiofrequency ablation of the slow pathway of the atrioventricular node, 168 Pr

The signal averaged P wave in atrioventricular block – evidence for abnormal atrial conduction, 10 MPr

Atrioventricular delay, First degree heart block is an indication for pacing in heart failure, 29 Pr

Atrioventricular junctional reentry tachycardia, Coronary sinus morphology in patients with atrioventricular junctional reentry tachycardia and other supraventricular tachycardias, 170 Pr

Atrioventricular node, Prediction of atrioventricular block during radiofrequency ablation of the slow pathway of the atrioventricular node, 168 Pr

Atrioventricular septal defect, 3-dimensional echocardiography provides new information on AV septal defect anatomy, 161 Pr

Audit

A model for calculating the costs of long term drug therapy for lowering serum cholesterol, 231 Pr

A prospective audit of the management of lipid secondary prevention in patients referred for diagnostic cardiac catheterisation, 229 Pr

Age differences in use of atrial and dual chamber pacemakers: differing indications or agism? 115 MPr

Audit of heart failure in general practice, 195 MPr

Budgetary implications of implementing the BPEG pacing guidelines: five year study of 1690 implants, 51 Pr

Diagnostic cardiac catheterisation and emergency cardiac surgery, 251 Pr
In-hospital audit underestimates early postoperative morbidity after cardiac surgery, 114 MPr

Mitral valve repair – medium-term outcome, 267 Pr

Permanent pacemakers after cardiac transplantation: cost effective audit? 52 Pr

Should all elective coronary stents be implanted via the brachial approach? Audit of a single centre experience of stenting from the femoral and brachial routes, 294

The benefits of fast track coronary angioplasty, 260 Pr

Autoantibodies

Cardiac autoantibodies in dilated cardiomyopathy are early markers associated with better prognosis, 123 Pr

Immune mechanisms in patients with HIV related heart muscle disease, 125 Pr

Autoimmunity

Evidence from family studies of autoimmunity to α myosin in idiopathic dilated cardiomyopathy, 124 Pr

Ischaemia during bypass surgery does not produce anti- α myosin antibodies, 262 Pr

Autoregulation, Coronary autoregulation is maintained in left ventricular hypertrophy, 244 Pr

Balloon valvoplasty, Laser valvotomy with balloon valvoplasty as primary treatment for pulmonary atresia with intact ventricular septum: intention to treat analysis of 4 years' experience, 7 MPr

Baroreflex sensitivity, A simple, non-invasive method for estimation of baroreflex sensitivity after myocardial infarction, 12 MPr

Beta-adrenoceptors

Chamber and subtype selective beta-adrenoceptor downregulation in the sympathetically denervated human heart, 53 Pr

Does reduced contraction of individual ventricular myocytes contribute to the pathogenesis of human heart failure? B

Beta-blockade, How does beta-blockade protect patients with congenital long QT syndromes? 58 Pr

Beta-thromboglobulin, Thrombogenesis and platelet activation in chronic atrial fibrillation: effects of ultra-low dose warfarin and aspirin therapy, 281 MPr

Bleeding

A prospective randomised trial of a heparin-coated cardiopulmonary bypass circuit, 279 MPr

Resternotomy for bleeding after cardiac surgery: a marker for morbidity and mortality, 278 MPr

Blood flow

Effect of estradiol-17 β on forearm blood flow in men. A double-blind randomized study, 235 Pr

Intramyocardial steal mechanisms contribute to post-prandial angina, 205 MPr

Myocardial blood flow distribution and ventricular tachycardia in hypertrophic cardiomyopathy, 121

Blood pressure

Abnormal blood pressure response during exercise is a marker of risk of sudden death in young patients with hypertrophic cardiomyopathy, 246 Pr

Abnormal blood pressure response during exercise predicts unstable hemodynamic status during daily activity, 202

BQ123, Catecholamines cause hypertrophy and increased expression of endothelin-1 mRNA but not ET-2 or ET-3 mRNAs in cultured ventricular myocytes: effects of the ET_A receptor antagonist BQ123, 98

Bradykinin

Differential left ventricular relaxant effect of captopril and lisinopril, 192 MPr

The role of endogenous bradykinin in human coronary vasomotor control, 68 MPr

Brain activation, Regional brain activation compared in silent and painful myocardial ischaemia, 242 Pr

Breathlessness, Increased chemosensitivity to hypoxia at rest and during exercise in chronic heart failure, 79 MPr

British Pacing and Electrophysiology Group, Budgetary implications of implementing the BPEG pacing guidelines: five year study of 1690 implants, 51 Pr

Budget, Budgetary implications of implementing the BPEG pacing guidelines: five year study of 1690 implants, 51 Pr

Calcium

Assessment of steady-state myofilament response to calcium in intact cardiac myocytes, 179 JC

Reduction of myofilament response to calcium by a stable factor(s) in coronary effluent, 130 Pr

Candoxatril, A multi-centre, double-blind, placebo controlled trial comparing neutral endopeptidase inhibition with converting enzyme inhibition in heart failure, 194 MPr

Captopril, Differential left ventricular relaxant effect of captopril and lisinopril, 192 MPr

Carbohydrate

Central and regional haemodynamic responses to high carbohydrate and high fat meals in cardiac transplant recipients, 94 MPr

Reduction in exercise threshold to post-prandial angina is due to its carbohydrate content and occurs independently of myocardial oxygen consumption, 81

Cardiac arrest

A haemodynamic verification system for an automated external defibrillator, 16

Neuropsychological morbidity among survivors of out-of-hospital cardiac arrest, 85

The need for implantable cardioverter defibrillators after resuscitation from pre-hospital ventricular fibrillation, 171 Pr

Cardiac cycle, Assessment of cardiac physiology by tissue Doppler echocardiography: a comparison with pressure recordings during cardiac catheterisation, 289

Cardiac innervation, Distribution, morphology and neurochemistry of endocardial and epicardial nerve terminal arborizations in the human heart, 122 Pr

Cardiac mapping

Diastolic mapping of reentrant circuits in post-infarct ventricular tachycardia in man, 14

Isolated human hearts and multipoint mapping of ventricular tachycardia - description of a technique, 172 Pr

Cardiac masses, Fetal cardiac masses - prevalence, follow up and difficulties in counselling, 164 Pr

Cardiac surgery

In-hospital audit underestimates early postoperative morbidity after cardiac surgery, 114 MPr

Intrapulmonary reconstruction of pulmonary arteries using a heterologous pericardial roll, 162 Pr

Perioperative assessment of myocardial stunning using transoesophageal echocardiography combined with high-fidelity ventricular pressure, 65 JC

Resternotomy for bleeding after cardiac surgery: a marker for morbidity and mortality, 278 MPr

Slow recovery does not preclude a good result, 67 JC

Cardiac transplantation, Central and regional haemodynamic responses to high carbohydrate and high fat meals in cardiac transplant recipients, 94 MPr

Cardioplegia, Ischaemic preconditioning accelerates ischaemic contracture and ATP depletion in the blood-perfused rat heart, 214 MPr

Cardiopulmonary bypass, In children, complement activation during cardiopulmonary bypass does not increase by modified ultrafiltration, 165 Pr

Carotid arteries, Carotid and left ventricular hypertrophy are both reversed by antihypertensive treatment, 83

Catheter ablation

Patient satisfaction and residual symptoms following radiofrequency ablation for supraventricular tachycardia, 169 Pr

Reasons for primary failure or recurrence of conduction following radiofrequency ablation of accessory atrioventricular pathways, 167 Pr

Catheterisation

Assessment of cardiac physiology by tissue Doppler echocardiography: a comparison with pressure recordings during cardiac catheterisation, 289

Cardiac catheter complications related to left main stem stenosis, 253 Pr

Diagnostic cardiac catheterisation and emergency cardiac surgery, 251 Pr

Cell migration, Antibodies to platelet derived growth factor inhibit neointima formation in human saphenous vein organ cultures, 282

Cellular electrophysiology

Action potential repolarisation in ventricular epicardium during global ischaemia in human subjects, 133 Pr

The cardiac electrophysiological effects associated with platelet activation during myocardial ischaemia are influenced by nitric oxide and prostacyclin, 134 Pr

Cerebral blood flow, Regional brain activation compared in silent and painful myocardial ischaemia, 242 Pr

Chemosensitivity, Increased chemosensitivity to hypoxia at rest and during exercise in chronic heart failure, 79 MPr

Chest pain, Review of triage, diagnosis and readmission rates in patients with acute chest pain, 107 MPr

Children

Arterial reactivity is impaired in young healthy subjects with a family history of premature coronary heart disease independent of other coronary risk factors, 70 MPr

In children, complement activation during cardiopulmonary bypass does not increase by modified ultrafiltration, 165 Pr

Management and outcome of paediatric infectious endocarditis, 159 Pr

Results of stent implantation for severe pulmonary artery stenosis in children less than three years of age, 6 MPr

Cholesterol

A model for calculating the costs of long term drug therapy for lowering serum cholesterol, 231 Pr

Does gender influence endothelial function in hypercholesterolaemia? 234 Pr

Chromosome 7q3, Familial hypertrophic cardiomyopathy with Wolff-Parkinson-White syndrome maps to a locus on chromosome 7q3, 248 Pr

Clinical trials, Mortality from acute myocardial infarction outside and inside clinical trials, 150 Pr

Cohort, Cardiovascular risk factors, coronary events and all causes mortality in eight years' follow-up of men and women in the Scottish Heart Health Study, 104 MPr

Coil occlusion

Coil occlusion of small arterial ducts, 174

Total UK multi-centre experience with a novel arterial occlusion device, 175

Collagen

Differential distribution of angiotensin II (AT₁ and AT₂) receptors in failing human heart, 181 JC

Ramipril reverses cardiac hypertrophy but leads to increased collagen concentration in the hearts of the transgenic (mRen2d)27 rat, 100

The role of the vascular renin-angiotensin system in the regulation of aortic wall thickening and collagen deposition: studies in the hypertensive TGR(mRen-2d)27 rat, 287

Complement, In children, complement activation during cardiopulmonary bypass does not increase by modified ultrafiltration, 165 Pr

Complete heart block, Outcome of isolated congenital complete heart block diagnosed in utero, 177

Complex pulmonary atresia, Complex pulmonary atresia: successful palliation by stenting of aortopulmonary collaterals, 176

Congenital heart disease

3-dimensional echocardiography provides new information on AV septal defect anatomy, 161 Pr

Assessment of congenitally corrected transposition of the great arteries by 3-dimensional echocardiography, 160 Pr

Complex pulmonary atresia: successful palliation by stenting of aortopulmonary collaterals, 176

The outlet septum in hearts with interrupted aortic arch (malalignment vs. deviation), 163 Pr

Congestive cardiac failure, Severity of congestive cardiac failure can be determined by measurement of peptides derived from atrial natriuretic factor, 35 Pr

Contrast agent, Transthoracic detection of regional myocardial perfusion abnormalities using a peravenous contrast agent – a comparative study of Doppler energy and grey scale imaging, **184 JC**

Coronary arteries

Magnetic resonance imaging planes for three dimensional reconstruction of human coronary arteries, **42 Pr**

Role of Na⁺/K⁺ ATPase pump in hypoxic vasorelaxation of coronary arteries, **245 Pr**

Coronary artery bypass (graft) surgery

5 year outcome after coronary artery surgery (CABG) carried out in the North of England: a prospective cohort study, **263 Pr**

Assessment of gastroepiploic artery bypass graft blood flow with H₂¹⁸O and dynamic positron emission tomography, **46 Pr**

During routine coronary artery surgery, aortic cross clamping and intermittent ventricular fibrillation is associated with less peri-operative myocardial damage than crystalloid cardioplegia, **261 Pr**

Impact of cigarette smoking on long term survival and morbidity following bypass surgery for isolated stenosis of the left anterior descending coronary artery, **223 Pr**

Is 'cholesterol' given enough attention after coronary artery surgery (CABG)? **230 Pr**

Ischaemia during bypass surgery does not produce anti- α myosin antibodies, **262 Pr**

Outcome of left main coronary disease in a new regional centre, **265 Pr**

Women are more likely than men to occlude coronary grafts in the first 2 years after coronary artery surgery (CABG), **264 Pr**

Coronary artery disease

5 year outcome after coronary artery surgery (CABG) carried out in the North of England: a prospective cohort study, **263 Pr**

A prospective audit of the management of lipid secondary prevention in patients referred for diagnostic cardiac catheterisation, **229 Pr**

A prospective study to examine the relation of serum lipid subfractions to the presence and severity of angiographically demonstrated coronary artery disease: implications for lipid secondary prevention strategies, **228 Pr**

Angiotensin converting enzyme gene polymorphism in relation to the extent of coronary artery disease, **62 JC**

Arterial reactivity is impaired in young healthy subjects with a family history of premature coronary heart disease independent of other coronary risk factors, **70 MPr**

Aspirin in the prevention of coronary heart disease – are opportunities being missed? **221 Pr**

Assessment of gastroepiploic artery bypass graft blood flow with H₂¹⁸O and dynamic positron emission tomography, **46 Pr**

Cardio-oesophageal reflex: a mechanism for 'linked-angina' in patients with angiographically proven coronary artery disease, **A**

Common mutation of the lipoprotein lipase gene protects against dyslipidaemia and coronary artery disease, **232 Pr**

Coronary heart disease and the socio-economic environment in a single health district, **105 MPr**

Effects of inhibition of nitric oxide synthesis in proximal and distal segments in patients with coronary artery disease, **19 Pr**

Importance of quantitative thallium tomography (SPECT) in patients with multivessel coronary artery disease undergoing coronary angioplasty, **210 MPr**

Improved detection of coronary artery disease in hypertensive patients by dobutamine stress echocardiography, **207 MPr**

Intramyocardial steal mechanisms contribute to post-prandial angina, **205 MPr**

Is 'cholesterol' given enough attention after coronary artery surgery (CABG)? **230 Pr**

Macrophage colony stimulating factor is associated to coronary artery disease, **227 Pr**

Magnetic resonance imaging assessment of coronary stenosis severity by signal loss and velocity changes, **118**

Percutaneous transluminal coronary ultrasonic angioplasty: immediate, 24 hour and six month clinical and quantitative angiographic assessment, **1 MPr**

Physician prejudice influences treatment allocation in single vessel coronary artery disease: an example of the enthusiasm hypothesis of health care variation? **108 MPr**

QT interval dispersion predicts cardiac death in patients with peripheral vascular disease, **54 Pr**

Reduction in exercise threshold to post-prandial angina is due to its carbohydrate content and occurs independently of myocardial oxygen consumption, **81**

Serum activity and gene polymorphism of angiotensin-converting enzyme in relation to restenosis following coronary angioplasty, **188 MPr**

Tc-99m tetrofosmin imaging improves diagnostic accuracy in the detection of coronary artery disease compared to Tl-201, **117**

Tc-99m tetrofosmin (Myoview) myocardial perfusion scintigraphy – a sensitive predictor of coronary artery disease in patients with severe aortic stenosis, **116**

The ACE I/D polymorphism identifies coronary artery disease, **185 MPr**

The myocardium of patients with coronary artery disease is insulin resistant, **80**

The value of combined radionuclide perfusion imaging using thallium and technetium tetrofosmin in patients with coronary artery disease and left ventricular dysfunction, **211 MPr**

Trans-radial cardiac diagnostic and interventional procedures in patients with severe peripheral vascular disease, **8 MPr**

Women are more likely than men to occlude coronary grafts in the first 2 years after coronary artery surgery (CABG), **264 Pr**

Coronary blood flow

Cardio-oesophageal reflex: a mechanism for 'linked-angina' in patients with angiographically proven coronary artery disease, **A**

Flow inhomogeneity produced by intravenous dipyridamole documented by coronary flow velocity changes, **204 MPr**

Transoesophageal echo Doppler assessment of coronary flow augmentation and vein graft patency during intra-aortic balloon counterpulsation, **291**

Coronary haemodynamics, Haemodynamic changes in coronary circulation with myocardial stunning, **243 Pr**

Coronary occlusive disease, Significance of coronary flow reserve following cardiac transplantation, **92 MPr**

Coronary sinus, Coronary sinus morphology in patients with atrio-ventricular junctional reentry tachycardia and other supraventricular tachycardias, **170 Pr**

Coronary vasodilators, Flow inhomogeneity produced by intravenous dipyridamole documented by coronary flow velocity changes, **204 MPr**

Corrected transposition, Assessment of congenitally corrected transposition of the great arteries by 3-dimensional echocardiography, **160 Pr**

Coxsackie B3 infection, Coxsackie B3 infection leads to inducible nitric oxide synthase gene transcription in the murine myocardium, **137 Pr**

Cross clamping/cardioplegia, During routine coronary artery surgery, aortic cross clamping and intermittent ventricular fibrillation is associated with less peri-operative myocardial damage than crystalloid cardioplegia, **261 Pr**

Culprit vessel, Importance of quantitative thallium tomography (SPECT) in patients with multivessel coronary artery disease undergoing coronary angioplasty, **210 MPr**

Cyclical flow, Blood flow reductions after stent implantation are unaffected by aspirin and heparin, **5 MPr**

Cytomegalovirus, Prophylaxis and management of cytomegalovirus infection following cardiac transplantation, **89 MPr**

D-dimer, Thrombogenesis and platelet activation in chronic atrial fibrillation: effects of ultra-low dose warfarin and aspirin therapy, **281 MPr**

Defibrillation

A haemodynamic verification system for an automated external defibrillator, **16**

Safety and efficacy of secondary pacemaker implantation in patients with implantable cardioverter defibrillators, **48 Pr**

Defibrillators, The need for implantable cardioverter defibrillators after resuscitation from pre-hospital ventricular fibrillation, **171 Pr**

Delay, Presentation and management of acute myocardial infarction in Irish hospitals: a national census, **157 Pr**

Denervation, Chamber and subtype selective beta-adrenoceptor down-regulation in the sympathetically denervated human heart, **53 Pr**

Diabetes

Association of ACE insertion/deletion polymorphism with myocardial infarction in non-insulin dependent diabetes, **187 MPr**

Fibrinogen and IL-6 levels are raised and correlate in diabetics with atherosclerosis, **236 Pr**

Diastole, Assessment of cardiac physiology by tissue Doppler echocardiography: a comparison with pressure recordings during cardiac catheterisation, **289**

Diastolic function

Increased myocardial workload impairs left ventricular diastolic long axis function before systolic function in patients with angina, **41 Pr**

Right ventricular filling: comparison between normal and dilated cardiomyopathy, **39 Pr**

Dilated cardiomyopathy

Cardiac autoantibodies in dilated cardiomyopathy are early markers associated with better prognosis, **123 Pr**

Dilated cardiomyopathy in children with congenital merosin deficient muscular dystrophy, **200**

- Evidence from family studies of autoimmunity to α myosin in idiopathic dilated cardiomyopathy, 124 Pr
- Evidence for T cell involvement in dilated cardiomyopathy: interleukin-2 receptor levels are high and related to endomyocardial biopsy markers of activation, 126 Pr
- Growth hormone abnormalities in severe heart failure, 26 Pr
- Heart rate variability in idiopathic dilated cardiomyopathy: relationship to disease severity and prognosis, 28 Pr
- Human inducible nitric oxide synthase is expressed in dilated cardiomyopathy, valvular and ischaemic heart disease, 138 Pr
- Immune mechanisms in patients with HIV related heart muscle disease, 125 Pr
- Increasing evidence for the familial nature of dilated cardiomyopathy, 199
- QT dispersion and RR variation on 12-lead ECGs in patients with congestive heart failure secondary to idiopathic dilated cardiomyopathy, 55 Pr
- Right ventricular filling: comparison between normal and dilated cardiomyopathy, 39 Pr
- 3-Dimensional imaging**
- Magnetic resonance imaging planes for three dimensional reconstruction of human coronary arteries, 42 Pr
- Technical aspects of 3-dimensional image reconstruction of transoesophageal echo (TOE) images in the assessment of mitral valve morphology, 44 Pr
- Dipyridamole**, Flow inhomogeneity produced by intravenous dipyridamole documented by coronary flow velocity changes, 204 MPr
- Disopyramide**, A multi-centre trial of disopyramide, atenolol and placebo for paroxysmal atrial fibrillation, 269 Pr
- Dissection**, Safety and accuracy of magnetic resonance imaging in acute thoracic aortic dissection: a prospective study of 50 patients, 183 JC
- Dissections**, Mechanism of benefit of stenting in failed PTCA, 298
- Distortion artefacts**, How important are image distortion artefacts when using mechanical intravascular ultrasound transducers? 43 Pr
- Dobutamine**
- Enhanced detection of myocardial ischaemia in patients with wall motion abnormality by utilising the 'biphasic' response of stress dobutamine during serial echocardiography, 206 MPr
- Low dose dobutamine echocardiography predicts improvement in left ventricular function following revascularisation in patients with severe ischaemic heart failure, 209 MPr
- Persistence of regional left ventricular dysfunction after myocardial ischemia induced by intravenous dobutamine. A stress echocardiography study, 208 MPr
- Tagged cine MR imaging during low-dose dobutamine infusion to identify hibernating myocardium, 120
- Donor physiology**, Donor cardiac troponin estimation predicts subsequent clinical course following cardiac transplantation, 91 MPr
- Donors**, Evaluation of zonal thoracic organ donors during the first year of the National Multi-organ Zonal Retrieval Programme, 95 MPr
- Door to needle time**, Can the pressure to achieve short door to needle time lead to inappropriate thrombolysis? 151 Pr
- Doppler**
- Doppler myocardial imaging: mean myocardial velocity and velocity gradient in normal subjects, 288
- Doppler myocardial imaging in the evaluation of normal and abnormal ventricular depolarisation, 290
- Transoesophageal echo Doppler assessment of coronary flow augmentation and vein graft patency during intra-aortic balloon counterpulsation, 291
- Transthoracic detection of regional myocardial perfusion abnormalities using a peravenous contrast agent – a comparative study of Doppler energy and grey scale imaging, 184 JC
- Downregulation**, Chamber and subtype selective beta-adrenoceptor downregulation in the sympathetically denervated human heart, 53 Pr
- Drugs**, Cardiovascular drugs in early pregnancy, 166 Pr
- Dyslipidaemia**, Common mutation of the lipoprotein lipase gene protects against dyslipidaemia and coronary artery disease, 232 Pr
- Dyspnoea**, Plasma natriuretic peptide concentrations in the assessment of chronic dyspnoea, 34 Pr
- Echocardiography**
- 3-dimensional echocardiography provides new information on AV septal defect anatomy, 161 Pr
- A normal electrocardiogram predicts normal left ventricular systolic function in patients with suspected heart failure, 32 Pr
- Assessment of cardiac physiology by tissue Doppler echocardiography: a comparison with pressure recordings during cardiac catheterisation, 289
- Assessment of congenitally corrected transposition of the great arteries by 3-dimensional echocardiography, 160 Pr
- Dilated cardiomyopathy in children with congenital merosin deficient muscular dystrophy, 200
- Dobutamine Tc-99m Sestamibi imaging accurately predicts myocardial viability in dysynergic left ventricular segments, 119
- Early and late anthracycline cardiotoxicity: the problem with 'success', 198
- Echocardiographic myocardial contrast enhancement with pressure resistant biodegradable microspheres, 293
- Enhanced detection of myocardial ischaemia in patients with wall motion abnormality by utilising the 'biphasic' response of stress dobutamine during serial echocardiography, 206 MPr
- Haemostatic and haemodynamic abnormalities are associated with left atrial spontaneous echo contrast, without left atrial thrombosis, 280 MPr
- Haemostatic and haemodynamic abnormalities are associated with left atrial thrombosis in atrial fibrillation, 36 Pr
- Improved detection of coronary artery disease in hypertensive patients by dobutamine stress echocardiography, 207 MPr
- Is Tc-99m tetrofosmin myocardial uptake an indicator of myocardial viability? 86 MPr
- Left ventricular dysfunction in the North Glasgow MONICA population, 111 MPr
- Low dose dobutamine echocardiography predicts improvement in left ventricular function following revascularisation in patients with severe ischaemic heart failure, 209 MPr
- Myocardial 'contrast reflow': is it a better predictor of improvement in left ventricular function following angioplasty (PTCA) than quantitative angiography?, 292
- 'Open access cardiology': is it the way forward? 31 Pr
- Open access echocardiography: experience in a district hospital, 30 Pr
- Open access echocardiography improves the primary care management of heart failure, 112 MPr
- 'Open access' to echocardiography for suspected heart failure: does it work? 113 MPr
- Persistence of regional left ventricular dysfunction after myocardial ischemia induced by intravenous dobutamine. A stress echocardiography study, 208 MPr
- Use of transthoracic echocardiography for noninvasive assessment of left internal mammary artery graft patency, 45 Pr
- Ectopy**, Spontaneous ectopy is a legitimate target for ablation in right ventricular outflow tract tachycardia, 11 MPr
- Electrocardiogram**, A normal electrocardiogram predicts normal left ventricular systolic function in patients with suspected heart failure, 32 Pr
- Electrocardiography**
- A comparison of initial and repeat thrombolysis for early reinfarction using ECG criteria of reperfusion, 275 MPr
- A complex analysis of ECG in patients undergoing thrombolysis for acute myocardial infarction: early ECG changes in relation to the result of the treatment, 220
- Electrocardiography 'tombstoning'**, Correlation of poor outcome and angiography features in patients with ECG 'tombstoning' of the ST-segment in acute myocardial infarction, 148 Pr
- ELISA**, Evidence from family studies of autoimmunity to α myosin in idiopathic dilated cardiomyopathy, 124 Pr
- Emergency surgery**, Diagnostic cardiac catheterisation and emergency cardiac surgery, 251 Pr
- Enalapril**, Enalapril reduces QT dispersion in patients with mild, asymptomatic ventricular dysfunction, 84
- Endocarditis**, Management and outcome of paediatric infectious endocarditis, 159 Pr
- Endometriosis**, Grossly elevated serum lipoprotein(a) concentrations in young women with endometriosis, 72 MPr
- Endothelin**
- Catecholamines cause hypertrophy and increased expression of endothelin-1 mRNA but not ET-2 or ET-3 mRNAs in cultured ventricular myocytes: effects of the ET_A receptor antagonist BQ123, 98
- Diurnal variation of transpulmonary endothelin-1 levels in patients with pulmonary hypertension, 38 Pr
- Do the endothelins contribute to peripheral vasoconstriction in chronic heart failure? 69 MPr
- Inhibition of basal endothelin activity enhances ventricular relaxation in the isolated heart, 142 Pr
- Plasma endothelin-1 concentration in patients with angina and normal coronary arteriograms, 240 Pr
- Vascular expression of endothelin-1 mRNA increases in sepsis, 141 Pr
- Endothelium**
- Angioplasty induces downstream endothelial injury, 180 JC
- Arterial reactivity is impaired in young healthy subjects with a family history of premature coronary heart disease independent of other coronary risk factors, 70 MPr

- Changes in endothelial and inducible nitric oxide synthase activity following balloon injury? 75 MPr
- Constitutive nitric oxide synthase gene expression is normalized with endothelial regrowth following balloon angioplasty, 140 Pr
- Does gender influence endothelial function in hypercholesterolaemia? 234 Pr
- Effects of inhibition of nitric oxide synthesis in proximal and distal segments in patients with coronary artery disease, 19 Pr
- Endothelium-dependent and endothelium-independent coronary vasodilatation in syndrome X, 241 Pr
- Intravenous L-arginine restores vascular reactivity in the conduit arteries of young hypercholesterolaemic adults, 20 Pr
- Is L-arginine induced vasodilatation really due to providing stereospecific substrate for NO synthase? 21 Pr
- Modulation of left ventricular function in humans by paracrine release of nitric oxide from coronary endothelium, 74 MPr
- Nitric oxide mediates pacing-dependent epicardial coronary artery vasodilation but not flow changes, 73 MPr
- Preserved endothelial function in the brachial artery in patients with premature atherosclerosis, 71 MPr
- Reduction of myofilament response to calcium by a stable factor(s) in coronary effluent, 130 Pr
- Systemic endothelial dysfunction in patients with syndrome X, 239 Pr
- The role of endogenous bradykinin in human coronary vasomotor control, 68 MPr
- Epicardial coronary artery vasodilation**, Nitric oxide mediates pacing-dependent epicardial coronary artery vasodilation but not flow changes, 73 MPr
- Epicardium**
- Action potential repolarisation in ventricular epicardium during global ischaemia in human subjects, 133 Pr
- Magnesium abolishes epicardial action potential prolongation in early ischaemia in the human heart, 131 Pr
- Epidemiology**
- Coronary heart disease and the socio-economic environment in a single health district, 105 MPr
- The incidence and presentation of ischaemic heart disease: a population survey, 154 Pr
- Epoprostenol**, Role of continuous infusion of epoprostenol (PGI₂) as treatment of primary pulmonary hypertension, 37 Pr
- Estradiol-17 β** , Effect of estradiol-17 β on forearm blood flow in men. A double-blind randomized study, 235 Pr
- Estrogen**, Insulin resistance in postmenopausal women with syndrome X who do not respond to estrogen therapy, 238 Pr
- Ethanol**, Changes in myocardial heat shock proteins in response to chronic ethanol exposure, 212 MPr
- Exercise**
- Abnormal blood pressure response during exercise predicts unstable hemodynamic status during daily activity, 202
- Does stunning cause prolonged myocardial dysfunction after exercise-induced ischaemia?, 82
- Exercise induced ventricular arrhythmia is associated with increased QT dispersion, 56 Pr
- 'Open access cardiology': is it the way forward? 31 Pr
- Predischarge exercise testing in the prediction of coronary artery patency following thrombolysis for acute myocardial infarction, 219
- Reduction in exercise threshold to post-prandial angina is due to its carbohydrate content and occurs independently of myocardial oxygen consumption, 81
- Relationship between alveolar-capillary membrane function, pulmonary haemodynamics and exercise performance in chronic heart failure, 25 Pr
- Respiratory muscle strength and cardiopulmonary exercise variables in chronic heart failure, 24 Pr
- The ventilatory responses to exercise in adults after repair of tetralogy of Fallot, 203 MPr
- Fallot's tetralogy**, The ventilatory responses to exercise in adults after repair of tetralogy of Fallot, 203 MPr
- Fast track coronary angioplasty**, The benefits of fast track coronary angioplasty, 260 Pr
- Fat**, Central and regional haemodynamic responses to high carbohydrate and high fat meals in cardiac transplant recipients, 94 MPr
- FemoStop**, Post stent management with FemoStop and self injected low molecular weight heparin, 299
- Fetal complete heart block**, Outcome of isolated congenital complete heart block diagnosed in utero, 177
- Fetal scans**, Fetal cardiac masses – prevalence, follow up and difficulties in counselling, 164 Pr
- Fibrinogen**, Fibrinogen and IL-6 levels are raised and correlate in diabetics with atherosclerosis, 236 Pr
- Fibroblasts**, Angiotensin II receptor expression after myocardial infarction, 103
- Fibrosis**, Differential distribution of angiotensin II (AT₁ and AT₂) receptors in failing human heart, 181 JC
- Flecainide**, Should flecainide now be the first choice drug for suppression of infant supraventricular tachycardia?, 17
- Flow-dependent dilatation**, The role of endogenous bradykinin in human coronary vasomotor control, 68 MPr
- Flow reserve**, Assessment of gastroepiploic artery bypass graft blood flow with H₂¹⁵O and dynamic positron emission tomography, 46 Pr
- Fontan operation**, Gastrointestinal protein loss in long term survivors of the Fontan operation, 178
- Gelatinases**, Up regulation of matrix degrading gelatinases in pig saphenous vein grafts, 143 Pr
- Gender**, Does gender influence endothelial function in hypercholesterolaemia? 234 Pr
- Gene**
- ACE genotype is not a risk factor for myocardial infarction under 45 years of age, 186 MPr
- Association of ACE insertion/deletion polymorphism with myocardial infarction in non-insulin dependent diabetes, 187 MPr
- Common mutation of the lipoprotein lipase gene protects against dyslipidaemia and coronary artery disease, 232 Pr
- Mode of action of cardiac troponin T mutations in familial hypertrophic cardiomyopathy, 99
- Serum activity and gene polymorphism of angiotensin-converting enzyme in relation to restenosis following coronary angioplasty, 188 MPr
- The ACE I/D polymorphism identifies coronary artery disease, 185 MPr
- Gene expression**
- Angiotensin II receptor subtypes in failing and non-failing human hearts: analysis of gene expression, 191 MPr
- Basement-membrane metalloproteinase expression increases during neointima formation in human saphenous vein organ cultures, 284
- Constitutive nitric oxide synthase gene expression is normalized with endothelial regrowth following balloon angioplasty, 140 Pr
- Human inducible nitric oxide synthase is expressed in dilated cardiomyopathy, valvular and ischaemic heart disease, 138 Pr
- Hypoxia-induced gene expression in vascular smooth muscle cells, 285
- Regional mapping of ACE, chymase and the mast cell marker histidine decarboxylase gene expression in the human heart, 190 MPr
- Gene transfer**, Enhancer stimulation augments gene expression after adenovirus mediated gene transfer into human vascular smooth muscle cells, 146 Pr
- General practice**
- Open access echocardiography improves the primary care management of heart failure, 112 MPr
- 'Open access' to echocardiography for suspected heart failure: does it work? 113 MPr
- Genetics**
- Arterial reactivity is impaired in young healthy subjects with a family history of premature coronary heart disease independent of other coronary risk factors, 70 MPr
- Clinical implications of cardiac troponin T and alpha tropomyosin mutations in hypertrophic cardiomyopathy, 201
- Increasing evidence for the familial nature of dilated cardiomyopathy, 199
- Molecular variants of the renin-angiotensin system do not predict blood pressure response to antihypertensive agents, 226 Pr
- Graft patency**, Women are more likely than men to occlude coronary grafts in the first 2 years after coronary artery surgery (CABG), 264 Pr
- Growth factor**, Antibodies to platelet derived growth factor inhibit neointima formation in human saphenous vein organ cultures, 282
- Growth hormone**, Growth hormone abnormalities in severe heart failure, 26 Pr
- Haemocompatibility**, A prospective randomised trial of a heparin-coated cardiopulmonary bypass circuit, 279 MPr
- Haemodynamics**
- Optimal pacing haemodynamics, 49 Pr
- The haemodynamic impact of ventricular tachycardia: predicting the outcome, 15
- Heart failure**
- A comparison of three different natriuretic peptides as markers of left ventricular systolic dysfunction, 33 Pr
- A multi-centre, double-blind, placebo controlled trial comparing neutral endopeptidase inhibition with converting enzyme inhibition in heart failure, 194 MPr

- A normal electrocardiogram predicts normal left ventricular systolic function in patients with suspected heart failure, 32 Pr
- Angiotensin II receptor subtypes in failing and non-failing human hearts: analysis of gene expression, 191 MPr
- Audit of heart failure in general practice, 195 MPr
- Deaths in patients awaiting heart transplantation: impact on patient selection criteria, 88 MPr
- Do the endothelins contribute to peripheral vasoconstriction in chronic heart failure? 69 MPr
- Does reduced contraction of individual ventricular myocytes contribute to the pathogenesis of human heart failure? B
- Effects of ACE inhibitors and oxygen on sleep apnoea in patients with mild to moderate heart failure, 193 MPr
- Enalapril reduces QT dispersion in patients with mild, asymptomatic ventricular dysfunction, 84
- First degree heart block is an indication for pacing in heart failure, 29 Pr
- Growth hormone abnormalities in severe heart failure, 26 Pr
- High-dose lisinopril is more effective than low-dose in suppressing aldosterone in patients with chronic heart failure, 27 Pr
- How often is heart failure a cause or contributor to death? 110 MPr
- Human inducible nitric oxide synthase is expressed in dilated cardiomyopathy, valvular and ischaemic heart disease, 138 Pr
- Increased chemosensitivity to hypoxia at rest and during exercise in chronic heart failure, 79 MPr
- L-arginine can acutely reduce the ventilatory cost of carbon dioxide excretion in chronic heart failure, 23 Pr
- Left ventricular dysfunction in the North Glasgow MONICA population, 111 MPr
- Low dose dobutamine echocardiography predicts improvement in left ventricular function following revascularisation in patients with severe ischaemic heart failure, 209 MPr
- Open access echocardiography improves the primary care management of heart failure, 112 MPr
- 'Open access' to echocardiography for suspected heart failure: does it work? 113 MPr
- Plasma natriuretic peptide concentrations in the assessment of chronic dyspnoea, 34 Pr
- QT dispersion and RR variation on 12-lead ECGs in patients with congestive heart failure secondary to idiopathic dilated cardiomyopathy, 55 Pr
- Relationship between alveolar-capillary membrane function, pulmonary haemodynamics and exercise performance in chronic heart failure, 25 Pr
- Respiratory muscle strength and cardiopulmonary exercise variables in chronic heart failure, 24 Pr
- Severity of congestive cardiac failure can be determined by measurement of peptides derived from atrial natriuretic factor, 35 Pr
- Heart rate variability**, Heart rate variability in idiopathic dilated cardiomyopathy: relationship to disease severity and prognosis, 28 Pr
- Heart transplantation**
- Clinical status of patients 10 years after orthotopic heart transplantation, 90 MPr
- Deaths in patients awaiting heart transplantation: impact on patient selection criteria, 88 MPr
- Donor cardiac troponin estimation predicts subsequent clinical course following cardiac transplantation, 91 MPr
- Evaluation of zonal thoracic organ donors during the first year of the National Multi-organ Zonal Retrieval Programme, 95 MPr
- Inhaled nitric oxide is a selective pulmonary vasodilator in cardiac transplant candidates with elevated pulmonary vascular resistance, 96 MPr
- Paced linkage of the donor and recipient hearts after heterotopic heart transplantation: acute haemodynamic studies, 93 MPr
- Permanent pacemakers after cardiac transplantation: cost effective audit? 52 Pr
- Prophylaxis and management of cytomegalovirus infection following cardiac transplantation, 89 MPr
- Significance of coronary flow reserve following cardiac transplantation, 92 MPr
- Heat shock proteins**
- Changes in myocardial heat shock proteins in response to chronic ethanol exposure, 212 MPr
- Induction of HSP 72 by the tyrosine kinase inhibitor herbimycin-A protects cardiomyocytes from a subsequent stressful stimulus, 213 MPr
- Heparin**, Post stent management with FemoStop and self injected low molecular weight heparin, 299
- Heparin-coated cardiopulmonary bypass circuit**, A prospective randomised trial of a heparin-coated cardiopulmonary bypass circuit, 279 MPr
- Hepatic arteries**, Detection and pathological role of inducible nitric oxide synthase in man, 139 Pr
- Herbimycin-A**, Induction of HSP 72 by the tyrosine kinase inhibitor herbimycin-A protects cardiomyocytes from a subsequent stressful stimulus, 213 MPr
- Heterotopic heart transplantation**, Paced linkage of the donor and recipient hearts after heterotopic heart transplantation: acute haemodynamic studies, 93 MPr
- Hibernating myocardium**
- Hibernating myocardium: the incidence and persistence after acute myocardial infarction treated with thrombolysis, 218
- Tagged cine MR imaging during low-dose dobutamine infusion to identify hibernating myocardium, 120
- HIV**, Immune mechanisms in patients with HIV related heart muscle disease, 125 Pr
- Hormone replacement therapy**, Soluble P-selectin, coagulation and lipid changes with hormone replacement therapy: implications for atherosclerosis prevention, 233 Pr
- Hypercholesterolaemia**, Intravenous L-arginine restores vascular reactivity in the conduit arteries of young hypercholesterolaemic adults, 20 Pr
- Hyperlipidaemia**, Is 'cholesterol' given enough attention after coronary artery surgery (CABG)? 230 Pr
- Hypertension**
- Abnormal anti-oxidant status in hypertension: the beneficial effects of lisinopril treatment, 196 MPr
- Carotid and left ventricular hypertrophy are both reversed by antihypertensive treatment, 83
- Coronary autoregulation is maintained in left ventricular hypertrophy, 244 Pr
- Improved detection of coronary artery disease in hypertensive patients by dobutamine stress echocardiography, 207 MPr
- Increased soluble adhesion molecule P-selectin and endothelial dysfunction in essential hypertension, 77 MPr
- Ramipril reverses cardiac hypertrophy but leads to increased collagen concentration in the hearts of the transgenic (mRen2d)27 rat, 100
- Regression of left ventricular hypertrophy is accompanied by a reduction in QT dispersion, 57 Pr
- The role of the vascular renin-angiotensin system in the regulation of aortic wall thickening and collagen deposition: studies in the hypertensive TGR(mRen-2d)27 rat, 287
- Vascular and hormonal effects of arginine in health and hypertension: provision of substrate for nitric oxide or non-specific effect? 22 Pr
- Hypertrophic cardiomyopathy**
- Abnormal blood pressure response during exercise is a marker of risk of sudden death in young patients with hypertrophic cardiomyopathy, 246 Pr
- Abnormal blood pressure response during exercise predicts unstable hemodynamic status during daily activity, 202
- Acute gradient reduction does not predict functional outcome after DDD pacing in obstructive hypertrophic cardiomyopathy, 18
- Clinical implications of cardiac troponin T and alpha tropomyosin mutations in hypertrophic cardiomyopathy, 201
- Familial hypertrophic cardiomyopathy with Wolff-Parkinson-White syndrome maps to a locus on chromosome 7q3, 248 Pr
- Mode of action of cardiac troponin T mutations in familial hypertrophic cardiomyopathy, 99
- Myocardial blood flow distribution and ventricular tachycardia in hypertrophic cardiomyopathy, 121
- Paced electrogram fractionation in hypertrophic cardiomyopathy. Results in 101 patients, 247 Pr
- Hypertrophic obstructive cardiomyopathy**
- Frequent reprogramming is necessary to optimise pacing therapy in hypertrophic obstructive cardiomyopathy, 250 Pr
- Non surgical catheter treatment for hypertrophic obstructive cardiomyopathy, 64 JC
- Hypertrophy**
- Catecholamines cause hypertrophy and increased expression of endothelin-1 mRNA but not ET-2 or ET-3 mRNAs in cultured ventricular myocytes: effects of the ET_A receptor antagonist BQ123, 98
- Differential effects of isoprenaline on ventricular myocytes from normal and hypertrophied guinea-pig hearts, 102
- Liposomal transfection enhances uptake and efficacy of antisense oligodeoxynucleotides in cultured cardiac myocytes, 145 Pr
- Hypoxia**
- Hypoxia-induced gene expression in vascular smooth muscle cells, 285
- Increased chemosensitivity to hypoxia at rest and during exercise in chronic heart failure, 79 MPr
- Role of Na⁺/K⁺ ATPase pump in hypoxic vasorelaxation of coronary arteries, 245 Pr

- Impedance cardiography**, A haemodynamic verification system for an automated external defibrillator, 16
- Implantable cardioverter defibrillators**, Safety and efficacy of secondary pacemaker implantation in patients with implantable cardioverter defibrillators, 48 Pr
- Infant**, Should flecainide now be the first choice drug for suppression of infant supraventricular tachycardia?, 17
- Infectious endocarditis**, Management and outcome of paediatric infectious endocarditis, 159 Pr
- 'INJECT'**, International Joint Efficacy Comparison of Thrombolytics (INJECT): reteplase vs streptokinase in acute myocardial infarction, 271 MPr
- Insulin resistance**
 Defects of insulin action in premature myocardial infarction, 224 Pr
 Insulin resistance in postmenopausal women with syndrome X who do not respond to estrogen therapy, 238 Pr
 The myocardium of patients with coronary artery disease is insulin resistant, 80
- Intensive care**, Slow recovery does not preclude a good result, 67 JC
- Interleukin-2**, Evidence for T cell involvement in dilated cardiomyopathy: interleukin-2 receptor levels are high and related to endomyocardial biopsy markers of activation, 126 Pr
- Interleukin-6**, Fibrinogen and IL-6 levels are raised and correlate in diabetics with atherosclerosis, 236 Pr
- Interrupted aortic arch**, The outlet septum in hearts with interrupted aortic arch (malalignment vs. deviation), 163 Pr
- Intravascular ultrasound transducers**, How important are image distortion artefacts when using mechanical intravascular ultrasound transducers? 43 Pr
- Ischaemia**
 Action potential repolarisation in ventricular epicardium during global ischaemia in human subjects, 133 Pr
 Enhanced detection of myocardial ischaemia in patients with wall motion abnormality by utilising the 'biphasic' response of stress dobutamine during serial echocardiography, 206 MPr
 Glibenclamide and magnesium have similar effects on repolarisation of the monophasic action potential during low-flow ischaemia, 128 Pr
 Increased thrombotic tendency in patients with syndrome X, 237 Pr
 Ischaemia during bypass surgery does not produce anti- α myosin antibodies, 262 Pr
 Ischaemic preconditioning accelerates ischaemic contracture and ATP depletion in the blood-perfused rat heart, 214 MPr
 Left ventricular shape during ischaemia – an important determinant of dynamic mitral regurgitation, 182 JC
 Magnesium abolishes epicardial action potential prolongation in early ischaemia in the human heart, 131 Pr
 Magnesium has concentration and time-dependent effects on action potential duration during myocardial ischaemia, 132 Pr
 New insight into an arrhythmogenic mechanism in the ischaemic human heart, 13
 The cardiac electrophysiological effects associated with platelet activation during myocardial ischaemia are influenced by nitric oxide and prostacyclin, 134 Pr
- Ischaemic heart disease**
 Death from ischaemic heart disease in Nottingham 1973-1992, 155 Pr
 How often is heart failure a cause or contributor to death? 110 MPr
 The incidence and presentation of ischaemic heart disease: a population survey, 154 Pr
- Isomerism**, Veno-atrial connections in hearts with isomeric atrial appendages, 173
- Isoprenaline**, Differential effects of isoprenaline on ventricular myocytes from normal and hypertrophied guinea-pig hearts, 102
- Laser valvotomy**, Laser valvotomy with balloon valvoplasty as primary treatment for pulmonary atresia with intact ventricular septum: intention to treat analysis of 4 years' experience, 7 MPr
- Laserwire coronary angioplasty**, Initial experience of laserwire coronary angioplasty in chronic total occlusions, 257 Pr
- Left anterior descending coronary artery**
 Haemodynamic changes in coronary circulation with myocardial stunning, 243 Pr
 Impact of cigarette smoking on long term survival and morbidity following bypass surgery for isolated stenosis of the left anterior descending coronary artery, 223 Pr
- Left internal mammary artery graft patency**, Use of transthoracic echocardiography for noninvasive assessment of left internal mammary artery graft patency, 45Pr
- Left mainstem disease**, Outcome of left main coronary disease in a new regional centre, 265 Pr
- Left mainstem stenosis**, Cardiac catheter complications related to left main stem stenosis, 253 Pr
- Left ventricular dysfunction**
 Left ventricular dysfunction in the North Glasgow MONICA population, 111 MPr
 Low dose dobutamine echocardiography predicts improvement in left ventricular function following revascularisation in patients with severe ischaemic heart failure, 209 MPr
 Persistence of regional left ventricular dysfunction after myocardial ischemia induced by intravenous dobutamine. A stress echocardiography study, 208 MPr
 The value of combined radionuclide perfusion imaging using thallium and technetium tetrofosmin in patients with coronary artery disease and left ventricular dysfunction, 211 MPr
- Left ventricular function**
 Does stunning cause prolonged myocardial dysfunction after exercise-induced ischaemia?, 82
 Left ventricular shape during ischaemia – an important determinant of dynamic mitral regurgitation, 182 JC
 Myocardial 'contrast reflow': is it a better predictor of improvement in left ventricular function following angioplasty (PTCA) than quantitative angiography?, 292
- Left ventricular hypertrophy**
 Carotid and left ventricular hypertrophy are both reversed by antihypertensive treatment, 83
 Coronary autoregulation is maintained in left ventricular hypertrophy, 244 Pr
 Morphological and numerical changes in resistance vessels in pressure overload left ventricular hypertrophy, 101
 Ramipril reverses cardiac hypertrophy but leads to increased collagen concentration in the hearts of the transgenic (mRen2d)27 rat, 100
 Regression of left ventricular hypertrophy is accompanied by a reduction in QT dispersion, 57 Pr
- Left ventricular systolic function**
 A comparison of three different natriuretic peptides as markers of left ventricular systolic dysfunction, 33 Pr
 A normal electrocardiogram predicts normal left ventricular systolic function in patients with suspected heart failure, 32 Pr
- Lignocaine**, A novel device to reduce discomfort during arterial sheath removal following interventional procedures, 258 Pr
- Linked-angina**, Cardio-oesophageal reflex: a mechanism for 'linked-angina' in patients with angiographically proven coronary artery disease, A
- Lipids**
 A prospective audit of the management of lipid secondary prevention in patients referred for diagnostic cardiac catheterisation, 229 Pr
 A prospective study to examine the relation of serum lipid subfractions to the presence and severity of angiographically demonstrated coronary artery disease: implications for lipid secondary prevention strategies, 228 Pr
- Lipoproteins**
 A comparison of coronary risk factors in South Asians in the United Kingdom and in India: a sibling study, 225 Pr
 Grossly elevated serum lipoprotein(a) concentrations in young women with endometriosis, 72 MPr
- Lisinopril**
 Differential left ventricular relaxant effect of captopril and lisinopril, 192 MPr
 High-dose lisinopril is more effective than low-dose in suppressing aldosterone in patients with chronic heart failure, 27 Pr
- Loading**, Rate and load dependence of pulsus alternans in the anaesthetised pig heart, 40 Pr
- Local drug delivery**, Local delivery of antisense oligodeoxynucleotide to c-myc in vitro and in vivo inhibits vascular smooth muscle cell proliferation, C
- Logistic regression**, Logistic regression and neural network models for early diagnosis of AMI, 152 Pr
- Long coronary artery lesions**, Primary stenting for long coronary artery lesions. An experience with the 18mm Palmaz-Schatz stent, 297
- Macrophage colony stimulating factor**, Macrophage colony stimulating factor is associated to coronary artery disease, 227 Pr
- Magnesium**
 Magnesium abolishes epicardial action potential prolongation in early ischaemia in the human heart, 131 Pr
 Magnesium has concentration and time-dependent effects on action potential duration during myocardial ischaemia, 132 Pr
 Magnesium sulphate, Magnesium sulphate in unstable angina: a double blind randomized trial, 268 Pr

Magnetic resonance imaging

Increased myocardial workload impairs left ventricular diastolic long axis function before systolic function in patients with angina, 41 Pr

Magnetic resonance imaging assessment of coronary stenosis severity by signal loss and velocity changes, 118

Magnetic resonance imaging planes for three dimensional reconstruction of human coronary arteries, 42 Pr

Safety and accuracy of magnetic resonance imaging in acute thoracic aortic dissection: a prospective study of 50 patients, 183 JC

Tagged cine MR imaging during low-dose dobutamine infusion to identify hibernating myocardium, 120

Memory function, Neuropsychological morbidity among survivors of out-of-hospital cardiac arrest, 85

Men, Effect of estradiol-17 β on forearm blood flow in men. A double-blind randomized study, 235 Pr

Merosin, Dilated cardiomyopathy in children with congenital merosin deficient muscular dystrophy, 200

Metalloproteinases, Basement-membrane metalloproteinase expression increases during neointima formation in human saphenous vein organ cultures, 284

Microspheres, Echocardiographic myocardial contrast enhancement with pressure resistant biodegradable microspheres, 293

Mitogen-activated protein kinase, Liposomal transfection enhances uptake and efficacy of antisense oligodeoxynucleotides in cultured cardiac myocytes, 145 Pr

Mitral regurgitation, Left ventricular shape during ischaemia – an important determinant of dynamic mitral regurgitation, 182 JC

Mitral valve

Early experience with a new mitral annuloplasty ring – the Sculptor ring, 266 Pr

Mitral valve repair – medium-term outcome, 267 Pr

Technical aspects of 3-dimensional image reconstruction of transoesophageal echo (TOE) images in the assessment of mitral valve morphology, 44 Pr

Monophasic action potential, Glibenclamide and magnesium have similar effects on repolarisation of the monophasic action potential during low-flow ischaemia, 128 Pr

Mortality

Cardiovascular risk factors, coronary events and all causes mortality in eight years' follow-up of men and women in the Scottish Heart Health Study, 104 MPr

Death from ischaemic heart disease in Nottingham 1973-1992, 155 Pr

How often is heart failure a cause or contributor to death? 110 MPr

Increased late mortality and morbidity after first myocardial infarction in South Asians compared to whites, 106 MPr

Mortality in acute myocardial infarction: do young patients really fare so well? 66 JC

Mortality from ischaemic heart disease outside hospital: more bad news from the UK Heart Attack Study (UKHAS), 156 Pr

Outcome of left main coronary disease in a new regional centre, 265 Pr

Pre-hospital administration of aspirin to patients with suspected acute myocardial infarction does not improve outcome, 270 MPr

QT dispersion and mortality following myocardial infarction, 63 JC

Muscular dystrophy, Dilated cardiomyopathy in children with congenital merosin deficient muscular dystrophy, 200

Myocardial blood flow

Intramyocardial steal mechanisms contribute to post-prandial angina, 205 MPr

Myocardial blood flow distribution and ventricular tachycardia in hypertrophic cardiomyopathy, 121

Myocardial contraction

Assessment of steady-state myofilament response to calcium in intact cardiac myocytes, 179 JC

Modulation of left ventricular function in humans by paracrine release of nitric oxide from coronary endothelium, 74 MPr

Myocardial energy metabolism, Changes in myocardial energy metabolism in humans at angioplasty – evidence for preconditioning, D

Myocardial function, Inhibition of basal endothelin activity enhances ventricular relaxation in the isolated heart, 142 Pr

Myocardial infarction

A comparison of atrial natriuretic peptide and B-type natriuretic peptide as predictors of outcome post-myocardial infarction, 87 MPr

A complex analysis of ECG in patients undergoing thrombolysis for acute myocardial infarction: early ECG changes in relation to the result of the treatment, 220

A simple, non-invasive method for estimation of baroreflex sensitivity after myocardial infarction, 12 MPr

ACE genotype is not a risk factor for myocardial infarction under 45 years of age, 186 MPr

Angiotensin II receptor expression after myocardial infarction, 103

Association of ACE insertion/deletion polymorphism with myocardial infarction in non-insulin dependent diabetes, 187 MPr

Can the pressure to achieve short door to needle time lead to inappropriate thrombolysis? 151 Pr

Comparison of 3991 coronary events in men and 1551 in women in the Glasgow MONICA project: are heart attacks in men and women different? 109 MPr

Correlation of poor outcome and angiography features in patients with ECG 'tombstoning' of the ST-segment in acute myocardial infarction, 148 Pr

Defects of insulin action in premature myocardial infarction, 224 Pr

Determinants of PAI-1 activity in acute myocardial infarction, 147 Pr

Does ischaemic preconditioning reduce the incidence of ventricular arrhythmia in acute myocardial infarction? 136 Pr

Electrocardiographic evidence of reperfusion injury in acute myocardial infarction, 274 MPr

Hibernating myocardium: the incidence and persistence after acute myocardial infarction treated with thrombolysis, 218

Increased late mortality and morbidity after first myocardial infarction in South Asians compared to whites, 106 MPr

International Joint Efficacy Comparison of Thrombolytics (INJECT): reteplase vs streptokinase in acute myocardial infarction, 271 MPr

Logistic regression and neural network models for early diagnosis of AMI, 152 Pr

Mortality in acute myocardial infarction: do young patients really fare so well? 66 JC

Mortality from acute myocardial infarction outside and inside clinical trials, 150 Pr

Mortality from ischaemic heart disease outside hospital: more bad news from the UK Heart Attack Study (UKHAS), 156 Pr

Patterns of ST-segment recovery after acute myocardial infarction: effect on infarct size and ventricular remodelling, 273 MPr

Pre-hospital administration of aspirin to patients with suspected acute myocardial infarction does not improve outcome, 270 MPr

PredischARGE exercise testing in the prediction of coronary artery patency following thrombolysis for acute myocardial infarction, 219

Presentation and management of acute myocardial infarction in Irish hospitals: a national census, 157 Pr

QT dispersion and mortality following myocardial infarction, 63 JC

Reduction in treatment delay by paramedic ECG diagnosis of myocardial infarction with direct CCU admission, 158 Pr

Review of triage, diagnosis and readmission rates in patients with acute chest pain, 107 MPr

Routine assessment of left ventricular function following myocardial infarction has a positive impact on patient management, 153 Pr

Spatial correlation of infarct site and QTc, 60 Pr

Temporary cardiac pacing following acute myocardial infarction, 149 Pr

The potential demand for and feasibility of immediate PTCA following acute MI in a hospital without on-site cardiothoracic surgery, 259 Pr

Thrombolysis with alteplase for myocardial infarction: risk-benefit, time window and 'early hazard', 272 MPr

Myocardial ischaemia

Adverse outcome rates in unstable angina are high mainly in the first six weeks: prognostic value of early continuous ST segment monitoring, 215

Ischaemic preconditioning in human myocardium: the role of protein kinase C, 135 Pr

Myocardial perfusion, Transthoracic detection of regional myocardial perfusion abnormalities using a peravenous contrast agent – a comparative study of Doppler energy and grey scale imaging, 184 JC

Myocardial protection, During routine coronary artery surgery, aortic cross clamping and intermittent ventricular fibrillation is associated with less peri-operative myocardial damage than crystalloid cardioplegia, 261 Pr

Myocardial relaxation, Differential left ventricular relaxant effect of captopril and lisinopril, 192 MPr

Myocardial stunning

Does stunning cause prolonged myocardial dysfunction after exercise-induced ischaemia?, 82

Haemodynamic changes in coronary circulation with myocardial stunning, 243 Pr

Perioperative assessment of myocardial stunning using transoesophageal echocardiography combined with high-fidelity ventricular pressure, 65 JC

Myocardial viability

Dobutamine Tc-99m Sestamibi imaging accurately predicts myocardial viability in dysynergic left ventricular segments, 119

Is Tc-99m tetrofosmin myocardial uptake an indicator of myocardial viability? 86 MPr

Myocardium

Coxsackie B3 infection leads to inducible nitric oxide synthase gene transcription in the murine myocardium, 137 Pr

Doppler myocardial imaging: mean myocardial velocity and velocity gradient in normal subjects, 288

The myocardium of patients with coronary artery disease is insulin resistant, 80

Myocytes

Assessment of steady-state myofilament response to calcium in intact cardiac myocytes, 179 JC

Induction of HSP 72 by the tyrosine kinase inhibitor herbimycin-A protects cardiomyocytes from a subsequent stressful stimulus, 213 MP

Myofilament response, Reduction of myofilament response to calcium by a stable factor(s) in coronary effluent, 130 Pr

Myotonic dystrophy, Modulation of skeletal muscle sodium channels by the human myotonic muscular dystrophy kinase, 127 Pr

Myoview, Tc-99m tetrofosmin (Myoview) myocardial perfusion scintigraphy – a sensitive predictor of coronary artery disease in patients with severe aortic stenosis, 116

Na⁺ +/K⁺ ATPase, Role of Na⁺/K⁺ ATPase pump in hypoxic vasorelaxation of coronary arteries, 245 Pr

Natriuretic peptides

A comparison of atrial natriuretic peptide and B-type natriuretic peptide as predictors of outcome post-myocardial infarction, 87 MP

A comparison of three different natriuretic peptides as markers of left ventricular systolic dysfunction, 33 Pr

A multi-centre, double-blind, placebo controlled trial comparing neutral endopeptidase inhibition with converting enzyme inhibition in heart failure, 194 MP

Catecholamines cause hypertrophy and increased expression of endothelin-1 mRNA but not ET-2 or ET-3 mRNAs in cultured ventricular myocytes: effects of the ET_A receptor antagonist BQ123, 98

Plasma natriuretic peptide concentrations in the assessment of chronic dyspnoea, 34 Pr

Severity of congestive cardiac failure can be determined by measurement of peptides derived from atrial natriuretic factor, 35 Pr

Neointima formation

Antibodies to platelet derived growth factor inhibit neointima formation in human saphenous vein organ cultures, 282

Basement-membrane metalloproteinase expression increases during neointima formation in human saphenous vein organ cultures, 284

Nerve terminals, Distribution, morphology and neurochemistry of endocardial and epicardial nerve terminal arborizations in the human heart, 122 Pr

Neural networks, Logistic regression and neural network models for early diagnosis of AMI, 152 Pr

Nitric oxide

Angioplasty induces downstream endothelial injury, 180 JC

Arteriovenous selectivity of nitric oxide donors in humans. Can NO delivery be targeted? 76 MP

Changes in endothelial and inducible nitric oxide synthase activity following balloon injury? 75 MP

Constitutive nitric oxide synthase gene expression is normalized with endothelial regrowth following balloon angioplasty, 140 Pr

Coxsackie B3 infection leads to inducible nitric oxide synthase gene transcription in the murine myocardium, 137 Pr

Detection and pathological role of inducible nitric oxide synthase in man, 139 Pr

Human inducible nitric oxide synthase is expressed in dilated cardiomyopathy, valvular and ischaemic heart disease, 138 Pr

Inhaled nitric oxide is a selective pulmonary vasodilator in cardiac transplant candidates with elevated pulmonary vascular resistance, 96 MP

Is L-arginine induced vasodilatation really due to providing stereospecific substrate for NO synthase? 21 Pr

Modulation of left ventricular function in humans by paracrine release of nitric oxide from coronary endothelium, 74 MP

Nitric oxide mediates pacing-dependent epicardial coronary artery vasodilation but not flow changes, 73 MP

S-Nitrosoglutathione inhibits activation of platelets in unstable angina, 276 MP

The cardiac electrophysiological effects associated with platelet activation during myocardial ischaemia are influenced by nitric oxide and prostacyclin, 134 Pr

The role of endogenous bradykinin in human coronary vasomotor control, 68 MP

The utility of inhaled prostacyclin in patients with severe pulmonary hypertension awaiting lung transplantation, 97 MP

Vascular and hormonal effects of arginine in health and hypertension:

provision of substrate for nitric oxide or non-specific effect? 22 Pr

S-Nitrosoglutathione, S-Nitrosoglutathione inhibits activation of platelets in unstable angina, 276 MP

Nuclear cardiology, British Nuclear Cardiology Group: survey of UK nuclear cardiology practice 1993, 47 Pr

Occlusion device, Total UK multi-centre experience with a novel arterial occlusion device, 175

Open access

'Open access cardiology': is it the way forward? 31 Pr

Open access echocardiography: experience in a district hospital, 30 Pr

Open access echocardiography improves the primary care management of heart failure, 112 MP

'Open access' to echocardiography for suspected heart failure: does it work? 113 MP

Optimal pacing, Optimal pacing haemodynamics, 49 Pr

Organ donors, Evaluation of zonal thoracic organ donors during the first year of the National Multi-organ Zonal Retrieval Programme, 95 MP

Orthotopic heart transplantation, Clinical status of patients 10 years after orthotopic heart transplantation, 90 MP

Outflow tract gradient

Acute gradient reduction does not predict functional outcome after DDD pacing in obstructive hypertrophic cardiomyopathy, 18

Non surgical catheter treatment for hypertrophic obstructive cardiomyopathy, 64 JC

P-selectin

Increased soluble adhesion molecule P-selectin and endothelial dysfunction in essential hypertension, 77 MP

Soluble P-selectin, coagulation and lipid changes with hormone replacement therapy: implications for atherosclerosis prevention, 233 Pr

Paced electrograms, Paced electrogram fractionation in hypertrophic cardiomyopathy. Results in 101 patients, 247 Pr

Pacing (pacemakers)

Acute gradient reduction does not predict functional outcome after DDD pacing in obstructive hypertrophic cardiomyopathy, 18

Age differences in use of atrial and dual chamber pacemakers: differing indications or agism? 115 MP

Audit of the current practice and complications of temporary transvenous cardiac pacing, 50 Pr

Budgetary implications of implementing the BPEG pacing guidelines: five year study of 1690 implants, 51 Pr

Evaluation of an ultrasonically guided venepuncture technique for the placement of permanent pacing electrodes, 9 MP

First degree heart block is an indication for pacing in heart failure, 29 Pr

Frequent reprogramming is necessary to optimise pacing therapy in hypertrophic obstructive cardiomyopathy, 250 Pr

Optimal pacing haemodynamics, 49 Pr

Paced linkage of the donor and recipient hearts after heterotopic heart transplantation: acute haemodynamic studies, 93 MP

Pacing mode and atrial fibrillation: 1517 paced years follow-up of 1068 pacemaker implants, 249 Pr

Permanent pacemakers after cardiac transplantation: cost effective audit? 52 Pr

Safety and efficacy of secondary pacemaker implantation in patients with implantable cardioverter defibrillators, 48 Pr

Temporary cardiac pacing following acute myocardial infarction, 149 Pr

The need for permanent pacing in patients with tricuspid valve replacements, 197

The signal averaged P wave in atrioventricular block – evidence for abnormal atrial conduction, 10 MP

PAI-1, Determinants of PAI-1 activity in acute myocardial infarction, 147 Pr

Paramedic, Reduction in treatment delay by paramedic ECG diagnosis of myocardial infarction with direct CCU admission, 158 Pr

Patient selection, Deaths in patients awaiting heart transplantation: impact on patient selection criteria, 88 MP

Percutaneous transluminal coronary angioplasty

A novel device to reduce discomfort during arterial sheath removal following interventional procedures, 258 Pr

Angiographic finding when chest pain recurs after successful coronary angioplasty, 255 Pr

Angioplasty induces downstream endothelial injury, 180 JC

Antisense c-myc oligonucleotides suppress medial replication but not migration or intimal replication in arterial injury, 283

- Asymptomatic restenosis after coronary angioplasty: an uncommon occurrence, 254 Pr**
- Changes in endothelial and inducible nitric oxide synthase activity following balloon injury? 75 MPr**
- Changes in myocardial energy metabolism in humans at angioplasty – evidence for preconditioning, D**
- Clinical, procedural and quantitative angiographic variables predictive of luminal renarrowing and reocclusion following successful dilatation of total occlusions, 4 MPr**
- Constitutive nitric oxide synthase gene expression is normalized with endothelial regrowth following balloon angioplasty, 140 Pr**
- Importance of quantitative thallium tomography (SPECT) in patients with multivessel coronary artery disease undergoing coronary angioplasty, 210 MPr**
- Influence of local thrombus formation on long term restenosis following percutaneous transluminal coronary angioplasty, 2 MPr**
- Mechanism of benefit of stenting in failed PTCA, 298**
- Myocardial 'contrast reflow': is it a better predictor of improvement in left ventricular function following angioplasty (PTCA) than quantitative angiography?, 292**
- Physician prejudice influences treatment allocation in single vessel coronary artery disease: an example of the enthusiasm hypothesis of health care variation? 108 MPr**
- Post stent management with FemoStop and self injected low molecular weight heparin, 299**
- Primary stenting for long coronary artery lesions. An experience with the 18mm Palmaz-Schatz stent, 297**
- Quantitative analysis of early recoil, dissection and reocclusion following angioplasty of total occlusions, 3 MPr**
- The angiotensin converting enzyme gene insertion/deletion polymorphism and the risk of restenosis after coronary angioplasty, 189 MPr**
- The benefits of fast track coronary angioplasty, 260 Pr**
- The potential demand for and feasibility of immediate PTCA following acute MI in a hospital without on-site cardiothoracic surgery, 259 Pr**
- Percutaneous transluminal coronary ultrasonic angioplasty, Percutaneous transluminal coronary ultrasonic angioplasty: immediate, 24 hour and six month clinical and quantitative angiographic assessment, 1 MPr**
- Peripheral vascular disease, Trans-radial cardiac diagnostic and interventional procedures in patients with severe peripheral vascular disease, 8 MPr**
- Phosphorylation, Modulation of oocyte-expressed skeletal muscle sodium channels by protein kinase A and protein kinase C, 129 Pr**
- Physician prejudice, Physician prejudice influences treatment allocation in single vessel coronary artery disease: an example of the enthusiasm hypothesis of health care variation? 108 MPr**
- Plaque**
- Apoptosis in human vascular smooth muscle cells derived from normal arteries and atherosclerotic plaques, 286**
- Rapid angiographic progression of inactive unstable plaque versus stable plaque in patients with stable angina, 216**
- Platelets**
- Dose-dependent effects of aspirin on vasodilatation and platelet aggregation, 277 MPr**
- Platelet deposition on polymer coated stents is reduced by pre-coating with an antiplatelet-fibrinolytic conjugate, 296**
- S-Nitrosoglutathione inhibits activation of platelets in unstable angina, 276 MPr**
- The cardiac electrophysiological effects associated with platelet activation during myocardial ischaemia are influenced by nitric oxide and prostacyclin, 134 Pr**
- Postoperative morbidity, In-hospital audit underestimates early post-operative morbidity after cardiac surgery, 114 MPr**
- Preconditioning**
- Changes in myocardial energy metabolism in humans at angioplasty – evidence for preconditioning, D**
- Does ischaemic preconditioning reduce the incidence of ventricular arrhythmia in acute myocardial infarction? 136 Pr**
- Ischaemic preconditioning accelerates ischaemic contracture and ATP depletion in the blood-perfused rat heart, 214 MPr**
- Ischaemic preconditioning in human myocardium: the role of protein kinase C, 135 Pr**
- Pregnancy, Cardiovascular drugs in early pregnancy, 166 Pr**
- Prognosis**
- Adverse outcome rates in unstable angina are high mainly in the first six weeks: prognostic value of early continuous ST segment monitoring, 215**
- Cardiac autoantibodies in dilated cardiomyopathy are early markers associated with better prognosis, 123 Pr**
- Proinsulin, Determinants of PAI-1 activity in acute myocardial infarction, 147 Pr**
- Prostacyclin**
- Prostacyclin synthesis is markedly diminished in porcine vein grafts, 144 Pr**
- The cardiac electrophysiological effects associated with platelet activation during myocardial ischaemia are influenced by nitric oxide and prostacyclin, 134 Pr**
- The utility of inhaled prostacyclin in patients with severe pulmonary hypertension awaiting lung transplantation, 97 MPr**
- Prostanoids, Dose-dependent effects of aspirin on vasodilatation and platelet aggregation, 277 MPr**
- Protein kinase**
- Ischaemic preconditioning in human myocardium: the role of protein kinase C, 135 Pr**
- Modulation of oocyte-expressed skeletal muscle sodium channels by protein kinase A and protein kinase C, 129 Pr**
- Modulation of skeletal muscle sodium channels by the human myotonic muscular dystrophy kinase, 127 Pr**
- Protein loss, Gastrointestinal protein loss in long term survivors of the Fontan operation, 178**
- Proteins, Changes in myocardial heat shock proteins in response to chronic ethanol exposure, 212 MPr**
- Pulmonary arterial reconstruction, Intrapulmonary reconstruction of pulmonary arteries using a heterologous pericardial roll, 162 Pr**
- Pulmonary atresia**
- Complex pulmonary atresia: successful palliation by stenting of aortopulmonary collaterals, 176**
- Laser valvotomy with balloon valvoplasty as primary treatment for pulmonary atresia with intact ventricular septum: intention to treat analysis of 4 years' experience, 7 MPr**
- Pulmonary hypertension**
- Diurnal variation of transpulmonary endothelin-1 levels in patients with pulmonary hypertension, 38 Pr**
- Role of continuous infusion of epoprostenol (PGI₂) as treatment of primary pulmonary hypertension, 37 Pr**
- The utility of inhaled prostacyclin in patients with severe pulmonary hypertension awaiting lung transplantation, 97 MPr**
- Pulmonary stenosis**
- Intrapulmonary reconstruction of pulmonary arteries using a heterologous pericardial roll, 162 Pr**
- Results of stent implantation for severe pulmonary artery stenosis in children less than three years of age, 6 MPr**
- Pulmonary vascular resistance, Inhaled nitric oxide is a selective pulmonary vasodilator in cardiac transplant candidates with elevated pulmonary vascular resistance, 96 MPr**
- Pulsus alternans, Rate and load dependence of pulsus alternans in the anaesthetised pig heart, 40 Pr**
- QRS scoring, Electrocardiographic evidence of reperfusion injury in acute myocardial infarction, 274 MPr**
- QT dispersion**
- Enalapril reduces QT dispersion in patients with mild, asymptomatic ventricular dysfunction, 84**
- Exercise induced ventricular arrhythmia is associated with increased QT dispersion, 56 Pr**
- How does beta-blockade protect patients with congenital long QT syndromes? 58 Pr**
- QT dispersion and mortality following myocardial infarction, 63 JC**
- QT dispersion and RR variation on 12-lead ECGs in patients with congestive heart failure secondary to idiopathic dilated cardiomyopathy, 55 Pr**
- Regression of left ventricular hypertrophy is accompanied by a reduction in QT dispersion, 57 Pr**
- Spatial correlation of infarct site and QTc, 60 Pr**
- QT interval**
- How does beta-blockade protect patients with congenital long QT syndromes? 58 Pr**
- QT interval dispersion predicts cardiac death in patients with peripheral vascular disease, 54 Pr**
- Shortening of the QT interval immediately preceding the onset of idiopathic spontaneous ventricular tachycardia, 59 Pr**
- QTc, Spatial correlation of infarct site and QTc, 60 Pr**
- Quality of life, Slow recovery does not preclude a good result, 67 JC**
- Radiofrequency ablation**
- Doppler myocardial imaging in the evaluation of normal and abnormal ventricular depolarisation, 290**
- Patient satisfaction and residual symptoms following radiofrequency ablation for supraventricular tachycardia, 169 Pr**
- Prediction of atrioventricular block during radiofrequency ablation of the slow pathway of the atrioventricular node, 168 Pr**

- Reasons for primary failure or recurrence of conduction following radiofrequency ablation of accessory atrioventricular pathways, 167 Pr
- Radionuclide perfusion imaging**, The value of combined radionuclide perfusion imaging using thallium and technetium tetrofosmin in patients with coronary artery disease and left ventricular dysfunction, 211 MPr
- Radionuclide ventriculography**, Routine assessment of left ventricular function following myocardial infarction has a positive impact on-patient management, 153 Pr
- Ramipril**, Ramipril reverses cardiac hypertrophy but leads to increased collagen concentration in the hearts of the transgenic (mRen2d)27 rat, 100
- Rapid angiographic progression**, Rapid angiographic progression of inactive unstable plaque versus stable plaque in patients with stable angina, 216
- Readmission**, Review of triage, diagnosis and readmission rates in patients with acute chest pain, 107 MPr
- Recoil**, Quantitative analysis of early recoil, dissection and reocclusion following angioplasty of total occlusions, 3 MPr
- Recovery**, Persistence of regional left ventricular dysfunction after myocardial ischemia induced by intravenous dobutamine. A stress echocardiography study, 208 MPr
- Reentry**, Diastolic mapping of reentrant circuits in post-infarct ventricular tachycardia in man, 14
- Rehabilitation**, Neuropsychological morbidity among survivors of out-of-hospital cardiac arrest, 85
- Reinfarction**, A comparison of initial and repeat thrombolysis for early reinfarction using ECG criteria of reperfusion, 275 MPr
- Relaxation**, Inhibition of basal endothelin activity enhances ventricular relaxation in the isolated heart, 142 Pr
- Remodelling**, Patterns of ST-segment recovery after acute myocardial infarction: effect on infarct size and ventricular remodelling, 273 MPr
- Renin**, Ramipril reverses cardiac hypertrophy but leads to increased collagen concentration in the hearts of the transgenic (mRen2d)27 rat, 100
- Reperfusion**, A complex analysis of ECG in patients undergoing thrombolysis for acute myocardial infarction: early ECG changes in relation to the result of the treatment, 220
- Reperfusion injury**, Electrocardiographic evidence of reperfusion injury in acute myocardial infarction, 274 MPr
- Replication**, Antisense c-myc oligonucleotides suppress medial replication but not migration or intimal replication in arterial injury, 283
- Repolarisation**, Glibenclamide and magnesium have similar effects on repolarisation of the monophasic action potential during low-flow ischaemia, 128 Pr
- Reprogramming**, Frequent reprogramming is necessary to optimise pacing therapy in hypertrophic obstructive cardiomyopathy, 250 Pr
- Resistance vessels**, Morphological and numerical changes in resistance vessels in pressure overload left ventricular hypertrophy, 101
- Respiratory muscles**, Respiratory muscle strength and cardio-pulmonary exercise variables in chronic heart failure, 24 Pr
- Restenosis**
Asymptomatic restenosis after coronary angioplasty: an uncommon occurrence, 254 Pr
Clinical, procedural and quantitative angiographic variables predictive of luminal re-narrowing and reocclusion following successful dilatation of total occlusions, 4 MPr
Influence of local thrombus formation on long term restenosis following percutaneous transluminal coronary angioplasty, 2 MPr
Local delivery of antisense oligodeoxynucleotide to c-myc in vitro and in vivo inhibits vascular smooth muscle cell proliferation, C
Primary stenting for long coronary artery lesions. An experience with the 18mm Palmaz-Schatz stent, 297
Quantitative analysis of early recoil, dissection and reocclusion following angioplasty of total occlusions, 3 MPr
Serum activity and gene polymorphism of angiotensin-converting enzyme in relation to restenosis following coronary angioplasty, 188 MPr
The angiotensin converting enzyme gene insertion/deletion polymorphism and the risk of restenosis after coronary angioplasty, 189 MPr
- Resternotomy**, Resternotomy for bleeding after cardiac surgery: a marker for morbidity and mortality, 278 MPr
- Retepase**, International Joint Efficacy Comparison of Thrombolytics (INJECT): reteplase vs streptokinase in acute myocardial infarction, 271 MPr
- Revascularisation**
Appropriateness of coronary angiography and revascularisation in a region with a high disease prevalence, 252 Pr
Asymptomatic restenosis after coronary angioplasty: an uncommon occurrence, 254 Pr
- Right ventricular function**
Mechano-electric feedback in tetralogy of Fallot: the mechanism for malignant ventricular arrhythmias and sudden death, 61 JC
Right ventricular filling: comparison between normal and dilated cardiomyopathy, 39 Pr
- Right ventricular outflow tract**, Spontaneous ectopy is a legitimate target for ablation in right ventricular outflow tract tachycardia, 11 MPr
- Risk factors**
A comparison of coronary risk factors in South Asians in the United Kingdom and in India: a sibling study, 225 Pr
Arterial reactivity is impaired in young healthy subjects with a family history of premature coronary heart disease independent of other coronary risk factors, 70 MPr
Cardiovascular risk factors, coronary events and all causes mortality in eight years' follow-up of men and women in the Scottish Heart Health Study, 104 MPr
- RNase protection assay**, Vascular expression of endothelin-1 mRNA increases in sepsis, 141 Pr
- Rotablator**, High primary success rate from coronary atherectomy: early experience from a United Kingdom centre, 256 Pr
- Saphenous vein organ cultures**, Antibodies to platelet derived growth factor inhibit neointima formation in human saphenous vein organ cultures, 282
- Scintigraphy**, Flow inhomogeneity produced by intravenous dipyridamole documented by coronary flow velocity changes, 204 MPr
- Scottish Heart Health Study**, Cardiovascular risk factors, coronary events and all causes mortality in eight years' follow-up of men and women in the Scottish Heart Health Study, 104 MPr
- Screening**, Increasing evidence for the familial nature of dilated cardiomyopathy, 199
- Secondary prevention**
A prospective audit of the management of lipid secondary prevention in patients referred for diagnostic cardiac catheterisation, 229 Pr
A prospective study to examine the relation of serum lipid subfractions to the presence and severity of angiographically demonstrated coronary artery disease: implications for lipid secondary prevention strategies, 228 Pr
Aspirin in the prevention of coronary heart disease – are opportunities being missed? 221 Pr
- Sepsis**, Vascular expression of endothelin-1 mRNA increases in sepsis, 141 Pr
- Sestamibi**, Dobutamine Tc-99m Sestamibi imaging accurately predicts myocardial viability in dysynergic left ventricular segments, 119
- Sex differences**, Comparison of 3991 coronary events in men and 1551 in women in the Glasgow MONICA project: are heart attacks in men and women different? 109 MPr
- Signal averaging**, The signal averaged P wave in atrioventricular block – evidence for abnormal atrial conduction, 10 MPr
- Silent ischaemia**, Regional brain activation compared in silent and painful myocardial ischaemia, 242 Pr
- Simvastatin**, A model for calculating the costs of long term drug therapy for lowering serum cholesterol, 231 Pr
- Sleep apnoea**, Effects of ACE inhibitors and oxygen on sleep apnoea in patients with mild to moderate heart failure, 193 MPr
- Slow recovery**, Slow recovery does not preclude a good result, 67 JC
- Smoking**
Deleterious effect of smoking on the elastic properties of the aorta, 222 Pr
Impact of cigarette smoking on long term survival and morbidity following bypass surgery for isolated stenosis of the left anterior descending coronary artery, 223 Pr
- Smooth muscle cells**
Apoptosis in human vascular smooth muscle cells derived from normal arteries and atherosclerotic plaques, 286
Apoptosis of vascular smooth muscle cells is regulated by multiple gene products, 78 MPr
Enhancer stimulation augments gene expression after adenovirus mediated gene transfer into human vascular smooth muscle cells, 146 Pr
Hypoxia-induced gene expression in vascular smooth muscle cells, 285
- Socio-economic environment**, Coronary heart disease and the socio-economic environment in a single health district, 105 MPr
- Sodium⁺/K⁺ ATPase**, Role of Na⁺/K⁺ ATPase pump in hypoxic vasorelaxation of coronary arteries, 245 Pr

Sodium channels

Modulation of oocyte-expressed skeletal muscle sodium channels by protein kinase A and protein kinase C, **129 Pr**

Modulation of skeletal muscle sodium channels by the human myotonic muscular dystrophy kinase, **127 Pr**

South Asians

A comparison of coronary risk factors in South Asians in the United Kingdom and in India: a sibling study, **225 Pr**

Increased late mortality and morbidity after first myocardial infarction in South Asians compared to whites, **106 MPr**

ST-segment

Correlation of poor outcome and angiography features in patients with ECG 'tombstoning' of the ST-segment in acute myocardial infarction, **148 Pr**

Patterns of ST-segment recovery after acute myocardial infarction: effect on infarct size and ventricular remodelling, **273 MPr**

Stenosis

Cardiac catheter complications related to left main stem stenosis, **253 Pr**

Ischaemia-related stenoses in 'clinically stabilised' unstable angina remain at high risk, **217**

Stents

Blood flow reductions after stent implantation are unaffected by aspirin and heparin, **5 MPr**

Complex pulmonary atresia: successful palliation by stenting of aortopulmonary collaterals, **176**

Mechanism of benefit of stenting in failed PTCA, **298**

Platelet deposition on polymer coated stents is reduced by pre-coating with an antiplatelet-fibrinolytic conjugate, **296**

Post stent management with FemoStop and self injected low molecular weight heparin, **299**

Primary stenting for long coronary artery lesions. An experience with the 18mm Palmaz-Schatz stent, **297**

Results of stent implantation for severe pulmonary artery stenosis in children less than three years of age, **6 MPr**

Should all elective coronary stents be implanted via the brachial approach? Audit of a single centre experience of stenting from the femoral and brachial routes, **294**

Unstable angina is not a contraindication to intracoronary stent insertion, **295**

Stress testing, Increased myocardial workload impairs left ventricular diastolic long axis function before systolic function in patients with angina, **41 Pr**

Subclavian venepuncture, Evaluation of an ultrasonically guided venepuncture technique for the placement of permanent pacing electrodes, **9 MPr**

Sudden death

Abnormal blood pressure response during exercise is a marker of risk of sudden death in young patients with hypertrophic cardiomyopathy, **246 Pr**

Clinical implications of cardiac troponin T and alpha tropomyosin mutations in hypertrophic cardiomyopathy, **201**

Comparison of 3991 coronary events in men and 1551 in women in the Glasgow MONICA project: are heart attacks in men and women different? **109 MPr**

Mechano-electric feedback in tetralogy of Fallot: the mechanism for malignant ventricular arrhythmias and sudden death, **61 JC**

Mortality from ischaemic heart disease outside hospital: more bad news from the UK Heart Attack Study (UKHAS), **156 Pr**

Paced electrogram fractionation in hypertrophic cardiomyopathy. Results in 101 patients, **247 Pr**

QT interval dispersion predicts cardiac death in patients with peripheral vascular disease, **54 Pr**

Supraventricular tachycardia

Coronary sinus morphology in patients with atrioventricular junctional reentry tachycardia and other supraventricular tachycardias, **170 Pr**

Patient satisfaction and residual symptoms following radiofrequency ablation for supraventricular tachycardia, **169 Pr**

Should flecainide now be the first choice drug for suppression of infant supraventricular tachycardia?, **17**

Survival, Deaths in patients awaiting heart transplantation: impact on patient selection criteria, **88 MPr**

Syndrome X

Endothelium-dependent and endothelium-independent coronary vasodilatation in syndrome X, **241 Pr**

Increased thrombotic tendency in patients with syndrome X, **237 Pr**

Insulin resistance in postmenopausal women with syndrome X who do not respond to estrogen therapy, **238 Pr**

Systemic endothelial dysfunction in patients with syndrome X, **239 Pr**

T cell, Evidence for T cell involvement in dilated cardiomyopathy: interleukin-2 receptor levels are high and related to endomyocardial biopsy markers of activation, **126 Pr**

Temporary transvenous cardiac pacing, Audit of the current practice and complications of temporary transvenous cardiac pacing, **50 Pr**

Tetralogy of Fallot, Mechano-electric feedback in tetralogy of Fallot: the mechanism for malignant ventricular arrhythmias and sudden death, **61 JC**

Tetrofosmin

Is Tc-99m tetrofosmin myocardial uptake an indicator of myocardial viability? **86 MPr**

Tc-99m tetrofosmin imaging improves diagnostic accuracy in the detection of coronary artery disease compared to TI-201, **117**

Tc-99m tetrofosmin (Myoview) myocardial perfusion scintigraphy – a sensitive predictor of coronary artery disease in patients with severe aortic stenosis, **116**

The value of combined radionuclide perfusion imaging using thallium and technetium tetrofosmin in patients with coronary artery disease and left ventricular dysfunction, **211 MPr**

Thallium

British Nuclear Cardiology Group: survey of UK nuclear cardiology practice 1993, **47 Pr**

Importance of quantitative thallium tomography (SPECT) in patients with multivessel coronary artery disease undergoing coronary angioplasty, **210 MPr**

Tc-99m tetrofosmin imaging improves diagnostic accuracy in the detection of coronary artery disease compared to TI-201, **117**

The value of combined radionuclide perfusion imaging using thallium and technetium tetrofosmin in patients with coronary artery disease and left ventricular dysfunction, **211 MPr**

Thoracic aorta, Safety and accuracy of magnetic resonance imaging in acute thoracic aortic dissection: a prospective study of 50 patients, **183 JC**

Thoracic organ donors, Evaluation of zonal thoracic organ donors during the first year of the National Multi-organ Zonal Retrieval Programme, **95 MPr**

Thrombolysis

A comparison of initial and repeat thrombolysis for early reinfarction using ECG criteria of reperfusion, **275 MPr**

Can the pressure to achieve short door to needle time lead to inappropriate thrombolysis? **151 Pr**

Hibernating myocardium: the incidence and persistence after acute myocardial infarction treated with thrombolysis, **218**

International Joint Efficacy Comparison of Thrombolytics (INJECT): reteplase vs streptokinase in acute myocardial infarction, **271 MPr**

Mortality from acute myocardial infarction outside and inside clinical trials, **150 Pr**

Predischarge exercise testing in the prediction of coronary artery patency following thrombolysis for acute myocardial infarction, **219**

Presentation and management of acute myocardial infarction in Irish hospitals: a national census, **157 Pr**

Reduction in treatment delay by paramedic ECG diagnosis of myocardial infarction with direct CCU admission, **158 Pr**

Thrombolysis with alteplase for myocardial infarction: risk-benefit, time window and 'early hazard', **272 MPr**

Thrombosis

Blood flow reductions after stent implantation are unaffected by aspirin and heparin, **5 MPr**

Haemostatic and haemodynamic abnormalities are associated with left atrial spontaneous echo contrast, without left atrial thrombosis, **280 MPr**

Haemostatic and haemodynamic abnormalities are associated with left atrial thrombosis in atrial fibrillation, **36 Pr**

Platelet deposition on polymer coated stents is reduced by pre-coating with an antiplatelet-fibrinolytic conjugate, **296**

Thrombotic tendency, Increased thrombotic tendency in patients with syndrome X, **237 Pr**

Thrombus, Influence of local thrombus formation on long term restenosis following percutaneous transluminal coronary angioplasty, **2 MPr**

Time window, Thrombolysis with alteplase for myocardial infarction: risk-benefit, time window and 'early hazard', **272 MPr**

Tissue Doppler echocardiography, Assessment of cardiac physiology by tissue Doppler echocardiography: a comparison with pressure recordings during cardiac catheterisation, **289**

Total occlusions

Clinical, procedural and quantitative angiographic variables predictive of luminal renarrowing and reocclusion following successful dilatation of total occlusions, **4 MPr**

Initial experience of laserwire coronary angioplasty in chronic total occlusions, **257 Pr**

Quantitative analysis of early recoil, dissection and reocclusion following angioplasty of total occlusions, **3 MPr**

Trans-radial cardiac procedures, Trans-radial cardiac diagnostic and interventional procedures in patients with severe peripheral vascular disease, 8 MPr

Transoesophageal echocardiography

Perioperative assessment of myocardial stunning using transoesophageal echocardiography combined with high-fidelity ventricular pressure, 65 JC

Technical aspects of 3-dimensional image reconstruction of transoesophageal echo (TOE) images in the assessment of mitral valve morphology, 44 Pr

Transoesophageal echo Doppler assessment of coronary flow augmentation and vein graft patency during intra-aortic balloon counterpulsation, 291

Transthoracic echocardiography, Use of transthoracic echocardiography for noninvasive assessment of left internal mammary artery graft patency, 45Pr

Transthoracic imaging, Transthoracic detection of regional myocardial perfusion abnormalities using a peravenous contrast agent – a comparative study of Doppler energy and grey scale imaging, 184 JC

Treatment variation, Physician prejudice influences treatment allocation in single vessel coronary artery disease: an example of the enthusiasm hypothesis of health care variation? 108 MPr

Triage, Review of triage, diagnosis and readmission rates in patients with acute chest pain, 107 MPr

Tricuspid valve replacements, The need for permanent pacing in patients with tricuspid valve replacements, 197

Troponin

Donor cardiac troponin estimation predicts subsequent clinical course following cardiac transplantation, 91 MPr

During routine coronary artery surgery, aortic cross clamping and intermittent ventricular fibrillation is associated with less perioperative myocardial damage than crystalloid cardioplegia, 261 Pr

Mode of action of cardiac troponin T mutations in familial hypertrophic cardiomyopathy, 99

Ultrafiltration, In children, complement activation during cardiopulmonary bypass does not increase by modified ultrafiltration, 165 Pr

Ultrasound

Doppler myocardial imaging: mean myocardial velocity and velocity gradient in normal subjects, 288

Evaluation of an ultrasonically guided venepuncture technique for the placement of permanent pacing electrodes, 9 MPr

Fetal cardiac masses – prevalence, follow up and difficulties in counselling, 164 Pr

How important are image distortion artefacts when using mechanical intravascular ultrasound transducers? 43 Pr

Preserved endothelial function in the brachial artery in patients with premature atherosclerosis, 71 MPr

Vasodilatation

Detection and pathological role of inducible nitric oxide synthase in man, 139 Pr

Dose-dependent effects of aspirin on vasodilatation and platelet aggregation, 277 MPr

Endothelium-dependent and endothelium-independent coronary vasodilatation in syndrome X, 241 Pr

Vasodilator therapy, Do the endothelins contribute to peripheral vasoconstriction in chronic heart failure? 69 MPr

Vasodilators, Flow inhomogeneity produced by intravenous dipyridamole documented by coronary flow velocity changes, 204 MPr

Vein grafts

Prostacyclin synthesis is markedly diminished in porcine vein grafts, 144 Pr

Up regulation of matrix degrading gelatinases in pig saphenous vein grafts, 143 Pr

Veno-atrial connections, Veno-atrial connections in hearts with isomeric atrial appendages, 173

Venous drainage, Veno-atrial connections in hearts with isomeric atrial appendages, 173

Ventilation

L-arginine can acutely reduce the ventilatory cost of carbon dioxide excretion in chronic heart failure, 23 Pr

The ventilatory responses to exercise in adults after repair of tetralogy of Fallot, 203 MPr

Ventricular depolarisation, Doppler myocardial imaging in the evaluation of normal and abnormal ventricular depolarisation, 290

Ventricular fibrillation, The need for implantable cardioverter defibrillators after resuscitation from pre-hospital ventricular fibrillation, 171 Pr

Ventricular myocytes

Differential effects of isoprenaline on ventricular myocytes from normal and hypertrophied guinea-pig hearts, 102

Does reduced contraction of individual ventricular myocytes contribute to the pathogenesis of human heart failure? B

Ventricular septal defect, The outlet septum in hearts with interrupted aortic arch (malalignment vs. deviation), 163 Pr

Ventricular tachycardia

Diastolic mapping of reentrant circuits in post-infarct ventricular tachycardia in man, 14

Isolated human hearts and multipoint mapping of ventricular tachycardia – description of a technique, 172 Pr

Shortening of the QT interval immediately preceding the onset of idiopathic spontaneous ventricular tachycardia, 59 Pr

Spontaneous ectopy is a legitimate target for ablation in right ventricular outflow tract tachycardia, 11 MPr

The haemodynamic impact of ventricular tachycardia: predicting the outcome, 15

Viruses, Enhancer stimulation augments gene expression after adenovirus mediated gene transfer into human vascular smooth muscle cells, 146 Pr

von Willebrand factor

Increased soluble adhesion molecule P-selectin and endothelial dysfunction in essential hypertension, 77 MPr

Soluble P-selectin, coagulation and lipid changes with hormone replacement therapy: implications for atherosclerosis prevention, 233 Pr

Wolff-Parkinson-White syndrome, Familial hypertrophic cardiomyopathy with Wolff-Parkinson-White syndrome maps to a locus on chromosome 7q3, 248 Pr

VOLUME 73: PROGRAMME SUPPLEMENT AUTHOR INDEX

- A'Brook R** *see* Tunstall-Pedoe H *et al*
Adam PJ *see* Clesham GJ *et al*
Adamowicz M *see* Millar-Craig MW *et al*
Adams JN, Norton M, Trent RJ, Mikecz P, Walton S, Evans N. Hibernating myocardium: the incidence and persistence after acute myocardial infarction treated with thrombolysis, 218
Adams PC *see* Farrer M *et al*; Skinner JS *et al*
Adgey AAJ *see* Johnston PW *et al*
Aggarwal RK, Connelly DT, Ray SG, Ball J, Charles RG. Age differences in use of atrial and dual chamber pacemakers: differing indication or agism? 115 MP
Aggarwal RK, Ireland DC, de Bono DP, Gershlick AH. Platelet deposition on polymer coated stents is reduced by pre-coating with an antiplatelet-fibrinolytic conjugate, 296
Aggarwal RK, More RS, Ball J, Brack MJ, Gershlick AH. Asymptomatic restenosis after coronary angioplasty: an uncommon occurrence, 254 Pr
Aggarwal RK, More RS, Ezekowitz MD, de Bono DP, Gershlick AH. Blood flow reductions after stent implantation are unaffected by aspirin and heparin, 5 MP
Aggelakas S, Dritsas A, Michailidis A, Toutouzas P, Cokkinos DV. Exercise induced ventricular arrhythmia is associated with increased QT dispersion, 56 Pr
Ahmed J *see* Wales C *et al*
Aitman TJ *see* Kooner JS *et al*
Al-Mohammad A, Fath-Ordoubadi F, Amadi A, Beatt KJ. Can the pressure to achieve short door to needle time lead to inappropriate thrombolysis? 151 Pr
Albers CJ *see* Farrer M *et al*; Skinner JS *et al*
Aliot E *see* Slade A *et al*
Allan LD *see* Rosenthal E *et al*
Almond D *see* Ray SG *et al*
Amadi A *see* Al-Mohammad A *et al*; Chua TP *et al*
Anagnostopoulos C *see* Stables RH *et al*
Anan R *see* Watkins H *et al*
Anand IS *see* Bhatnagar D *et al*
Anderson J, Hossein-Nia M, Madden BP, Holt D, Murday AJ. Donor cardiac troponin estimation predicts subsequent clinical course following cardiac transplantation, 91 MP
Anderson J, *see also* Johnston PW *et al*
Anderson RH *see* Ho SY *et al*; Marron K *et al*; Uemura H *et al*; Vogel M *et al*
Andreotti F *see* Haider AW *et al*
Andrews R *see* Walsh JT *et al*
Angelini GD *see* Birdi I *et al*; Jeremy JY *et al*; Southgate KM *et al*
Anker S *see* Chua TP *et al*
Anning PB, Grocott-Mason RM, Lewis MJ, Shah AM. Differential left ventricular relaxant effect of captopril and lisinopril, 192 MP
Anning PB, *see also* Prendergast BD *et al*
Ansell H *see* Why HJF *et al*
Archard L *see* Robinson NMK *et al*
Arunothayaraj PA *see* Higham PD *et al*
Avery PG *see* Masani ND *et al*
- Baig MK** *see* Caforio ALP *et al*; Coonar AS *et al*; Goldman JH *et al*
Baker C *see* Panting JR *et al*
Baker EJ *see* Rosenthal E *et al*
Baker L *see* Puri S *et al*
Baker S *see* Stafford P *et al*
Baliga RR, Burden L, Kooner JS. Reduction in exercise threshold to post-prandial angina is due to its carbohydrate content and occurs independently of myocardial oxygen consumption, 81
Baliga RR, Rosen SD, Camici PG, Oakley CM, Kooner JS. Intramyocardial steal mechanisms contribute to post-prandial angina, 205 MP
Baliga RR, *see also* Kooner JS *et al*
Ball J *see* Aggarwal RK *et al*
Bann K *see* Cubukcu AA *et al*
Banner N *see* Grocott-Mason RM *et al*; Mikhail GW *et al*
Banning AP, Black P, Lewis MJ. Angioplasty induces downstream endothelial injury, 180 JC
Banning AP, Buttery L, Wharton J, Rutherford RAD, Black P, Polak J, Lewis MJ. Changes in endothelial and inducible nitric oxide synthase activity following balloon injury? 75 MP
Banning AP, Musumeci F, Tovey J, Davies L, Kuo J, Penny WJ. During routine coronary artery surgery, aortic cross clamping and intermittent ventricular fibrillation is associated with less perioperative myocardial damage than crystalloid cardioplegia, 261 Pr
- Banning AP, Prendergast BD, Elbourne S, Tyler D, Henderson AH.** L-arginine can acutely reduce the ventilatory cost of carbon dioxide excretion in chronic heart failure, 23 Pr
Banning AP, *see also* Groves PH *et al*
Bannister J *see* Batin PD *et al*
Barbeau G *see* Ray SG *et al*
Bareford D *see* Lip GYH *et al*
Barnett DB *see* Chester MR and Barnett DB
Barr C *see* Rhodes P *et al*
Barr CS, Davidson NC, Naas AA, Struthers AD. Enalapril reduces QT dispersion in patients with mild, asymptomatic ventricular dysfunction, 84
Barth J *see* Ray SG *et al*
Bartlett WA *see* Payne MN *et al*
Bashir Y *see* Redwood S *et al*
Baskerville PA *see* Stavri GT *et al*
Basu S *see* Senior R *et al*
Batin PD, Nolan J, Welsh CJ, McLenachan JM, Perrins EJ. Should all elective coronary stents be implanted via the brachial approach? Audit of a single centre experience of stenting from the femoral and brachial routes, 294
Batin PD, Ryder M, Bannister J, Forrester A, Mackintosh AF. The need for implantable cardioverter defibrillators after resuscitation from pre-hospital ventricular fibrillation, 171 Pr
Bayes de Luna A *see* Sutherland GR *et al*
Bayliss SA *see* Robinson NMK *et al*
Beale CM *see* Volterrani M *et al*
Beatt KJ *see* Al-Mohammad A *et al*
Beattie JM *see* Payne MN *et al*
Been M *see* El-Omar MM *et al*
Beevers DG *see* Lip GYH *et al*
Beevers M *see* Lip GYH *et al*
Bellamy CM *see* Morris JL *et al*
Bennett MR, Evan GI, Schwartz SM. Apoptosis in human vascular smooth muscle cells derived from normal arteries and atherosclerotic plaques, 286
Bennett MR, Evan GI, Schwartz SM. Apoptosis of vascular smooth muscle cells is regulated by multiple gene products, 78 MP
Bennett MR, Lindner VL, Reidy MA, Schwartz SM. Antisense c-myc oligonucleotides suppress medial replication but not migration or intimal replication in arterial injury, 283
Bent S *see* Gang Y *et al*
Bent SE *see* Coonar AS *et al*
Berkin KE *see* Heppell RM *et al*
Berkitt S *see* Jeremy JY *et al*
Beso J *see* Brown AS *et al*
Bethall HWL *see* Crowley JJ *et al*
Bethell HWL, Redwood SR, Vandenberg JI, Carter ND, Camm AJ, Grace AA. Glibenclamide and magnesium have similar effects on repolarisation of the monophasic action potential during low-flow ischaemia, 128 Pr
Bethell HWL, *see also* Redwood S *et al*
Bevan D *see* Unsworth-White MJ *et al*
Bhagat K, Collier J, Vallance P. Dose-dependent effects of aspirin on vasodilatation and platelet aggregation, 277 MP
Bhatnagar D, Patel DJ, Wander GS, Anand IS, Britt RP, Durrington PN, Sutton GC. A comparison of coronary risk factors in South Asians in the United Kingdom and in India: a sibling study, 225 Pr
Bird R *see* Keavney B *et al*
Birdi I, Izzat MB, Angelini GD, Bryan AJ. In-hospital audit underestimates early postoperative morbidity after cardiac surgery, 114 MP
Bishop JE *see* Kiernan LA *et al*; Montgomery HE *et al*
Black P *see* Banning AP *et al*
Blackburn M, Wharton G, Parsons J, Dickinson D, Gibbs J. Fetal cardiac masses – prevalence, follow up and difficulties in counselling, 164 Pr
Blackburn ME *see* Gibbs JL *et al*
Blann AD *see* Lip GYH *et al*
Boivin C *see* Hamdan HK *et al*
Bonser RS *see* Carey JA *et al*; Horton RC *et al*
Boon NA *see* Currie PF *et al*
Bossingham CM *see* Murphy JJ *et al*
Boudoulas H *see* Stefanadis C *et al*
Bouloux P *see* Farrell TG *et al*
Bourke J *see* Gumbrielle T *et al*
Bourke JP *see* Fang Q *et al*; Thomas GL *et al*
Bowes R *see* Wales C *et al*
Boyett MR *see* Sutton PMI *et al*; Taggart P *et al*

- Brack M *see* Samani NJ *et al*
 Brack MJ *see* Aggarwal RK *et al*
 Brady AJB *see* Hamdan HK *et al*
 Bridgewater B *see* Millane TA *et al*
 Britt RP *see* Bhatnagar D *et al*
 Brompton House Officer Audit Group *see* Stables RH
 Brooks NH *see* Millane TA *et al*
 Brown AH *see* Higham PD *et al*
 Brown AS, Beso J, Jewitt DE, Sherwood R, Martin JF. Fibrinogen and IL-6 levels are raised and correlate in diabetics with atherosclerosis, 236 Pr
 Brown AS, Thomas MR, Wray R, Homberg SR, Wainwright RJ, Jewitt DE, Monaghan MJ. Myocardial 'contrast reflow': is it a better predictor of improvement in left ventricular function following angioplasty (PTCA) than quantitative angiography?, 292
 Brown MJ *see* Stephens N *et al*
 Browne C *see* McGee HM *et al*
 Browne H *see* Clesham GJ *et al*
 Bryan AJ *see* Birdi I *et al*; Jeremy JY *et al*
 Bull T *see* Henry R *et al*
 Buller CE *see* Ray SG *et al*
 Buller N *see* Stables R *et al*
 Buller NP *see* Stables RH *et al*
 Bu'Lock FA, Mott MG, Oakhill A, Martin RP. Early and late anthracycline cardiotoxicity: the problem with 'success', 198
 Bundred PE *see* Mair FS *et al*
 Burden L *see* Baliga RR *et al*
 Burn S, Howey S, Steel S, Caplin JL. The value of combined radionuclide perfusion imaging using thallium and technetium tetrofosmin in patients with coronary artery disease and left ventricular dysfunction, 211 MP
 Burrell CJ *see* Nash A *et al*
 Burton A *see* Kennedy RL *et al*
 Buszman P, Szafraniek A. A complex analysis of ECG in patients undergoing thrombolysis for acute myocardial infarction: early ECG changes in relation to the result of the treatment, 220
 Buszman P, Szafraniek A. Electrocardiographic evidence of reperfusion injury in acute myocardial infarction, 274 MP
 Buszman P, *see also* Sigwart U *et al*
 Butt AY, Cremona G, Sharples L, Higenbottam T. Role of continuous infusion of epoprostenol (PGI₂) as treatment of primary pulmonary hypertension, 37 Pr
 Butt AY, Takao M, Tuan Dinh Xuan A, Cremona G, Higenbottam TW. Role of Na⁺/K⁺ ATPase pump in hypoxic vasorelaxation of coronary arteries, 245 Pr
 Buttery L *see* Banning AP *et al*
 Bygrave A *see* O'Farrell D *et al*; Redwood S *et al*
 Byrne CD *see* Haywood GA *et al*
 Byrne J, Metcalfe MJ, Reid S, Rooney E, Christie J, Dargie HJ. Routine assessment of left ventricular function following myocardial infarction has a positive impact on patient management, 153 Pr
- Caforio ALP, Goldman JH, Haven LH, Keeling PJ, Baig MK, McKenna WJ. Cardiac autoantibodies in dilated cardiomyopathy are early markers associated with better prognosis, 123 Pr
 Caforio ALP, Haven LH, Goldman JH, Gordon D, Keeling PJ, Holt DW, McKenna WJ. Evidence for T cell involvement in dilated cardiomyopathy: interleukin-2 receptor levels are high and related to endomyocardial biopsy markers of activation, 126 Pr
 Caforio ALP, *see also* Coonar AS *et al*; Goldman JH *et al*
 Calver A, MacAllister R, Edwards M, Herreous B, Nussey S, Collier J, Vallance P. Vascular and hormonal effects of arginine in health and hypertension: provision of substrate for nitric oxide or non-specific effect? 22 Pr
 Calver A, MacAllister R, Riezebos J, Collier J, Vallance P. Arterio-venous selectivity of nitric oxide donors in humans. Can no delivery be targeted? 76 MP
 Camici PG *see* Baliga RR *et al*; Gistri R *et al*; Paternostro G *et al*; Rosen SD *et al*; Spyrou N *et al*
 Camm AJ *see* Bethell HWL *et al*; Fei L and Camm AJ; Fei L *et al*; Gill JS *et al*; Murgatroyd FD *et al*; O'Farrell D *et al*; Redwood S *et al*; Statters DJ *et al*; Xie B *et al*
 Camm J *see* Guo X *et al*
 Campbell R *see* Gumbrielle T *et al*
 Campbell RWF *see* Fang Q *et al*; Thomas GL *et al*
 Campbell S *see* Wales C *et al*
 Caplin J *see* Pennell DJ *et al*
 Caplin JL *see* Burn S *et al*; Panting JR *et al*
 Carey JA, Hooker A, Graham TR, Bonser RS. Evaluation of zonal thoracic organ donors during the first year of the National Multi-organ Zonal Retrieval Programme, 95 MP
- Carpenter TA *see* Crowley JJ *et al*
 Carreras F *see* Sutherland GR *et al*
 Carter ND *see* Bethell HWL *et al*
 Caruana L *see* Francis CM *et al*
 Casadei B *see* Keavney B *et al*
 Caulfield M *see* Mattu RK *et al*
 Cave MH, Parameshwar J, Mullins P, Large S, Wallwork J, Schofield PM. Significance of coronary flow reserve following cardiac transplantation, 92 MP
 Cecchi F *see* Gistri R *et al*
 Celermajor DS *see* Clarkson P *et al*
 Chan K *see* Tometzki A *et al*
 Chan KL *see* Greenbaum RA *et al*
 Charles IG *see* Robinson NMK *et al*
 Charles RG *see* Aggarwal RK *et al*
 Charlesworth A *see* Wilcox RG *et al*
 Chase R *see* Lawson CS *et al*; Walker DM *et al*
 Chauhan A, Mullins PA, Taylor G, Petch MC, Schofield PM. Endothelium-dependent and endothelium-independent coronary vasodilatation in syndrome X, 241 Pr
 Chauhan A, Petch MC, Schofield PM. Cardio-oesophageal reflex: a mechanism for 'linked-angina' in patients with angiographically proven coronary artery disease, A
 Chauhan A, *see also* Samani NJ *et al*
 Cheadle H *see* Groves PH *et al*
 Chen L *see* Chester MR *et al*; Guo X *et al*
 Chester A *see* Wharton J *et al*
 Chester AH *see* Mikhail GW *et al*
 Chester MR, Barnett DB. Chamber and subtype selective beta-adrenoceptor downregulation in the sympathetically denervated human heart, 53 Pr
 Chester MR, Chen L, Huang J, Leatham E, Tousoulis D, Kaski JC. Ischaemia-related stenoses in 'clinically stabilised' unstable angina remain at high risk, 217
 Chester MR, Chen L, Kaski JC. Rapid angiographic progression of inactive unstable plaque versus stable plaque in patients with stable angina, 216
 Chiladakis J *see* Voudris V *et al*
 Chiriatti G *see* Gistri R *et al*
 Chojnowska L *see* Slade A *et al*
 Choy AM *see* Davidson NC *et al*
 Christie J *see* Byrne J *et al*
 Chronos N *see* Karwatowski SP *et al*
 Chua TP, Amadi A, Clark AL, Harrington D, Coats AJS. Increased chemosensitivity to hypoxia at rest and during exercise in chronic heart failure, 79 MP
 Chua TP, Anker S, Ponikowski P, Coats AJS. Respiratory muscle strength and cardiopulmonary exercise variables in chronic heart failure, 24 Pr
 Churchill D *see* Lip GYH *et al*
 Clark A *see* Mattu RK *et al*
 Clark AL, Gatzoulis M, Redington AN. The ventilatory responses to exercise in adults after repair of tetralogy of Fallot, 203 MP
 Clark AL, *see also* Chua TP *et al*
 Clarke D *see* Patel D *et al*
 Clarke KW, Gray D, Hampton JR. Death from ischaemic heart disease in Nottingham 1973-1992, 155 Pr
 Clarke KW, Gray D, Hampton JR. The potential demand for and feasibility of immediate PTCA following acute MI in a hospital without on-site cardiothoracic surgery, 259 Pr
 Clarkson P, Henry R, Donald AE, Powe AJ, Celermajor DS, Deanfield JE. Arterial reactivity is impaired in young healthy subjects with a family history of premature coronary heart disease independent of other coronary risk factors, 70 MP
 Clarkson P, *see also* Henry R *et al*
 Clarkson PBM, MacLeod C, Coutie W, MacDonald TM. Plasma natriuretic peptide concentrations in the assessment of chronic dyspnoea, 34 Pr
 Cleland JGF *see* Morgan K *et al*; Puri S *et al*
 Clesham GJ, Browne H, Adam PJ, Efstathiou S, Weissberg PL. Enhancer stimulation augments gene expression after adenovirus mediated gene transfer into human vascular smooth muscle cells, 146 Pr
 Clutton-Brock T *see* Horton RC *et al*
 Coats A *see* Volterrani M *et al*
 Coats AJS *see* Chua TP *et al*
 Cobbe SM *see* Wallbridge DR and Cobbe SM
 Codd M *see* Hennessy T *et al*
 Codd MB *see* Diamond P *et al*
 Cohen H *see* Goulielmos NV *et al*
 Cokkinos DV *see* Aggelakas S *et al*; Voudris V *et al*
 Collier J *see* Bhagat K *et al*; Calver A *et al*

- Collins P *see* Godsland IF *et al*; Volterrani M *et al*
 Connell JMC *see* Jamieson A *et al*
 Connelly DT *see* Aggarwal RK *et al*
 Conway J *see* Keavney B *et al*
 Cooke A *see* Jamieson A *et al*
 Cooke GA *see* Cubukcu AA *et al*
 Cooke JP *see* Haywood GA *et al*
 Cooklin M *see* Wallis WRJ *et al*
 Coonar AS, Keeling PJ, Goldman JH, Baig MK, Prasad K, Elliott PM, Bent SE, Caforio ALP, McKenna WJ. Increasing evidence for the familial nature of dilated cardiomyopathy, 199
 Cooper J *see* Stafford P *et al*
 Cooper JP, Currie P, Firman E, O'Neill E, Swanton RH. The benefits of fast track coronary angioplasty, 260 Pr
 Cooper JP, Jayawickreme SR, Firman E, Swanton RH. The need for permanent pacing in patients with tricuspid valve replacements, 197
 Corbett JM *see* Why HJF *et al*
 Council on Acute Coronary Care of the Irish Heart Foundation *see* McGee HM *et al*
 Coutie W *see* Clarkson PBM *et al*
 Coutie WJ *see* Davidson NC *et al*
 Cowan D *see* Unsworth-White MJ *et al*
 Cowan JC *see* Mohamed AL *et al*; Morris JL *et al*
 Cowell R, Morris-Thurgood J, Jepson N, Ilsley C, Paul V. First degree heart block is an indication for pacing in heart failure, 29 Pr
 Cowell R, Morris-Thurgood J, Jepson N, Mitchell A, Ilsley C, Paul V, Yacoub M. Paced linkage of the donor and recipient hearts after heterotopic heart transplantation: acute haemodynamic studies, 93 MP
 Cowell RPW *see* Jepson NS *et al*
 Cowen SJ *see* Love MP *et al*
 Cowley AJ *see* Kearney MT *et al*; Walsh JT *et al*
 Cox C *see* Lip GYH *et al*
 Crake T *see* Lefroy DC *et al*; Tentolouris C *et al*; Tousoulis D *et al*
 Crowley JCW *see* Khattar RS *et al*
 Cremona G *see* Butt AY *et al*
 Crook D, Sidhu M, Howell R, Edmonds DK, Stevenson JC. Grossly elevated serum lipoprotein(a) concentrations in young women with endometriosis, 72 MP
 Crossman D *see* Wales C *et al*
 Crossman DC *see* Gunn J *et al*
 Crowley JJ, Bethall HWL, Grace AA, Kenny A, Wisbey C, Shapiro LM. Echocardiographic myocardial contrast enhancement with pressure resistant biodegradable microspheres, 293
 Crowley JJ, Gates ARC, Huang CL-H, Gresham A, Carpenter TA, Hall LD, Shapiro LM. Magnetic resonance imaging planes for three dimensional reconstruction of human coronary arteries, 42 Pr
 Crowley JJ, Kenny A, Shapiro LM. Use of transthoracic echocardiography for noninvasive assessment of left internal mammary artery graft patency, 45 Pr
 Crowley TS *see* Mair FS *et al*
 Cubukcu AA, Ridgway JP, Sivananthan UM, Cooke GA, Bann K, Nair UR, Tan LB. Tagged cine MR imaging during low-dose dobutamine infusion to identify hibernating myocardium, 120
 Cullen J *see* Samani NJ *et al*
 Cumberland D *see* Wales C *et al*
 Cumberland DC *see* Gunn J *et al*
 Cumming DVE *see* Morris SD *et al*
 Currie P *see* Cooper JP *et al*
 Currie PF, Goldman JH, Wright RA, Warraich RFS, Boon NA, McKenna WJ. Immune mechanisms in patients with HIV related heart muscle disease, 125 Pr
 Curzen NP, Kaddoura S, Sugden PH, Poole-Wilson PA, Evans TW. Vascular expression of endothelin-1 mRNA increases in sepsis, 141 Pr
- Dalla Libera L *see* Goldman JH *et al*
 Darbar D *see* Davidson NC *et al*
 Dargie HJ *see* Byrne J *et al*; McDonagh TA *et al*; Northridge DB *et al*
 Dark JH *see* Holt ND *et al*; Villaquiran J *et al*
 Davia K *see* Davies CH *et al*
 Davidson NC, Coutie WJ, Struthers AD. High-dose lisinopril is more effective than low-dose in suppressing aldosterone in patients with chronic heart failure, 27 Pr
 Davidson NC, Darbar D, Choy AM, Lang CC, Pringle TH, McNeill GP, Struthers AD. A comparison of atrial natriuretic peptide and B-type natriuretic peptide as predictors of outcome post-myocardial infarction, 87 MP
 Davidson NC, Darbar D, Luck J, Main G, Pringle TH, McNeill GP, Struthers AD. QT interval dispersion predicts cardiac death in patients with peripheral vascular disease, 54 Pr
- Davidson NC, Naas AA, Coutie WJ, Struthers AD. A comparison of three different natriuretic peptides as markers of left ventricular systolic dysfunction, 33 Pr
 Davidson NC, *see also* Barr CS *et al*
 Davie A *see* Francis CM *et al*
 Davie AP *see* Love MP *et al*
 Davies A *see* Higham PD *et al*
 Davies CH, Davia K, Poole-Wilson PA, Harding SE. Does reduced contraction of individual ventricular myocytes contribute to the pathogenesis of human heart failure? B
 Davies DW *see* Hintringer F *et al*; Mayet J *et al*
 Davies G *see* Tentolouris C *et al*; Tousoulis D *et al*
 Davies GJ *see* Haider AW *et al*
 Davies JA *see* Heppell RM *et al*
 Davies L *see* Banning AP *et al*
 Davies SW *see* Stables R *et al*
 Dawkins KD *see* Lawson CS *et al*; Radvan J *et al*; Walker DM *et al*
 de Belder A, Smith R, Wainwright RJ, Jewitt DE, Thomas MR. Trans-radial cardiac diagnostic and interventional procedures in patients with severe peripheral vascular disease, 8 MP
 de Belder A, *see also* Robinson NMK *et al*
 de Belder MA *see* Higham PD *et al*
 de Bono DP *see* Aggarwal RK *et al*; Glancy JM *et al*; Kovac J and de Bono DP; Samani NJ *et al*; Shaikat N *et al*
 De Giovanni J *see* Herbert M *et al*
 de Leval MR *see* Marron K *et al*
 Deane AN, Fluck DS, Wilkinson P, Ranjadayalan K, Timmis AD. Mortality in acute myocardial infarction: do young patients really fare so well? 66 JC
 Deanfield JE *see* Clarkson P *et al*; Henry R *et al*
 Denison DM *see* Stables RH *et al*
 Denne B *see* Stables RH *et al*
 Diamond P, Codd MB, Sugrue DD. A model for calculating the costs of long term drug therapy for lowering serum cholesterol, 231 Pr
 Dickinson D *see* Blackburn M *et al*
 Dickinson DF *see* Gibbs JL *et al*
 Dickinson K *see* Kaski JC *et al*
 Dixon G. Mortality from acute myocardial infarction outside and inside clinical trials, 150 Pr
 Dodinot B *see* Slade A *et al*
 Doig JC, Saito J, Harris L, Downar E. Coronary sinus morphology in patients with atrioventricular junctional reentry tachycardia and other supraventricular tachycardias, 170 Pr
 Doig JC, Saito J, Harris L, Mickleborough L, Masse S, Sevaptisidis E, Shi M, Downar E. Diastolic mapping of reentrant circuits in post-infarct ventricular tachycardia in man, 14
 Doig JC, Saito J, Masse S, Sevaptisidis E, Downar E. Isolated human hearts and multipoint mapping of ventricular tachycardia – description of a technique, 172 Pr
 Doig JC, *see also* Fang Q *et al*; Thomas GL *et al*
 Donald A *see* Henry R *et al*
 Donald AE *see* Clarkson P *et al*
 Donnelly S *see* Hennessy T *et al*; MacRae C *et al*
 Downar E *see* Doig JC *et al*
 Drexler H *see* Groves PH *et al*
 Dritsas A *see* Aggelakas S *et al*
 Drozd J *see* Wallbridge DR *et al*
 Dudley C *see* Keavney B *et al*
 Dunn FG *see* MacIntyre PD *et al*
 Dunn MJ *see* Why HJF *et al*
 Durrington PN *see* Bhatnagar D *et al*
 Dutka DP *see* Morgan K *et al*; Puri S *et al*
- Edmonds DK *see* Crook D *et al*
 Edwards M *see* Calver A *et al*
 Edwards T *see* Walker DM *et al*
 Edwards TE *see* Radvan J *et al*
 Efsthathiou S *see* Clesham GJ *et al*
 Egdel R *see* Roberts RH *et al*
 El Habbal MH, Smith LJ, Elliott MJ, Strobel S. In children, complement activation during cardiopulmonary bypass does not increase by modified ultra filtration, 165 Pr
 El-Omar MM, Lip GYH, Singh H, Been M. A comparison of initial and repeat thrombolysis for early reinfarction using ECG criteria of reperfusion, 275 MP
 Elbourne S *see* Banning AP *et al*
 Elliott MJ *see* El Habbal MH *et al*
 Elliott PM *see* Coonar AS *et al*; Kaski JC *et al*; Prasad K *et al*; Sadoul N *et al*
 Elwood P *see* Mattu RK *et al*
 Enayat ZE *see* Goulielmos NV *et al*

- Erbel R *see* Wallbridge DR *et al*
 Erusalimsky JD *see* Stavri GT *et al*
 Evan GI *see* Bennett MR *et al*
 Evans A *see* Kearney MT *et al*
 Evans N *see* Adams JN *et al*
 Evans TR *see* Farrell TG *et al*
 Evans TW *see* Curzen NP *et al*
 Ezekowitz MD *see* Aggarwal RK *et al*
- Fabunmi R *see* George S *et al*
 Fagan D *see* Marron K *et al*
 Fang Q, Doig JC, Gumbrielle TPM, McDermott AFN, Bourke JP, Furniss SS, Campbell RWF. Spatial correlation of infarct site and QTc, 60 Pr
 Farrell T *see* Jepson NS *et al*
 Farrell TG, Growcott-Mason R, Ilsley CDJ. Initial experience of laserwire coronary angioplasty in chronic total occlusions, 257 Pr
 Farrell TG, Jepson N, Evans TR, Lipkin D, Bouloux P. Growth hormone abnormalities in severe heart failure, 26 Pr
 Farrer M, Skinner JS, Albers CJ, Reid PG, Adams PC. Women are more likely than men to occlude coronary grafts in the first 2 years after coronary artery surgery (CABG), 264 Pr
 Farrer M, *see also* Skinner JS *et al*
 Fath-Ordoubadi F *see* Al-Mohammad A *et al*
 Fei L, Camm AJ. Shortening of the QT interval immediately preceding the onset of idiopathic spontaneous ventricular tachycardia, 59 Pr
 Fei L, Goldman JH, Prasad K, Keeling PJ, Reardon K, McKenna WJ, Camm AJ. QT dispersion and RR variation on 12-lead ECGs in patients with congestive heart failure secondary to idiopathic dilated cardiomyopathy, 55 Pr
 Fei L, *see also* Gang Y *et al*; Prasad K *et al*; Sadoul N *et al*; Statters DJ *et al*
 Fenn LN *see* Palka P *et al*
 Ferrannini E *see* Paternostro G *et al*
 Firman E *see* Cooper JP *et al*
 Firmin DN *see* Karwatowski SP *et al*; Pennell DJ *et al*
 Firth AJ *see* Radvan J *et al*
 Firth J *see* Kaddoura S *et al*
 Fitzpatrick B *see* Tunstall-Pedoe H *et al*
 Flaherty M *see* Greenbaum RA *et al*
 Fleming AD *see* Palka P *et al*
 Fletcher S *see* Shaukat N *et al*
 Flores NA *see* Goulielmos NV *et al*
 Fluck DS *see* Deaner AN *et al*
 Foale R *see* Spyrou N *et al*
 Foale RA *see* Mayet J *et al*
 Foran JP *see* Murgatroyd FD *et al*
 Foran JPM *see* Gupta S *et al*
 Ford I *see* McDonagh TA *et al*
 Forrester A *see* Batin PD *et al*
 Foster C *see* Ray SG *et al*
 Fowler MB *see* Haywood GA *et al*
 Fox K *see* Kennedy RL *et al*; Patel D *et al*
 Fox KAA *see* Grubb NR *et al*
 Fox R *see* Ray SG *et al*
 Foy C *see* Ossei-Gerning N *et al*
 Frain JPJ *see* Murphy JJ *et al*
 Francis CM, Caruana L, Kearney P, Love M, Sutherland GR, Starkey IR, Shaw TRD, McMurray JJV. Open access echocardiography improves the primary care management of heart failure, 112 MPr
 Francis CM, Davie A, Sutherland GR, McMurray JJV. A normal electrocardiogram predicts normal left ventricular systolic function in patients with suspected heart failure, 32 Pr
 Francis SE *see* Gunn J *et al*
 Frangos E *see* Mattu RK *et al*
 Fraser AG *see* Jones RA *et al*
 Fraser HS *see* Kennedy RL *et al*
 Freeman R *see* Villaquiran J *et al*
 Fry CH *see* Wallis WRJ *et al*
 Fujimoto S, Parker KH, Gibson DG. Right ventricular filling: comparison between normal and dilated cardiomyopathy, 39 Pr
 Fuller CA *see* Lee EM *et al*
 Fuller SJ *see* Glennon PE *et al*
 Furber R *see* Millar-Craig MW *et al*
 Furniss S *see* Gumbrielle T *et al*
 Furniss SS *see* Fang Q *et al*; Robson RH *et al*; Thomas GL *et al*
- Galiñanes M *see* Kolocassides KG *et al*
 Gallivan S *see* Holmes L *et al*
 Galton DJ *see* Mattu RK *et al*
- Gang Y, Keeling PJ, Goldman JH, Huang J, Fei L, Bent S, McKenna WJ, Malik M. Heart rate variability in idiopathic dilated cardiomyopathy: relationship to disease severity and prognosis, 28 Pr
 Gardiner H *see* O'Sullivan JJ *et al*
 Garratt C *see* Stafford P *et al*
 Garratt CJ *see* Glancy JM *et al*; Payne GE *et al*
 Gates ARC *see* Crowley JJ *et al*
 Gatzoulis M *see* Clark AL *et al*
 Gatzoulis MA, Till JA, Somerville J, Redington AN. Mechano-electric feedback in tetralogy of Fallot: the mechanism for malignant ventricular arrhythmias and sudden death? 61 JC
 Ge J *see* Wallbridge DR *et al*
 Gemmill J *see* MacIntyre PD *et al*
 George S, Fabunmi R, Williams A, Newby A. Basement-membrane metalloproteinase expression increases during neointima formation in human saphenous vein organ cultures, 284
 George S, Newby A. Antibodies to platelet derived growth factor inhibit neointima formation in human saphenous vein organ cultures, 282
 Gershlick AH *see* Aggarwal RK *et al*; Samani NJ *et al*
 Ghasias N *see* MacRae C *et al*
 Gialafos J *see* Tentolouris C *et al*; Tousoulis D *et al*
 Gibbs J *see* Blackburn M *et al*
 Gibbs JL, Parsons JM, Dickinson DF, Wren C, Ladusans E, Blackburn ME. Laser valvotomy with balloon valvoplasty as primary treatment for pulmonary atresia with intact ventricular septum: intention to treat analysis of 4 years' experience, 7 MPr
 Gibbs S *see* Mikhail GW *et al*; Stables R *et al*
 Gibson D *see* Sigwart U *et al*
 Gibson DG *see* Fujimoto S *et al*; Jin XY *et al*
 Gilbert J *see* Mounsey JP *et al*
 Gill JS, Jones S, Rowland E, Ward DE, Camm AJ. Safety and efficacy of secondary pacemaker implantation in patients with implantable cardioverter defibrillators, 48 Pr
 Gill JS, *see also* Hintringer F *et al*
 Gistri R, Lorenzoni R, Cecchi F, Chiriatti G, Camici PG. Myocardial blood flow distribution and ventricular tachycardia in hypertrophic cardiomyopathy, 121
 Glancy JM, Garratt CJ, Woods KL, de Bono DP. QT dispersion and mortality following myocardial infarction, 63 JC
 Glennon PE, Fuller SJ, Sale EA, Sale GJ, Sugden PH. Liposomal transfection enhances uptake and efficacy of antisense oligodeoxynucleotides in cultured cardiac myocytes, 145 Pr
 Glenville B *see* Senior R *et al*
 Godsland IF, Rosano GMC, Proudler AJ, Lindsay DC, Peters NS, Sarrel P, Collins P, Poole-Wilson P, Stevenson JC. Insulin resistance in postmenopausal women with syndrome X who do not respond to estrogen therapy, 238 Pr
 Goldman JH, Keeling PJ, Warraich R, Redwood S, Baig MK, Dalla Libera L, Sanderson JE, Caforio ALP, McKenna WJ. Evidence from family studies of autoimmunity to α myosin in idiopathic dilated cardiomyopathy, 124 Pr
 Goldman JH, Sentilnathan V, Warraich R, Baig MK, Gould M, McKenna WJ, Murday A. Ischaemia during bypass surgery does not produce anti- α myosin antibodies, 262 Pr
 Goldman JH, *see also* Caforio ALP *et al*; Coonar AS *et al*; Currie PF *et al*; Fei L *et al*; Gang Y *et al*
 Goodfellow J, Ramsey MW, Luddington LA, Gorman ST, Jones CJH, Lewis MJ, Henderson AH. Systemic endothelial dysfunction in patients with syndrome X, 239 Pr
 Goodfellow J, Ramsey MW, Luddington LA, Gorman ST, Mir A, Rees A, Lewis MJ, Henderson AH. Does gender influence endothelial function in hypercholesterolaemia? 234 Pr
 Gordon D *see* Caforio ALP *et al*; Kaski JC *et al*
 Gorman ST *see* Goodfellow J *et al*
 Gould FK *see* Villaquiran J *et al*
 Gould M *see* Goldman JH *et al*; Prasad K *et al*
 Goulielmos NV, Enayat ZE, Sheridan DJ, Cohen H, Flores NA. The cardiac electrophysiological effects associated with platelet activation during myocardial ischaemia are influenced by nitric oxide and prostacyclin, 134 Pr
 Grace A *see* O'Farrell D *et al*; Redwood S *et al*
 Grace AA *see* Bethell HWL *et al*; Crowley JJ *et al*
 Graham TR *see* Carey JA *et al*
 Grant PJ *see* Ossei-Gerning N *et al*
 Grasso R *see* Mohamed AL *et al*
 Gray D *see* Clarke DW *et al*; Clarke KW *et al*; Huff N *et al*
 Gray HH *see* Radvan J *et al*; Walker DM *et al*
 Gray R, Mohamed-Ali V, Patterson DLH, Yudkin JS. Determinants of PAI-1 activity in acute myocardial infarction, 147 Pr
 Grech ED *see* Morris JL *et al*

- Greenbaum RA, Sherringham P, Flaherty M, Chan KL, Shanit D.** Pre-hospital administration of aspirin to patients with suspected acute myocardial infarction does not improve outcome, 270 MP
- Gresham A** *see* Crowley JJ *et al*
- Grocott-Mason RM, Mitchell AG, Banner N, O'Brien C, Khaghani A, Yacoub M.** Clinical status of patients 10 years after orthotopic heart transplantation, 90 MP
- Grocott-Mason RM,** *see also* Anning PB *et al*
- Groves A** *see* Rosenthal E *et al*
- Groves P** *see* Stables R *et al*
- Groves PH, Banning AP, Studer R, Lewis MJ, Cheadle H, Just H, Drexler H.** Constitutive nitric oxide synthase gene expression is normalized with endothelial regrowth following balloon angioplasty, 140 Pr
- Groves PH, Kurz S, Just H, Drexler H.** The role of endogenous bradykinin in human coronary vasomotor control, 68 MP
- Growcott-Mason R** *see* Farrell TG *et al*
- Grubb NR, O'Carroll R, Fox KAA.** Neuropsychological morbidity among survivors of out-of-hospital cardiac arrest, 85
- Gumbrielle T, Bourke J, Campbell R, Furniss S.** Spontaneous ectopy is a legitimate target for ablation in right ventricular outflow tract tachycardia, 11 MP
- Gumbrielle TPM** *see* Fang Q *et al*
- Gunn J, Holt CM, Francis SE, Shepherd L, Smith GH, Crossman DC, Cumberland DC.** Local delivery of antisense oligodeoxynucleotide to c-myc in vitro and in vivo inhibits vascular smooth muscle cell proliferation, C
- Gunn J,** *see also* Wales C *et al*
- Guo X, Chen L, Camm J.** Correlation of poor outcome and angiography features in patients with ECG 'tombstoning' of the ST-segment in acute myocardial infarction, 148 Pr
- Gupta S, Foran JPM, Wray R.** Increased thrombotic tendency in patients with syndrome X, 237 Pr
- Gupta S, Smith REA, Wainwright RJ, McIntosh T, Thomas MR.** A novel device to reduce discomfort during arterial sheath removal following interventional procedures, 258 Pr
- Hackett D** *see* Haider AW *et al*
- Haider AW, Andreotti F, Hackett D, Tousoulis D, Narang R, Davies GJ.** Does ischaemic preconditioning reduce the incidence of ventricular arrhythmia in acute myocardial infarction? 136 Pr
- Hainsworth R** *see* Mohamed AL *et al*
- Hall JA** *see* Higham PD *et al*
- Hall LD** *see* Crowley JJ *et al*
- Hall RJC** *see* Jones RA *et al*; Masani ND *et al*
- Hamdan HK, Brady AJB, Salih MM, Wilson M, Boivin C, Littler WA.** Importance of quantitative thallium tomography (SPECT) in patients with multivessel coronary artery disease undergoing coronary angioplasty, 210 MP
- Hamill RA** *see* Rodger JC *et al*
- Hampton JR** *see* Clarke DW *et al*; Clarke KW *et al*; Huff N *et al*; Wilcox RG *et al*
- Handler CE** *see* Senior R *et al*
- Hann C** *see* Kaski JC *et al*
- Harding SE** *see* Davies CH *et al*
- Harley A** *see* Samani NJ *et al*
- Harrington D** *see* Chua TP *et al*
- Harris L** *see* Doig JC *et al*
- Harrison R** *see* Kennedy RL *et al*
- Hart M** *see* Lip GYH *et al*
- Hartigan C** *see* Hennessy T *et al*
- Hartikainen J** *see* Hintringer F *et al*
- Haven LH** *see* Caforio ALP *et al*
- Hawkins M** *see* Kearney MT *et al*
- Haynes WG** *see* Love MP *et al*
- Haywood GA, Katsuya T, Hutchinson H, Pratt R, Horiuchi M, Fowler MB.** Angiotensin II receptor subtypes in failing and non-failing human hearts: analysis of gene expression, 191 MP
- Haywood GA, Keeling PJ, Tsao P, Lewis NP, von der Leyen H, Byrne CD, Trindade P, Cooke JP, McKenna WJ, Fowler MB.** Human inducible nitric oxide synthase is expressed in dilated cardiomyopathy, valvular and ischaemic heart disease, 138 Pr
- Haywood GA, Rickenbacher PR, Trindade PT, Vagelos RH, Oyer P, Fowler MB.** Deaths in patients awaiting heart transplantation: impact on patient selection criteria, 88 MP
- Heald S** *see* O'Farrell D *et al*
- Heald SC** *see* Hintringer F *et al*; Xie B *et al*
- Hearse DJ** *see* Kolocassides KG *et al*
- Heaton ND** *see* Robinson NMK *et al*
- Henderson AH** *see* Banning AP *et al*; Goodfellow J *et al*
- Hendry G** *see* Patel D *et al*
- Henke J** *see* Sutherland GR *et al*
- Hennessy A** *see* Hennessy T *et al*
- Hennessy T, Codd M, Donnelly S, Hennessy A, Hartigan C, McCann H, Sugrue D.** Impact of cigarette smoking on long term survival and morbidity following bypass surgery for isolated stenosis of the left anterior descending coronary artery, 223 Pr
- Henry R, Clarkson P, Donald A, Powe AJ, Bull T, Deanfield JE.** Intravenous L-arginine restores vascular reactivity in the conduit arteries of young hypercholesterolaemic adults, 20 Pr
- Henry R,** *see also* Clarkson P *et al*
- Heppell RM, Berkin KE, McLenachan JM, Davies JA.** Haemostatic and haemodynamic abnormalities are associated with left atrial spontaneous echo contrast, without left atrial thrombus, 280 MP
- Heppell RM, Berkin KE, McLenachan JM, Davies JA.** Haemostatic and haemodynamic abnormalities are associated with left atrial thrombosis in atrial fibrillation, 36 Pr
- Hepson N** *see* Farrell TG *et al*
- Herbert M, De Giovanni J, Wright J, Silove E, Sreeram N.** Management and outcome of paediatric infectious endocarditis, 159 Pr
- Herreous B** *see* Calver A *et al*
- Herriot A** *see* Unsworth-White MJ *et al*
- Higenbottam T** *see* Butt AY *et al*
- Higenbottam TW** *see* Butt AY *et al*
- Higham PD, Arunothayaraj PA, Mandawat MM, Lee SD, Brown AH, Davies A, Hall JA, de Belder MA.** Outcome of left main coronary disease in a new regional centre, 265 Pr
- Hillis WS** *see* MacIntyre PD *et al*
- Hintringer F, Hartikainen J, Ward DE, Heald SC, Gill JS, Davies DW, Rowland E.** Prediction of atrioventricular block during radiofrequency ablation of the slow pathway of the atrioventricular node, 168 Pr
- Ho SY, Redington A, Anderson RH.** The outlet septum in hearts with interrupted aortic arch (malalignment vs. deviation), 163 Pr
- Ho SY,** *see also* Uemura H *et al*; Vogel M *et al*
- Hogg KJ** *see* MacIntyre PD *et al*
- Holdright D** *see* Patel D *et al*
- Holman R** *see* Keavney B *et al*
- Holmes L, Treasure T, Gallivan S.** Slow recovery does not preclude a good result, 67 JC
- Holt CM** *see* Gunn J *et al*
- Holt D** *see* Anderson J *et al*; Kaski JC *et al*
- Holt DW** *see* Caforio ALP *et al*
- Holt ND, Parry G, Tynan M, Dark JH, McComb JM.** Permanent pacemakers after cardiac transplantation: cost effective audit? 52 Pr
- Homberg SR** *see* Brown AS *et al*
- Hooker A** *see* Carey JA *et al*
- Hooper J** *see* Thorne SA *et al*
- Horgan JH** *see* McGee HM *et al*
- Horiuchi M** *see* Haywood GA *et al*
- Horton RC, Pagano D, Townend J, Smith C, Clutton-Brock T, Bonser RS.** Inhaled nitric oxide is a selective pulmonary vasodilator in cardiac transplant candidates with elevated pulmonary vascular resistance, 96 MP
- Hosseini-Nia M** *see* Anderson J *et al*
- Houston A** *see* Tometzki A *et al*
- Howell R** *see* Crook D *et al*
- Howey S** *see* Burn S *et al*
- Huang CL-H** *see* Crowley JJ *et al*
- Huang J** *see* Chester MR *et al*; Gang Y *et al*; Redwood S *et al*
- Hubbard W** *see* Patel D *et al*
- Huff N, Gray D, Hampton JR.** Coronary heart disease and the socioeconomic environment in a single health district, 105 MP
- Hughes AD** *see* Mayet J *et al*
- Hughes JMB** *see* Puri S *et al*
- Hulse J** *see* Kooner JS *et al*
- Hutchinson H** *see* Haywood GA *et al*
- Ikonomidis I, Toun O, Tsoukas A, Kassimatis A, Kouris N, Loizou S, Nihoyannopoulos P.** Macrophage colony stimulating factor is associated to coronary artery disease, 227 Pr
- Ikonomidis I,** *see also* Tsoukas A *et al*
- Ilsley C** *see* Cowell R *et al*
- Ilsley CDJ** *see* Farrell TG *et al*; Jepson NS *et al*
- Inglis GC** *see* Jamieson A *et al*
- Ireland DC** *see* Aggarwal RK *et al*
- Izzat MB** *see* Birdi I *et al*; Jeremy JY *et al*; Southgate KM *et al*
- Jamieson A, Murdoch D, Inglis GC, Kesson E, Cooke A, Connell JMC, Kennedy JA.** ACE genotype is not a risk factor for myocardial infarction, 186 MP

- Jayawickreme SR *see* Cooper JP *et al*
- Jenkins A, Mildmay White A, Jones I, Vivian G, Marshall A. Tc-99m tetrofosmin (Myoview) myocardial perfusion scintigraphy – a sensitive predictor of coronary artery disease in patients with severe aortic stenosis, 116
- Jepson N *see* Cowell R *et al*
- Jepson NS, Kalsi KK, Cowell RPW, Farrell T, Paul VE, Seymour A-M, Ilsley CDJ. Changes in myocardial energy metabolism in humans at angioplasty – evidence for preconditioning, D
- Jeremy JY, Izzat MB, Wright D, Berkitt S, Bryan AJ, Angelini GD. Prostacyclin synthesis is markedly diminished in porcine vein grafts, 144 Pr
- Jewitt DE *see* Brown AS *et al*; de Belder A *et al*; Langford EJ *et al*; Robinson NMK *et al*
- Jin XY, Gibson DG, Yacoub MH, Pepper JR. Perioperative assessment of myocardial stunning using transoesophageal echocardiography combined with high-fidelity ventricular pressure, 65 JC
- Jin XY, Pepper JR, Gibson DG. Haemodynamic changes in coronary circulation with myocardial stunning, 243 Pr
- John JE *see* Mounsey JP *et al*
- Johnston IDA *see* Walsh JT *et al*
- Johnston PW, Anderson J, Adgey AAJ. A haemodynamic verification system for an automated external defibrillator, 16
- Jones AF *see* Payne MN *et al*
- Jones CJH *see* Goodfellow J *et al*
- Jones E *see* Masani ND *et al*
- Jones I *see* Jenkins A *et al*
- Jones MT *see* Millane TA *et al*
- Jones RA, Masani ND, Fraser AG, Hall RJC. Left ventricular shape during ischaemia – an important determinant of dynamic mitral regurgitation, 182 JC
- Jones RA, *see also* Masani ND *et al*
- Jones S *see* Gill JS *et al*
- Joy A *see* Millar-Craig MW *et al*
- Just H *see* Groves PH *et al*
- Kaddoura S, Firth J, Poole-Wilson P, Sugden P. Catecholamines cause hypertrophy and increased expression of endothelin-1 mRNA but not ET-2 or ET-3 mRNAs in cultured ventricular myocytes: effects of the ET_A receptor antagonist BQ123, 98
- Kaddoura S, *see also* Curzen NP *et al*
- Kallikazaros I *see* Stefanadis C *et al*
- Kallis P *see* Unsworth-White MJ *et al*
- Kalsi KK *see* Jepson NS *et al*
- Kantzis J *see* Voudris V *et al*
- Karani S *see* Tan KH *et al*
- Karwatowski SP, Chronos N, Yang GZ, Firmin DN, Mohiaddin RH, St John Sutton MG, Underwood SR. Increased myocardial workload impairs left ventricular diastolic long axis function before systolic function in patients with angina, 41 Pr
- Kaski JC, Elliott PM, Salomone O, Dickinson K, Hann C, Gordon D, Holt D. Plasma endothelin-1 concentration in patients with angina and normal coronary arteriograms, 240 Pr
- Kaski JC, *see also* Chester MR *et al*; Redwood S *et al*
- Kassimatis A *see* Ikonomidis I *et al*; Tsoukas A *et al*
- Katsuya T *see* Haywood GA *et al*
- Kaul S *see* Senior R *et al*
- Kawashima Y *see* Uemura H *et al*
- Keane D *see* Stafford P *et al*
- Kearney MT, Stubbs TA, Macdonald IA, Hawkins M, Evans A, Perry A, Cowley AJ. Central and regional haemodynamic responses to high carbohydrate and high fat meals in cardiac transplant recipients, 94 MPr
- Kearney P, Ramo P, Spencer T, Shaw T, Starkey I, Sutherland G. How important are image distortion artefacts when using mechanical intravascular ultrasound transducers? 43 Pr
- Kearney P, *see also* Francis CM *et al*
- Keavney B, Dudley C, Cassadei B, Conway J, Bird R, Ratcliffe P. Molecular variants of the renin-angiotensin system do not predict blood pressure response to antihypertensive agents, 226 Pr
- Keavney B, Dudley C, Stratton I, Holman R, Matthews D, Ratcliffe P, Turner R. Association of ACE insertion/deletion polymorphism with myocardial infarction in non-insulin dependent diabetes, 187 MPr
- Keegan J *see* Pennell DJ *et al*
- Keeling PJ *see* Caforio ALP *et al*; Coonar AS *et al*; Fei L *et al*; Gang Y *et al*; Goldman JH *et al*; Haywood GA *et al*
- Kelly P, Macaulay-Hunter E, Lowry P, Perrins EJ. Severity of congestive cardiac failure can be determined by measurement of peptides derived from atrial natriuretic factor, 35 Pr
- Kelly SJ *see* Murgatroyd FD *et al*
- Kennedy JA *see* Jamieson A *et al*
- Kennedy RL, Burton A, Fraser HS, McStay L, Harrison R, Fox K. Logistic regression and neural network models for early diagnosis of AMI, 152 Pr
- Kennedy RL, Burton A, Fraser HS, McStay L, Steedman D, Fox K. Review of triage, diagnosis and readmission rates in patients with acute chest pain, 107 MPr
- Kenny A *see* Crowley JJ *et al*
- Kesson E *see* Jamieson A *et al*
- Khagani A *see* Mikhail GW *et al*
- Khaghani A *see* Grocott-Mason RM *et al*; Mikhail GW *et al*
- Khandekar S, Murphy JJ. 'Open access cardiology': is it the way forward? 31 Pr
- Khattar RS, Crawley JCW, Raval U, Sridhara BS, Lahiri A. Tc-99m tetrofosmin imaging improves diagnostic accuracy in the detection of coronary artery disease compared to TI-201, 117
- Kiernan LA, Montgomery HE, Laurent GJ, Mullins JJ, McEwan JR, Bishop JE. Ramipril reverses cardiac hypertrophy but leads to increased collagen concentration in the hearts of the transgenic (mRen2d)27 rat, 100
- Kiernan LA, *see also* Montgomery HE *et al*
- Kinnear WJ *see* Walsh JT *et al*
- Knight C *see* Patel D *et al*; Sigwart U *et al*; Stables R *et al*
- Knight D *see* Southgate KM *et al*
- Knock GA *see* Lefroy DC *et al*; Wharton J *et al*
- Kolocassides KG, Galiñanes M, Hearse DJ. Ischaemic preconditioning accelerates ischaemic contracture and ATP depletion in the blood-perfused rat heart, 214 MPr
- Kooner JS, Baliga RR, Wilding J, Hulse J, Aitman TJ, Peart WS, Scott J. Defects of insulin action in premature myocardial infarction, 224 Pr
- Kooner JS, *see also* Baliga RR *et al*
- Kouris N *see* Ikonomidis I *et al*; Tsoukas A *et al*
- Koutelou M *see* Voudris V *et al*
- Kovac J, de Bono DP. Cardiac catheter complications related to left main stem stenosis, 253 Pr
- Kuo J *see* Banning AP *et al*
- Kurz S *see* Groves PH *et al*
- Lab MJ *see* Murphy CF and Lab MJ; Sutton PMI *et al*; Taggart P *et al*
- Ladusans E *see* Gibbs JL *et al*
- Lahiri A *see* Khattar RS *et al*; Senior R *et al*; Senior R and Lahiri A
- Lange CC *see* Davidson NC *et al*
- Lange A *see* Palka P *et al*
- Langford EJ, Wainwright RJ, Jewitt DE, Martin JF. S-nitrosoglutathione inhibits activation of platelets in unstable angina, 276 MPr
- Large S *see* Cave MH *et al*
- Latchman DS *see* Morris SD *et al*
- Laurent GJ *see* Kiernan LA *et al*; Montgomery HE *et al*
- Lawson CL *see* Radvan J *et al*
- Lawson CS, Chase R, Morgan JM, Dawkins KD. Budgetary implications of implementing the BPEG pacing guidelines: five year study of 1690 implants, 51 Pr
- Lazzam C *see* Ray SG *et al*
- Lear J *see* Shaikat N *et al*
- Leatham E *see* Chester MR *et al*; Redwood S *et al*
- Lee EM, Shapiro LM, Wells FC. Early experience with a new mitral annuloplasty ring – the Sculptor ring, 266 Pr
- Lee EM, Wisbey C, Fuller CA, Shapiro LM, Stone DL, Wells FC. Mitral valve repair – medium-term outcome, 267 Pr
- Lee SD *see* Higham PD *et al*
- Lefroy DC, Wharton J, Crake T, Knock GA, Rutherford RAD, Polak JM, Poole-Wilson PA. Angiotensin II receptor expression after myocardial infarction, 103
- Lefroy DC, *see also* Tousoulis D *et al*
- Lewis MJ *see* Anning PB *et al*; Banning AP *et al*; Goodfellow J *et al*; Groves PH *et al*; Pepper CB *et al*; Prendergast BD *et al*
- Lewis NP *see* Haywood GA *et al*
- Lindner VL *see* Bennett MR *et al*
- Lindsay DC *see* Godslan IF *et al*
- Lindsay HSJ *see* Mohamed AL *et al*
- Lip GYH, Blann AD, Zarifis J, Beevers DG. Soluble P-selectin, coagulation and lipid changes with hormone replacement therapy: implications for atherosclerosis prevention, 233 Pr
- Lip GYH, Blann AD, Zarifis J, Beevers M, Lip PL, Beevers DG. Increased soluble adhesion molecule P-selectin and endothelial dysfunction in essential hypertension. 77 MPr
- Lip GYH, Churchill D, Zarifis J, Beevers M, Shaffer L, Beevers DG. Cardiovascular drugs in early pregnancy, 166 Pr

- Lip GYH, Lip PL, Zarifis J, Cox C, Hart M, Bareford D, Rumley A, Lowe GDO, Watson RDS, Beevers DG. Thrombogenesis and platelet activation in chronic atrial fibrillation: effects of ultra-low dose warfarin and aspirin therapy, 281 MP
- Lip GYH, *see also* El-Omar MM *et al*
- Lip PL *see* Lip GYH *et al*
- Lipkin D *see* Farrell TG *et al*
- Littler WA *see* Hamdan HK *et al*
- Livesey SA *see* Radvan J *et al*
- Lo SS *see* Roberts RH *et al*
- Lock JE *see* O'Sullivan JJ *et al*
- Lodwick D *see* Samani NJ *et al*
- Loizou S *see* Ikonomidis I *et al*
- London AV *see* Mikhail GW *et al*
- Lorenzoni R *see* Gistri R *et al*
- Love M *see* Francis CM *et al*
- Love MP, Davie AP, Cowen SJ, McMurray JJV. How often is heart failure a cause or contributor to death? 110 MP
- Love MP, Haynes WG, Webb DJ, McMurray JJV. Do the endothelins contribute to peripheral vasoconstriction in chronic heart failure? 69 MP
- Lowe GDO *see* Lip GYH *et al*
- Lowry P *see* Kelly P *et al*
- Luck J *see* Davidson NC *et al*
- Luddington LA *see* Goodfellow J *et al*
- MacAllister R *see* Calver A *et al*
- Macauley-Hunter E *see* Kelly P *et al*
- MacCallum AK, Whincup PH, Morris RW, Walker M. Aspirin in the prevention of coronary heart disease – are opportunities being missed? 221 Pr
- McCann H *see* Hennessy T *et al*
- McCluskey M-K *see* Tunstall-Pedoe H *et al*
- McComb JM *see* Holt ND *et al*
- McDermott AFN *see* Fang Q *et al*
- McDicken WN *see* Palka P *et al*
- McDonagh TA, Morrison CE, McMurray JJ, Ford I, Tunstall-Pedoe H, Dargie HJ. Left ventricular dysfunction in the North Glasgow MONICA population, 111 MP
- McDonald F *see* Payne MN *et al*
- Macdonald IA *see* Kearney MT *et al*
- MacDonald TM *see* Clarkson PBM *et al*
- McEvoy C *see* Roberts RH *et al*
- McEwan JR *see* Kiernan LA *et al*; Montgomery HE *et al*
- McGarry K *see* MacRae C *et al*
- McGee HM, Browne C, Horgan JH, Council on Acute Coronary Care of the Irish Heart Foundation. Presentation and management of acute myocardial infarction in Irish hospitals: a national census, 157 Pr
- McGrath K *see* Mayet J *et al*
- McIntosh T *see* Gupta S *et al*
- MacIntyre PD, Gemmill J, Hogg KJ, Rae AP, Dunn FG, Hillis WS. PredischARGE exercise testing in the prediction of coronary artery patency following thrombolysis for acute myocardial infarction, 219
- MacKay J *see* Mayet J *et al*
- McKenna W *see* Slade A *et al*
- McKenna WJ *see* Caforio ALP *et al*; Coonar AS *et al*; Currie PF *et al*; Fei L *et al*; Gang Y *et al*; Goldman JH *et al*; Haywood GA *et al*; MacRae C *et al*; Prasad K *et al*; Sadoul N *et al*; Saumarez RC *et al*; Watkins H *et al*
- Mackintosh AF *see* Batin PD *et al*
- McLenachan JM *see* Batin PD *et al*; Heppell RM *et al*
- MacLeod C *see* Clarkson PBM *et al*
- McMurray J *see* Northridge DB *et al*
- McMurray JJ *see* McDonagh TA *et al*
- McMurray JJV *see* Francis CM *et al*; Love MP *et al*
- McNeil J *see* Pennell DJ *et al*
- McNeill GP *see* Davidson NC *et al*
- Mcpeake JR *see* Robinson NMK *et al*
- MacRae C, Ghaisas N, Donnelly S, Watkins HC, McGarry K, Rowland E, McKenna WJ, Seidman JG, Seidman CE. Familial hypertrophic cardiomyopathy with Wolff-Parkinson-White syndrome maps to a locus on chromosome 7q3, 248 Pr
- MacRae C, *see also* Watkins H *et al*
- McStay L *see* Kennedy RL *et al*
- Madden BP *see* Anderson J *et al*
- Main G *see* Davidson NC *et al*
- Mair FS, Crowley TS, Bundred PE. Audit of heart failure in general practice, 195 MP
- Malik M *see* Gang Y *et al*; Statters DJ *et al*
- Mancini GBJ *see* Ray SG *et al*
- Mandawat MM *see* Higham PD *et al*
- Manginas A *see* Voudris V *et al*
- Marakas S *see* Stefanadis C *et al*
- Marinho NVS *see* Paternostro G *et al*
- Marron K, Wharton J, Sheppard MN, Fagan D, Royston D, Whitehead BF, de Leval MR, Anderson RH, Polak JM. Distribution, morphology and neurochemistry of endocardial and epicardial nerve terminal arborizations in the human heart, 122 Pr
- Marshall A *see* Jenkins A *et al*
- Marshall AJ *see* Nash A *et al*
- Martin DS *see* Samani NJ *et al*
- Martin JF *see* Brown AS *et al*; Langford EJ *et al*; Robinson NMK *et al*; Stavri GT *et al*
- Martin R *see* Tometzki A *et al*
- Martin RP *see* Bu'Lock FA *et al*
- Masani ND, Avery PG, Jones RA, Jones E, Hall RJC. Does stunning cause prolonged myocardial dysfunction after exercise-induced ischaemia? 82
- Masani ND, *see also* Jones RA *et al*
- Masse S *see* Doig JC *et al*
- Matthews D *see* Keavney B *et al*
- Mattu RK, Needham EWA, Frangos E, Yarnell JW, Galton DJ. Common mutation of the lipoprotein lipase gene protects against dyslipidaemia and coronary artery disease, 232 Pr
- Mattu RK, Needham EWA, Galton DJ, Frangos E, Elwood P, Clark A, Caulfield M. The ACE I/D polymorphism identifies coronary artery disease, 185 MP
- Mayet J, Shahi M, McGrath K, Poulter NR, Sever PS, Davies DW, Thom SAMcG, Foale RA. Regression of left ventricular hypertrophy is accompanied by a reduction in QT dispersion, 57 Pr
- Mayet J, Stanton AV, Sinclair A-M, MacKay J, Shahi M, Nicolaides A, Foale RA, Sever PS, Thom SAMcG, Hughes AD. Carotid and left ventricular hypertrophy are both reversed by antihypertensive treatment, 83
- Melkert R *see* Violaris AG *et al*
- Metcalfe MJ *see* Byrne J *et al*
- Meyer-Sabellek W *see* Wilcox RG *et al*
- Micelli M *see* Stephens N *et al*
- Michailidis A *see* Aggelakas S *et al*
- Mickleborough L *see* Doig JC *et al*
- Mikecz P *see* Adams JN *et al*
- Mikhail GW, Gibbs S, Chester AH, Rogers P, London AV, Richardson M, Khaghani A, Banner N, Yacoub MH. Diurnal variation of transpulmonary endothelin-1 levels in patients with pulmonary hypertension, 38 Pr
- Mikhail GW, Gibbs S, Chester AH, Rogers P, Wright G, Khaghani A, Banner N, Yacoub MH. The utility of inhaled prostacyclin in patients with severe pulmonary hypertension awaiting lung transplantation, 97 MP
- Mildmay White A *see* Jenkins A *et al*
- Millane TA, Bridgewater B, Jones MT, Brooks NH. Diagnostic cardiac catheterisation and emergency cardiac surgery, 251 Pr
- Miller-Craig MW, Joy A, Adamowicz M, Furber R, Thomas B. Reduction in treatment delay by paramedic ECG diagnosis of myocardial infarction with direct CCU admission, 158 Pr
- Mir A *see* Goodfellow J *et al*
- Mitchell A *see* Cowell R *et al*
- Mitchell AG *see* Grocott-Mason RM *et al*
- Mohamed AL, Grasso R, Lindsay HSJ, Hainsworth R, Cowan JC. A simple, non-invasive method for estimation of baroreflex sensitivity after myocardial infarction, 12 MP
- Mohamed-Ali V *see* Gray R *et al*
- Mohiaddin RH *see* Karwatowski SP *et al*
- Monaghan MJ *see* Brown AS *et al*
- Moncada S *see* Robinson NMK *et al*
- Montgomery HE, Kiernan LA, Bishop JE, Mullins JJ, Laurent GJ, McEwan JR. The role of the vascular renin-angiotensin system in the regulation of aortic wall thickening and collagen deposition: studies in the hypertensive TGR(mRen-2d)27 rat, 287
- Montgomery HE, *see also* Kiernan LA *et al*
- Moorman JR *see* Mounsey JP *et al*
- More RS *see* Aggarwal RK *et al*
- Morgan JM *see* Lawson CS *et al*; Radvan J *et al*; Walker DM *et al*
- Morgan K, Wharton J, Dutka DP, Polak JM, Cleland JGF, Oakley CM. Regional mapping of ACE, chymase and the mast cell marker histidine decarboxylase gene expression in the human heart, 190 MP
- Morris JL, Grech ED, Bellamy CM, Ramsdale DR. High primary success rate from coronary atherectomy: early experience from a United Kingdom centre, 256 Pr
- Morris JL, Zaman AG, Smyllie JH, Cowan JC. Patterns of ST-segment recovery after acute myocardial infarction: effect on infarct size and ventricular remodelling, 273 MP
- Morris RW *see* MacCallum AK *et al*

- Morris SD, Cumming DVE, Latchman DS, Yellon DM. Induction of HSP 72 by the tyrosine kinase inhibitor herbimycin-A protects cardiomyocytes from a subsequent stressful stimulus, 213 MP
- Morris-Thurgood J *see* Cowell R *et al*
- Morrison C *see* Tunstall-Pedoe H *et al*
- Morrison CE *see* McDonagh TA *et al*
- Moscovich MD *see* Ray SG *et al*
- Mott M *see* Bu'Lock FA *et al*
- Mounsey JP, John JE, Moorman JR. Modulation of oocyte-expressed skeletal muscle sodium channels by protein kinase A and protein kinase C, 129 Pr
- Mounsey JP, Xu P, John JE, Taylor H, Gilbert J, Roses AD, Moorman JR. Modulation of skeletal muscle sodium channels by the human myotonic muscular dystrophy kinase, 127 Pr
- Mulcahy D *see* Patel D *et al*
- Mullins JJ *see* Kiernan LA *et al*; Montgomery HE *et al*
- Mullins P *see* Cave MH *et al*
- Mullins PA *see* Chauhan A *et al*
- Muntoni F *see* Spyrou N *et al*
- Murday A *see* Goldman JH *et al*
- Murday AJ *see* Anderson J *et al*; Unsworth-White MJ *et al*
- Murdoch D *see* Jamieson A *et al*
- Murgatroyd FD, O'Farrell DM, Foran JP, Kelly SJ, Ward DE, Camm AJ. A multi-centre trial of disopyramide, atenolol and placebo for paroxysmal atrial fibrillation, 269 Pr
- Murphy CF, Lab MJ. Rate and load dependence of pulsus alternans in the anaesthetised pig heart, 40 Pr
- Murphy JJ. Audit of the current practice and complications of temporary transvenous cardiac pacing, 50 Pr
- Murphy JJ. Temporary cardiac pacing following acute myocardial infarction, 149 Pr
- Murphy JJ, Frain JPJ, Bossingham CM. 'Open access' to echocardiography for suspected heart failure: does it work? 113 MP
- Murphy JJ, *see also* Khandekar S and Murphy JJ
- Murray RG *see* Payne MN *et al*
- Musumeci F *see* Banning AP *et al*
- Naas AA *see* Barr CS *et al*; Davidson NC *et al*
- Nair UR *see* Cubukcu AA *et al*
- Narang R *see* Haider AW *et al*
- Nash A, Burrell CJ, Marshall AJ. Evaluation of an ultrasonically guided venepuncture technique for the placement of permanent pacing electrodes, 9 MP
- Needham EWA *see* Mattu RK *et al*
- Newby A *see* George S *et al*; George S and Newby A
- Nicholson AA *see* Panting JR *et al*
- Nicolaides A *see* Mayet J *et al*
- Nihoyannopoulos P *see* Ikonomidis I *et al*; Rosen SD *et al*; Tsoukas A *et al*
- Nolan J *see* Batin PD *et al*
- Norell MS *see* Panting JR *et al*
- Norris RM. Mortality from ischaemic heart disease outside hospital: more bad news from the UK Heart Attack Study (UKHAS), 156 Pr
- Northridge DB, McMurray J, Dargie HJ. A multi-centre, double-blind, placebo controlled trial comparing neutral endopeptidase inhibition with converting enzyme inhibition in heart failure, 194 MP
- Norton M *see* Adams JN *et al*
- Nussey S *see* Calver A *et al*
- Oakhill A *see* Bu'Lock FA *et al*
- Oakley CM *see* Baliga RR *et al*; Morgan K *et al*; Puri S *et al*
- Oakley D *see* Wales C *et al*
- O'Brien C *see* Grocott-Mason RM *et al*
- O'Carroll R *see* Grubb NR *et al*
- O'Farrell D, Bygrave A, Grace A, Heald S, Ward D, Rowland E, Camm AJ. Patient satisfaction and residual symptoms following radiofrequency ablation for supraventricular tachycardia, 169 Pr
- O'Farrell DM *see* Murgatroyd FD *et al*
- O'Gorman D *see* Radvan J *et al*
- O'Neill B *see* Ray SG *et al*
- O'Neill E *see* Cooper JP *et al*
- Ossei-Gerning N, Foy C, Wilson JJ, Grant PJ. Angiotensin converting enzyme gene polymorphism in relation to the extent of coronary artery disease, 62 JC
- O'Sullivan JJ, Gardiner H, Wren C. Should flecainide now be the first choice drug for suppression of infant supraventricular tachycardia?, 17
- O'Sullivan JJ, Lock JE, Perry S. Results of stent implantation for severe pulmonary artery stenosis in children less than three years of age, 6 MP
- Oter R *see* Sutherland GR *et al*
- Oyer P *see* Haywood GA *et al*
- Pagano D *see* Horton RC *et al*
- Paice AG *see* Why HJF *et al*
- Palka P, Fleming AD, Lange A, Fenn LN, Sutherland GR, McDicken WN. Doppler myocardial imaging: mean myocardial velocity and velocity gradient in normal subjects, 288
- Panagos A *see* Statters DJ *et al*
- Panting JR, Schilling RJ, Baker C, Nicholson AA, Caplin JL, Norell MS. Safety and accuracy of magnetic resonance imaging in acute thoracic aortic dissection: a prospective study of 50 patients, 183 JC
- Parameshwar J *see* Cave MH *et al*
- Parker DJ *see* Unsworth-White MJ *et al*
- Parker KH *see* Fujimoto S *et al*
- Parry G *see* Holt ND *et al*; Villaliquan J *et al*
- Parsons A *see* Stephens N *et al*
- Parsons J *see* Blackburn M *et al*
- Parsons JM *see* Gibbs JL *et al*
- Patel D, Holdright D, Knight C, Mulcahy D, Clarke D, Wright C, Wicks M, Hubbard W, Thomas R, Sutton G, Hendry G, Purcell H, Fox K. Adverse outcome rates in unstable angina are high mainly in the first six weeks: prognostic value of early continuous ST segment monitoring, 215
- Patel DJ *see* Bhatnagar D *et al*
- Patel VB *see* Why HJF *et al*
- Paternostro G, Marinho NVS, Ferrannini E, Camici PG. The myocardium of patients with coronary artery disease is insulin resistant, 80
- Patterson DLH *see* Gray R *et al*
- Paul V *see* Cowell R *et al*
- Paul VE *see* Jepson NS *et al*
- Paulesu E *see* Rosen SD *et al*
- Paulus WJ *see* Shah AM *et al*
- Payne GE, Spinnelli J, Garratt CJ, Skehan JD. Optimal pacing haemodynamics, 49 Pr
- Payne MN, McDonald F, Bartlett WA, Jones AF, Murray RG, Beattie JM. Serum activity and gene polymorphism of angiotensin-converting enzyme in relation to restenosis following coronary angioplasty, 188 Pr
- Peart WS *see* Koerner JS *et al*
- Penn IM *see* Ray SG *et al*
- Pennell DJ, Caplin J, Prvulovich R. British Nuclear Cardiology Group: survey of UK nuclear cardiology practice 1993, 47 Pr
- Pennell DJ, McNeil J, Keegan J, Firmin DN, Underwood SR. Magnetic resonance imaging assessment of coronary stenosis severity by signal loss and velocity changes, 118
- Penny WJ *see* Banning AP *et al*
- Pepper CB, Lewis MJ, Shah AM. Assessment of steady-state myofilament response to calcium in intact cardiac myocytes, 179 JC
- Pepper CB, Lewis MJ, Shah AM. Reduction of myofilament response to calcium by a stable factor(s) in coronary effluent, 130 Pr
- Pepper JR *see* Jin XY *et al*
- Perrins EJ *see* Batin PD *et al*; Kelly P *et al*
- Perry A *see* Kearney MT *et al*
- Perry S *see* O'Sullivan JJ *et al*
- Petch MC *see* Chauhan A *et al*
- Peters NS *see* Godsland IF *et al*
- Philpot J *see* Spyrou N *et al*
- Pinkney J *see* Robson RH *et al*
- Polak J *see* Banning AP *et al*
- Polak JM *see* Lefroy DC *et al*; Marron K *et al*; Morgan K *et al*; Wharton J *et al*
- Poloniecki J *see* Unsworth-White MJ *et al*
- Ponikowski P *see* Chua TP *et al*
- Pons Lladó G *see* Sutherland GR *et al*
- Poole-Wilson P *see* Godsland IF *et al*; Kaddoura S *et al*
- Poole-Wilson PA *see* Curzen NP *et al*; Davies CH *et al*; Lefroy DC *et al*
- Poulter NR *see* Mayet J *et al*
- Powe AJ *see* Clarkson P *et al*; Henry R *et al*
- Prasad K, Gould M, Fei L, Elliott PM, Sadoul N, McKenna WJ. Abnormal blood pressure response during exercise predicts unstable hemodynamic status during daily activity in patients with hypertrophic cardiomyopathy, 202
- Prasad K, *see also* Coonar AS *et al*; Fei L *et al*; Sadoul N *et al*; Slade A *et al*
- Pratt R *see* Haywood GA *et al*
- Preedy VR *see* Why HJF *et al*
- Prendergast BD, Anning PB, Lewis MJ, Shah AM. Inhibition of basal endothelin activity enhances ventricular relaxation in the isolated heart, 142 Pr
- Prendergast BD, *see also* Banning AP *et al*

- Pringle TH** *see* Davidson NC *et al*
Proudlar AJ *see* Godslan IF *et al*
Prvolovich E *see* Pennell DJ *et al*
Pugsley WB *see* Sutton PMI *et al*
Purcell H *see* Patel D *et al*
Puri S, Dutka DP, Baker L, Oakley CM, Hughes JMB, Cleland JGF. Relationship between alveolar-capillary membrane function, pulmonary haemodynamics and exercise performance in chronic heart failure, 25 Pr
Qureshi SA *see* Rosenthal E *et al*
Radvan J, Livesey SA, Lawson CL, Walker DM, Simpson IA. Technical aspects of 3-dimensional image reconstruction of transoesophageal echo images in the assessment of mitral valve morphology, 44 Pr
Radvan J, O'Gorman D, Turner MA, Firth AJ, Sheridan DJ. Morphological and numerical changes in resistance vessels in pressure overload left ventricular hypertrophy, 101
Radvan J, Walker DM, Edwards TE, Livesey SA, Morgan JM, Gray HH, Dawkins KD, Simpson IA. Transoesophageal echo Doppler assessment of coronary flow augmentation and vein graft patency during intra-aortic balloon counterpulsation, 291
Radvan J, *see also* Walker DM *et al*
Rae AP *see* MacIntyre PD *et al*
Raftery EB *see* Senior R *et al*
Ramo P *see* Kearney P *et al*
Ramsdale DR *see* Morris JL *et al*
Ramsey MW *see* Goodfellow J *et al*
Ranjadayan K *see* Deaner AN *et al*
Ratcliffe P *see* Keavney B *et al*
Raval U *see* Khattar RS *et al*; Senior R *et al*
Ray SG, Buller CE, Penn IM, Ricci DR, Moscovich MD, Fox R. Quantitative analysis of early recoil, dissection and reocclusion following angioplasty of total occlusions, 3 MPr
Ray SG, Penn IM, Ricci DR, Barth J, Mancini GBJ, Buller CE, O'Neill B, Foster C, Almond D, Lazzam C, Roy L, Barbeau G. Mechanism of benefit of stenting in failed PTCA, 298
Ray SG, *see also* Aggarwal RK *et al*
Reardon K *see* Fei L *et al*
Redel D *see* Tometzki A *et al*
Redington A *see* Ho SY *et al*; Tometzki A *et al*
Redington AN, Somerville J. Complex pulmonary atresia: successful palliation by stenting of aortopulmonary collaterals, 176
Redington AN *see also* Clark AL *et al*; Gatzoulis MA *et al*
Redwood S, Bethell HWL, Vandenberg JJ, Camm AJ, Grace A. Magnesium has concentration and time-dependent effects on action potential duration during myocardial ischaemia, 132 Pr
Redwood S, Leatham E, Huang J, Vazquez J, Bashir Y, Kaski J-C, Camm AJ. Magnesium sulphate in unstable angina: a double blind randomized trial, 268 Pr
Redwood S, Taggart P, Sutton P, Bygrave A, Grace A, Bashir Y, Treasure T, Camm AJ. Magnesium abolishes epicardial action potential prolongation in early ischaemia in the human heart, 131 Pr
Redwood S, *see also* Goldman JH *et al*
Redwood SR *see* Bethell HWL *et al*
Rees A *see* Goodfellow J *et al*
Reid DS *see* Robson RH *et al*
Reid PG *see* Farrer M *et al*
Reid S *see* Byrne J *et al*
Reidy J *see* Rosenthal E *et al*
Reidy MA *see* Bennett MR *et al*
Rhodes P, Barr C, Struthers AD. Is L-arginine induced vasodilatation really due to providing stereospecific substrate for NO synthase? 21 Pr
Ricci DR *see* Ray SG *et al*
Richardson M *see* Mikhail GW *et al*
Richardson PJ *see* Why HJF *et al*
Rickenbacher PR *see* Haywood GA *et al*
Ridgway JP *see* Cubukcu AA *et al*
Riezebos J *see* Calver A *et al*
Rigby M *see* Tometzki A *et al*
Roberts RH, McEvoy C, Stock K, Lo SS, Egdel R, Rochelle A, Sutton GC, Wood DA. The incidence and presentation of ischaemic heart disease: a population survey, 154 Pr
Robinson NMK, de Belder A, Zhang H, Martin JF, Archard L, Moncada S. Coxsackie B3 infection leads to inducible nitric oxide synthase gene transcription in the murine myocardium, 137 Pr
Robinson NMK, Smith REA, Mcpeake JR, Bayliss SA, Charles IG, Heaton ND, Williams R, Martin JF, Moncada S. Detection and pathological role of inducible nitric oxide synthase in man, 139 Pr
Robinson NMK, Thomas MR, Wainwright RJ, Jewitt DE. Unstable angina is not a contraindication to intracoronary stent insertion, 295
Robinson NMK, Wainwright RJ. Primary stenting for long coronary artery lesions. An experience with the 18mm Palmaz-Schatz stent, 297
Robson RH, Pinkney J, Furniss SS, Reid DS. Appropriateness of coronary angiography and revascularisation in a region with a high disease prevalence, 252 Pr
Rochelle A *see* Roberts RH *et al*
Rodger JC, Shanks R, Hamill RA. Open access echocardiography: experience in a district hospital, 30 Pr
Rogers P *see* Mikhail GW *et al*
Rooney E *see* Byrne J *et al*
Rosano GMC *see* Godslan IF *et al*; Volterrani M *et al*
Rosen SD, Paulesu E, Nihoyannopoulos P, Tousoulis D, Camici PG. Regional brain activation compared in silent and painful myocardial ischaemia, 242 Pr
Rosen SD, *see also* Baliga RR *et al*
Rosenthal E, Groves A, Allan LD, Qureshi SA, Baker EJ, Tynan M, Sharland GK. Outcome of isolated congenital complete heart block diagnosed in utero, 177
Rosenthal E, Qureshi SA, Reidy J, Baker EJ, Tynan M. Coil occlusion of small arterial ducts, 174
Roses AD *see* Mounsey JP *et al*
Rowland E *see* Gill JS *et al*; Hintringer F *et al*; MacRae C *et al*; O'Farrell D *et al*; Statters DJ *et al*; Xie B *et al*
Roy L *see* Ray SG *et al*
Royston D *see* Marron K *et al*
Rumley A *see* Lip GYH *et al*
Rutherford RAD *see* Banning AP *et al*; Lefroy DC *et al*; Wharton J *et al*
Ryder M *see* Batin PD *et al*
Sadoul N, Prasad K, Slade AKB, Elliott PM, Fi L, Saumarez RC, McKenna WJ. Abnormal blood pressure response during exercise is a marker of risk of sudden death in young patients with hypertrophic cardiomyopathy, 246 Pr
Sadoul N, *see also* Prasad K *et al*; Saumarez RC *et al*; Slade A *et al*
St John Sutton MG *see* Karwatowski SP *et al*
Saito J *see* Doig JC *et al*
Sale EA *see* Glennon PE *et al*
Sale GJ *see* Glennon PE *et al*
Salih MM *see* Hamdan HK *et al*
Salomone O *see* Kaski JC *et al*
Samani NJ, Cullen J, Martin DS, Brack M, Chauhan A, Lodwick D, Harley A, de Bono DP, Gershlick AH. The angiotensin converting enzyme gene insertion/deletion polymorphism and the risk of restenosis after coronary angioplasty, 189 MPr
Sanderson JE *see* Goldman JH *et al*
Sarrel P *see* Godslan IF *et al*
Saumarez R *see* Slade A *et al*
Saumarez RC, Sadoul N, Slade AKB, McKenna WJ. Paced electrogram fractionation in hypertrophic cardiomyopathy. Results in 101 patients, 247 Pr
Saumarez RC, *see also* Sadoul N *et al*
Schilling RJ *see* Panting JR *et al*
Schofield PM *see* Cave MH *et al*; Chauhan A *et al*; Stephens N *et al*
Schönig A *see* Sutherland GR *et al*
Schroder R *see* Wilcox RG *et al*
Schwartz SM *see* Bennett MR *et al*
Scott J *see* Kooner JS *et al*
Seidman CE *see* MacRae C *et al*; Watkins H *et al*
Seidman JG *see* MacRae C *et al*; Watkins H *et al*
Senior R, Basu S, Handler CE, Raftery EB, Lahiri A. Improved detection of coronary artery disease in hypertensive patients by dobutamine stress echocardiography, 207 MPr
Senior R, Glenville B, Kaul S, Raval U, Basu S, Handler CE, Raftery EB, Lahiri A. Low dose dobutamine echocardiography predicts improvement in left ventricular function following revascularisation in patients with severe ischaemic heart failure, 209 MPr
Senior R, Kaul S, Raval U, Sridhara BS, Lahiri A. Is Tc-99m tetrofosmin myocardial uptake an indicator of myocardial viability? 86 MPr
Senior R, Lahiri A. Enhanced detection of myocardial ischaemia in patients with wall motion abnormality by utilising the 'biphasic' response of stress dobutamine during serial echocardiography, 206 MPr
Senior R, Raval U, Basu S, Lahiri A. Dobutamine Tc-99m Sestamibi imaging accurately predicts myocardial viability in dysynergic left ventricular segments, 119
Sentilnathan V *see* Goldman JH *et al*
Serruys PW *see* Violaris AG *et al*
Sevaptisidis E *see* Doig JC *et al*

- Sever PS** *see* Mayet J *et al*
Seymour A-M *see* Jepson NS *et al*
Shaffer L *see* Lip GYH *et al*
Shah AM, Vantrimpont PJ, Paulus WJ. Modulation of left ventricular function in humans by paracrine release of nitric oxide from coronary endothelium, 74 MP
Shah AM, *see also* Anning PB *et al*; Pepper CB *et al*; Prendergast BD *et al*
Shahi M *see* Mayet J *et al*
Shanit D *see* Greenbaum RA *et al*
Shanks R *see* Rodger JC *et al*
Shapiro L *see* Slade A *et al*
Shapiro LM *see* Crowley JJ *et al*; Lee EM *et al*
Sharland GK *see* Rosenthal E *et al*
Sharples L *see* Butt AY *et al*
Shaukat N, Lear J, Fletcher S, Woods K, de Bono DP. Increased late mortality and morbidity after first myocardial infarction in South Asians compared to whites, 106 MP
Shaw T *see* Kearney P *et al*
Shaw TRD *see* Francis CM *et al*
Shepherd L *see* Gunn J *et al*
Sheppard MN *see* Marron K *et al*
Sheridan DJ *see* Goulielmos NV *et al*; Radvan J *et al*; Wallis WRJ *et al*
Sherringham P *see* Greenbaum RA *et al*
Sherwood R *see* Brown AS *et al*
Shi M *see* Doig JC *et al*
Sideris A *see* Stefanadis C *et al*
Sidhu M *see* Crook D *et al*
Sigwart U, Knight C, Buszman P, Vecht R, Sutton R, Gibson D. Non surgical catheter treatment for hypertrophic obstructive cardiomyopathy, 64 JC
Sigwart U, *see also* Stables R *et al*
Silove E *see* Herbert M *et al*
Simon J-P *see* Slade A *et al*
Simpson IA *see* Radvan J *et al*; Walker DM *et al*
Sinclair A-M *see* Mayet J *et al*
Singh H *see* El-Omar MM *et al*
Sioros L *see* Stefanadis C *et al*
Sivananthan UM *see* Cubukcu AA *et al*
Skehan JD *see* Payne GE *et al*
Skene AM *see* Wilcox RG *et al*
Skinner JS, Farrer M, Albers CJ, Adams PC. 5 year outcome after coronary artery surgery (CABG) carried out in the North of England: a prospective cohort study, 263 Pr
Skinner JS, Farrer M, Albers CJ, Adams PC. Is 'cholesterol' given enough attention after coronary artery surgery (CABG)? 230 Pr
Skinner JS, *see also* Farrer M *et al*
Slade A, Sadoul N, Dodinot B, Prasad K, Saumarez R, Simon J-P, Aliot E, McKenna W. Frequent reprogramming is necessary to optimise pacing therapy in hypertrophic obstructive cardiomyopathy, 250 Pr
Slade A, Sadoul N, Shapiro L, Chojnowska L, Dodinot B, Aliot E, McKenna W. Acute gradient reduction does not predict functional outcome after DDD pacing in obstructive hypertrophic cardiomyopathy, 18
Slade AKB *see* Sadoul N *et al*; Saumarez RC *et al*
Smith C *see* Horton RC *et al*
Smith EEJ *see* Unsworth-White MJ *et al*
Smith GH *see* Gunn J *et al*
Smith LJ *see* El Habbal MH *et al*
Smith R *see* de Belder A *et al*
Smith REA *see* Gupta S *et al*; Robinson NMK *et al*
Smyllie JH *see* Morris JL *et al*
Sogliani F *see* Spyrou N *et al*
Somerville J *see* Gatzoulis MA *et al*; Redington AN and Somerville J; Thorne SA *et al*
Southgate KM, Izzat MB, Knight D, Angelini GD. Up regulation of matrix degrading gelatinases in pig saphenous vein grafts, 143 Pr
Sowton E *see* Tan KH *et al*
Speechly-Dick ME, Yellon DM. Ischaemic preconditioning in human myocardium: the role of protein kinase C, 135 Pr
Spencer T *see* Kearney P *et al*
Spinnelli J *see* Payne GE *et al*
Spyrou N, Philpot J, Muntoni F, Camici PG. Dilated cardiomyopathy in children with congenital merosin deficient muscular dystrophy, 200
Spyrou N, Sogliani F, Foale R, Stanbridge RdeL, Camici PG. Assessment of gastroepiploid artery bypass graft blood flow with $H_2^{18}O$ and dynamic positron emission tomography, 46 Pr
Sreeram N *see* Herbert M *et al*
Sridhara BS *see* Khattar RS *et al*; Senior R *et al*
Stables R, Gibbs S, Knight C, Groves P, Buller N, Davies SW, Sigwart U. Post stent management with FemoStop and self injected low molecular weight heparin, 299
Stables RH, Anagnostopoulos C, Denne B, Underwood R, Buller NP, Denison DM. Physician prejudice influences treatment allocation in single vessel coronary artery disease: an example of the enthusiasm hypothesis of health care variation? 108 MP
Stables RH, for the Brompton House Officer Audit Group. A prospective audit of the management of lipid secondary prevention in patients referred for diagnostic cardiac catheterisation, 229 Pr
Stables RH, for the Brompton House Officer Audit Group. A prospective study to examine the relation of serum lipid subfractions to the presence and severity of angiographically demonstrated coronary artery disease: implications for lipid secondary prevention strategies, 228 Pr
Stafford P, Keane D, Baker S, Cooper J, Vincent R, Garratt C. The signal averaged P wave in atrioventricular block – evidence for abnormal atrial conduction, 10 MP
Stanbridge RdeL *see* Spyrou N *et al*
Stanton AV *see* Mayet J *et al*
Starkey I *see* Kearney P *et al*
Starkey IR *see* Francis CM *et al*
Starling R *see* Walsh JT *et al*
Statters DJ, Panagos A, Fei L, Rowland E, Malik M, Camm AJ. How does beta-blockade protect patients with congenital long QT syndromes? 58 Pr
Stavri GT, Baskerville PA, Erusalimsky JD, Martin JF. Hypoxia-induced gene expression in vascular smooth muscle cells, 285
Steedman D *see* Kennedy RL *et al*
Steel S *see* Burn S *et al*
Stefanadis C, Vlachopoulos C, Stratos C, Kallikazaros I, Tsiamis E, Marakas S, Sideris A, Sioros L, Boudoulas H, Toutouzas CP, Toutouzas P. Deleterious effect of smoking on the elastic properties of the aorta, 222 Pr
Stephens N, Brown MJ, Micelli M, Parsons A, Schofield PM. Preserved endothelial function in the brachial artery in patients with premature atherosclerosis, 71 MP
Stevenson JC *see* Crook D *et al*; Godsland IF *et al*
Stock K *see* Roberts RH *et al*
Stone DL *see* Lee EM *et al*
Stratos C *see* Stefanadis C *et al*
Stratton I *see* Keavney B *et al*
Strobel S *see* El Habbal MH *et al*
Struthers AD *see* Barr CS *et al*; Davidson NC *et al*; Rhodes P *et al*
Stubbs TA *see* Kearney MT *et al*
Studer R *see* Groves PH *et al*
Subiren M *see* Sutherland GR *et al*
Sugden P *see* Kaddoura S *et al*
Sugden PH *see* Curzen NP *et al*; Glennon PE *et al*
Sugrue D *see* Hennessy T *et al*
Sugrue DD *see* Diamond P *et al*
Suk HJ *see* Watkins H *et al*
Sulke N *see* Tan KH *et al*
Sutherland G *see* Kearney P *et al*
Sutherland GR, Pons Lladó G, Carreras F, Viñolas X, Oter R, Subiren M, Bayes de Luna A. Doppler myocardial imaging in the evaluation of normal and abnormal ventricular depolarisation, 290
Sutherland GR, von Bibra H, Tuchnitz A, Henke J, Schöning A. Transthoracic detection of regional myocardial perfusion abnormalities using a peravenous contrast agent – a comparative study of Doppler energy and grey scale imaging, 184 JC
Sutherland GR, *see also* Francis CM *et al*; Palka P *et al*
Sutton G *see* Patel D *et al*
Sutton GC *see* Bhatnagar D *et al*; Roberts RH *et al*
Sutton P *see* Redwood S *et al*
Sutton PMI, Pugsley WB, Boyett MR, Lab MJ, Taggart P. Action potential repolarisation in ventricular epicardium during global ischaemia in human subjects, 133 Pr
Sutton PMI, *see also* Taggart P *et al*
Sutton R *see* Sigwart U *et al*
Swanton RH *see* Cooper JP *et al*; Taggart P *et al*
Sweeney HL *see* Watkins H *et al*
Szafraneck A *see* Buszman P and Szafraneck A
Taggart P, Sutton PMI, Boyett MR, Lab MJ, Swanton RH. New insight into an arrhythmogenic mechanism in the ischaemic human heart, 13
Taggart P, *see also* Redwood S *et al*; Sutton PMI *et al*
Takao M *see* Butt AY *et al*
Tan KH, Sulke N, Taub N, Karani S, Sowton E. Angiographic finding when chest pain recurs after successful coronary angioplasty, 255 Pr
Tan LB *see* Cubukcu AA *et al*
Taub N *see* Tan KH *et al*
Taylor CE *see* Villalquiran J *et al*

- Taylor G *see* Chauhan A *et al*
 Taylor H *see* Mounsey JP *et al*
 Tentolouris C, Tousoulis D, Crake T, Gialafos J, Triposkiadis F, Davies G, Toutouzas P. Nitric oxide mediates pacing-dependent epicardial coronary artery vasodilation but not flow changes, 73 MP
 Tentolouris C, *see also* Tousoulis D *et al*
 Thierfelder L *see* Watkins H *et al*
 Thom SAMcG *see* Mayet J *et al*
 Thomas B *see* Millar-Craig MW *et al*
 Thomas GL, Doig JC, Bourke JP, Furniss SS, Campbell RWF. The haemodynamic impact of ventricular tachycardia: predicting the outcome, 15
 Thomas MR *see* Brown AS *et al*; de Belder A *et al*; Gupta S *et al*; Robinson NMK *et al*
 Thomas R *see* Patel D *et al*
 Thorne SA, Hooper J, Somerville J. Gastrointestinal protein loss in long term survivors of the Fontan operation, 178
 Till JA *see* Gatzoulis MA *et al*
 Timmis AD *see* Deaner AN *et al*
 Tometzki A, Chan K, Houston A, Martin R, Redington A, Rigby M, Redel D, Wilson N. Total UK multi-centre experience with a novel arterial occlusion device, 175
 Toose JA *see* Unsworth-White MJ *et al*
 Toun O *see* Ikonomidis I *et al*
 Tousoulis D, Crake T, Tentolouris C, Lefroy DC, Gialafos J, Toutouzas P, Davies G. Effects of inhibition of nitric oxide synthesis in proximal and distal segments in patients with coronary artery disease, 19 Pr
 Tousoulis D, *see also* Chester MR *et al*; Haider AW *et al*; Rosen SD *et al*; Tentolouris C *et al*
 Toutouzas CP *see* Stefanadis C *et al*
 Toutouzas P *see* Aggelakos S *et al*; Stefanadis C *et al*; Tentolouris C *et al*; Tousoulis D *et al*
 Tovey J *see* Banning AP *et al*
 Townend J *see* Horton RC *et al*
 Treasure T *see* Holmes L *et al*; Redwood S *et al*; Unsworth-White MJ *et al*
 Trent RJ *see* Adams JN *et al*
 Trindade P *see* Haywood GA *et al*
 Trindade PT *see* Haywood GA *et al*
 Triposkiadis F *see* Tentolouris C *et al*
 Tsao P *see* Haywood GA *et al*
 Tsiamis E *see* Stefanadis C *et al*
 Tsoukas A, Ikonomidis I, Kouris N, Kassimatis A, Nihoyannopoulos P. Persistence of regional left ventricular dysfunction after myocardial ischemia induced by intravenous dobutamine. A stress echocardiography study, 208 MP
 Tsoukas A, *see also* Ikonomidis I *et al*
 Tuan Dinh Xuan A *see* Butt AY *et al*
 Tsuchnitz A *see* Sutherland GR *et al*
 Tunstall-Pedoe H, Morrison C, Woodward M, Fitzpatrick B, Watt G. Comparison of 3991 coronary events in men and 1551 in women in the Glasgow MONICA project: are heart attacks in men and women different? 109 MP
 Tunstall-Pedoe H, Woodward M, A'Brook R, McCluskey M-K, Morrison C. Cardiovascular risk factors, coronary events and all causes mortality in eight years' follow-up of men and women in the Scottish Heart Health Study cohort, 104 MP
 Tunstall-Pedoe H, *see also* McDonagh TA *et al*
 Turner MA *see* Radvan J *et al*
 Turner R *see* Keavney B *et al*
 Tyler D *see* Banning AP *et al*
 Tynan M *see* Holt ND *et al*; Rosenthal E *et al*
- Uemura H, Ho SY, Anderson RH. Veno-atrial connections in hearts with isomeric atrial appendages, 173
 Uemura H, Yagihara T, Kawashima Y, Anderson RH. Intrapulmonary reconstruction of pulmonary arteries using a heterologous pericardial roll, 162 Pr
 Underwood R *see* Stables RH *et al*
 Underwood SR *see* Karwatowski SP *et al*; Pennell DJ *et al*
 Unsworth-White MJ, Herriot A, Valencia O, Poloniecki J, Smith EEJ, Munday AJ, Parker DJ, Treasure T. Resternotomy for bleeding after cardiac surgery: a marker for morbidity and mortality, 278 MP
 Unsworth-White MJ, Kallis P, Cowan D, Toose JA, Bevan D, Treasure T. A prospective randomised trial of a heparin-coated cardiopulmonary bypass circuit, 179 MP
- Vagelos RH *see* Haywood GA *et al*
 Valencia O *see* Unsworth-White MJ *et al*
- Vallance P *see* Bhagat K *et al*; Calver A *et al*
 Vandenberg JI *see* Bethell HWL *et al*; Redwood S *et al*
 Vantrimpont PJ *see* Shah AM *et al*
 Vassilikos V *see* Voudris V *et al*
 Vazquez J *see* Redwood S *et al*
 Vecht R *see* Sigwart U *et al*
 Villalquiran J, Gould FK, Taylor CE, Freeman R, Parry G, Dark JH. Prophylaxis and management of cytomegalovirus infection following cardiac transplantation, 89 MP
 Vincent R *see* Stafford P *et al*
 Viñolas X *see* Sutherland GR *et al*
 Violaris AG, Melkert R, Serruys PW. Clinical, procedural and quantitative angiographic variables predictive of luminal renarrowing and reocclusion following successful dilatation of total occlusions, 4 MP
 Violaris AG, Melkert R, Serruys PW. Influence of local thrombus formation on long term restenosis following percutaneous transluminal coronary angioplasty, 2 MP
 Vivian G *see* Jenkins A *et al*
 Vlachopoulos C *see* Stefanadis C *et al*
 Vogel M, Ho SY, Anderson RH. 3-Dimensional echocardiography provides new information on AV septal defect anatomy, 161 Pr
 Vogel M, Ho SY, Anderson RH. Assessment of congenitally corrected transposition of the great arteries by 3-dimensional echocardiography, 160 Pr
 Volterrani M, Rosano GMC, Beale CM, Coats A, Collins P. Effect of estradiol-17 β on forearm blood flow in men. A double-blind randomized study, 235 Pr
 von Bibra H *see* Sutherland GR *et al*
 von der Leyen H *see* Haywood GA *et al*
 Voudris V, Vassilikos V, Manginas A, Chiladakis J, Kantzis J, Koutelou M, Cokkinos DV. Flow inhomogeneity produced by intravenous dipyridamole documented by coronary flow velocity changes, 204 MP
- Wainwright RJ *see* Brown AS *et al*; de Belder A *et al*; Gupta S *et al*; Langford EJ *et al*; Robinson NMK *et al*; Robinson NMK and Wainwright RJ
 Wales C, Gunn J, Ahmed J, Wheeldon N, Campbell S, Bowes R, Oakley D, Crossman D, Cumberland D. Percutaneous transluminal coronary ultrasonic angioplasty: immediate, 24 hour and six month clinical and quantitative angiographic assessment, 1 MP
 Walker DM, Radvan J, Chase R, Edwards T, Morgan JM, Simpson IA, Gray HH, Dawkins KD. Pacing mode and atrial fibrillation: 1517 paced years follow-up of 1068 pacemaker implants, 249 Pr
 Walker DM, *see also* Radvan J *et al*
 Walker M *see* MacCallum AK *et al*
 Wallbridge DR, Cobbe SM. Coronary autoregulation is maintained in left ventricular hypertrophy, 244 Pr
 Wallbridge DR, Zamorano J, Ge J, Drozd J, Erbel R. Assessment of cardiac physiology by tissue Doppler echocardiography: a comparison with pressure recordings during cardiac catheterisation, 289
 Wallis WRJ, Wu R, Cooklin M, Sheridan DJ, Fry CH. Differential effects of isoprenaline on ventricular myocytes from normal and hypertrophied guinea-pig hearts, 102
 Wallwork J *see* Cave MH *et al*
 Walsh JT, Andrews R, Starling R, Cowley AJ, Johnston IDA, Kinnear WJ. Effects of ACE inhibitors and oxygen on sleep apnoea in patients with mild to moderate heart failure, 193 MP
 Walton S *see* Adams JN *et al*
 Wander GS *see* Bhatnagar D *et al*
 Ward D *see* O'Farrell D *et al*
 Ward DE *see* Gill JS *et al*; Hintringer F *et al*; Murgatroyd FD *et al*; Xie B *et al*
 Warraich R *see* Goldman JH *et al*
 Warraich RFS *see* Currie PF *et al*
 Watkins H, Sweeney HL, McKenna WJ, Seidman JG, Seidman CE. Mode of action of cardiac troponin T mutations in familial hypertrophic cardiomyopathy, 99
 Watkins H, Thierfelder L, MacRae C, Suk HJ, Anan R, Seidman JG, Seidman CE, McKenna WJ. Clinical implications of cardiac troponin T and alpha tropomyosin mutations in hypertrophic cardiomyopathy, 201
 Watkins HC *see* MacRae C *et al*
 Watson RDS *see* Lip GYH *et al*
 Watt G *see* Tunstall-Pedoe H *et al*
 Webb DJ *see* Love MP *et al*
 Weissberg PL *see* Clesham GJ *et al*
 Wells FC *see* Lee EM *et al*
 Welsh CJ *see* Batin PD *et al*
 Wharton G *see* Blackburn M *et al*

Wharton J, Rutherford RAD, Knock GA, Chester A, Yacoub HM, Polak JM. Differential distribution of angiotensin II (AT₁ and AT₂) receptors in failing human heart, 181 JC

Wharton J, *see also* Banning AP *et al*; Lefroy DC *et al*; Marron K *et al*; Morgan K *et al*

Wheeldon N *see* Wales C *et al*

Whincup PH *see* MacCallum AK *et al*

Whitehead BF *see* Marron K *et al*

Why HJF, Ansell H, Paice AG, Patel VB, Richardson PJ, Preedy VR. Abnormal anti-oxidant status in hypertension: the beneficial effects of lisinopril treatment, 196 MPr

Why HJF, Corbett JM, Patel VB, Richardson PJ, Dunn MJ, Preedy VR. Changes in myocardial heat shock proteins in response to chronic ethanol exposure, 212 MPr

Wicks M *see* Patel D *et al*

Wilcox RG, Charlesworth A, Skene AM. Thrombolysis with alteplase for myocardial infarction: risk-benefit, time window and 'early hazard', 272 MPr

Wilcox RG, Hampton JR, Meyer-Sabellek W, Schroder R. International Joint Efficacy Comparison of Thrombolytics (INJECT): reteplase vs streptokinase in acute myocardial infarction, 271 MPr

Wilding J *see* Kooner JS *et al*

Wilkinson P *see* Deaner AN *et al*

Williams A *see* George S *et al*

Williams R *see* Robinson NMK *et al*

Wilson JI *see* Ossei-Gerning N *et al*

Wilson M *see* Hamdan HK *et al*

Wilson N *see* Tometzki A *et al*

Wisbey C *see* Crowley JJ *et al*; Lee EM *et al*

Wood DA *see* Roberts RH *et al*

Woods K *see* Shaukat N *et al*

Woods KL *see* Glancy JM *et al*

Woodward M *see* Tunstall-Pedoe H *et al*

Wray R *see* Brown AS *et al*; Gupta S *et al*

Wren C *see* Gibbs JL *et al*; O'Sullivan JJ *et al*

Wright C *see* Patel D *et al*

Wright D *see* Jeremy JY *et al*

Wright G *see* Mikhail GW *et al*

Wright J *see* Herbert M *et al*

Wright RA *see* Currie PF *et al*

Wu R *see* Wallis WRJ *et al*

Xie B, Heald SC, Rowland E, Camm AJ, Ward DE. Reasons for primary failure or recurrence of conduction following radiofrequency ablation of accessory atrioventricular pathways, 167 Pr

Xu P *see* Mounsey JP *et al*

Yacoub HM *see* Wharton J *et al*

Yacoub M *see* Cowell R *et al*; Grocott-Mason RM *et al*

Yacoub MH *see* Jin XY *et al*; Mikhail GW *et al*

Yagihara T *see* Uemura H *et al*

Yang GZ *see* Karwatowski SP *et al*

Yarnell JW *see* Mattu RK *et al*

Yellon DM *see* Morris SD *et al*; Speechly-Dick ME and Yellon DM

Yudkin JS *see* Gray R *et al*

Zaman AG *see* Morris JL *et al*

Zamorano J *see* Wallbridge DR *et al*

Zarifis J *see* Lip GYH *et al*

Zhang H *see* Robinson NMK *et al*

Pr=Poster; MPr=Moderated poster; JC=Judges Choice; A, B, C, D=Young Research Workers Prize.